

Erin Automation Test Report

Nov 1, 2024, 10:03:02 AM

Start : Nov 01, 10:00:12.515 AM

End : Nov 01, 10:02:59.597 AM

Duration : 2 m 47.082 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 4

SKIPPED - 0

PASSED - 4






FAILED - 7

SKIPPED - 0


PASSED - 25

FAILED - 7


SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add to Cart</u>	33.190 s	1	0	1	0	4	0	1	3
<u>User Authentication</u>	1 m 13.955 s	6	2	4	0	30	15	4	11
<u>logout</u>	34.785 s	1	0	1	0	2	1	1	0
<u>product</u>	17.504 s	2	1	1	0	6	5	1	0
<u>Remove Item from Cart</u>	7.507 s	1	1	0	0	4	4	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Add to Cart</u>	1	0	1	0	33.190 s
2	<u>User Authentication</u>	6	2	4	0	1 m 13.955 s
3	<u>logout</u>	1	0	1	0	34.785 s
4	<u>product</u>	2	1	1	0	17.504 s
5	<u>Remove Item from Cart</u>	1	1	0	0	7.507 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add to Cart</u>	<u>Verify item is displayed</u>	4	0	1	3	33.187 s
2	<u>User Authentication</u>	<u>Login with valid credentials to Sauce lab</u>	5	1	1	3	24.523 s
3	<u>User Authentication</u>	<u>Login with valid credentials to Sauce lab</u>	5	1	1	3	3.863 s
4	<u>User Authentication</u>	<u>Login with valid credentials to Sauce lab</u>	5	1	1	3	31.975 s
5	<u>User Authentication</u>	<u>Login with invalid credentials to Sauce lab</u>	5	5	0	0	3.341 s
6	<u>User Authentication</u>	<u>Login with invalid credentials to Sauce lab</u>	5	2	1	2	6.622 s
7	<u>User Authentication</u>	<u>Login with invalid credentials to Sauce lab</u>	5	5	0	0	3.374 s
8	<u>logout</u>	<u>Login with valid credentials to Sauce lab</u>	2	1	1	0	34.785 s
9	<u>product</u>	<u>Verify product page is displayed</u>	2	2	0	0	7.591 s
10	<u>product</u>	<u>Verify inventory item names are in descending order</u>	4	3	1	0	9.890 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Remove Item from Cart</u>	<u>Removing one item from cart</u>	4	4	0	0	7.506 s

Add to Cart

FAILED	DURATION - 33.190 s	Scenarios		Steps	
/ 10:00:12.515 AM // 10:00:45.705 AM /		Total - 1	1	Total - 4	4
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	



Verify item is displayed

<div>FAILED</div> <div>DURATION - 33.187 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:00:12.518 AM // 10:00:45.705 AM /				
Add to Cart				



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as standard user using "standard_user" and "secret_sauce"</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: -0.011 (Session info: chrome=130.0.6723.92) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62203}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55bd1bcf79814c7f84236fc7c1fa0dfd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</pre>	FAILED	30.165 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.to(RemoteWebDriver.java:857) at com.saucelab.pages.BasePage.launchUrl(BasePage.java:34) at com.saucelab.pages.HomePage.navigateToHomePage(HomePage.java:31) at com.saucelab.stepDefination.ProductPageStepDef.iLogInAsStandardUserUsingAnd(ProductPageStepDef.java:22) at ?.I log in as standard user using "standard_user" and "secret_sauce"(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/addToCart.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	And I add item to cart	SKIPPED	0.002 s
3	And I click on Shopping cart badge	SKIPPED	0.000 s
4	Then I should see the items in my cart	SKIPPED	0.001 s
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.334 s
	Verify item is displayed		
	ScreenShot attached		

User Authentication

FAILED / 10:00:45.775 AM // 10:01:59.730 AM /	DURATION - 1 m 13.955 s	Scenarios		Steps	
		Total - 6		Total - 30	
		Pass - 2		Pass - 15	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 11	



Login with valid credentials to Sauce lab

<div>FAILED</div> <div>DURATION - 24.523 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:00:45.787 AM // 10:01:10.310 AM /				
User Authentication				

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	23.116 s
2	When I enter a valid user "standard_user"	FAILED	0.044 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=130.0.6723.92) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f85cc6228fe6dda5633c71b8eaf9c96c *** Element info: {Using=id, value=user-name}</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.clear(Unknown Source) at com.saucelab.pages.HomePage.enterUserName(HomePage.java:35) at com.saucelab.stepDefination.HomePageStepDef.i_enter_a_valid_user(HomePageStepDef.java:27) at ?.I enter a valid user "standard_user"(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/login.feature:11)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And I enter a valid password "secret_sauce"		
3	And I click on Login	SKIPPED	0.004 s
4	Then product page is displayed	SKIPPED	0.003 s
5		SKIPPED	0.003 s

Login with valid credentials to Sauce lab

<div><div>FAILED</div><div>DURATION - 3.863 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 3</div></div>	<div></div>
/ 10:01:10.403 AM // 10:01:14.266 AM /				
User Authentication				

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	2.159 s
2	When I enter a valid user "problem_user"	FAILED	0.021 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=130.0.6723.92) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62296}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c362f5d6f090b165999b8a855a998171 *** Element info: {Using=id, value=user-name}</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.clear(Unknown Source) at com.saucelab.pages.HomePage.enterUserName(HomePage.java:35) at com.saucelab.stepDefination.HomePageStepDef.i_enter_a_valid_user(HomePageStepDef.java:27) at ?.I enter a valid user "problem_user"(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/login.feature:11) * Not displayable characters are replaced by '?'. </pre>		
3	And I enter a valid password "secret_sauce"	SKIPPED	0.001 s
4	And I click on Login	SKIPPED	0.002 s
5	Then product page is displayed	SKIPPED	0.021 s



Login with valid credentials to Sauce lab


FAILED DURATION - 31.975 s / 10:01:14.339 AM // 10:01:46.314 AM / User Authentication		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	20.044 s
2	When I enter a valid user "performance_glitch_user" <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#user\\-name"} (Session info: chrome=130.0.6723.92) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element. html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62321}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8fb8f6f349e0551e687cff3cf64fb127 *** Element info: {Using=id, value=user-name} </pre>	FAILED	10.092 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.clear(Unknown Source) at com.saucelab.pages.HomePage.enterUserName(HomePage.java:35) at com.saucelab.stepDefination.HomePageStepDef.i_enter_a_valid_user(HomePageStepDef.java:27) at ?.I enter a valid user "performance_glitch_user"(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/login.feature:11) * Not displayable characters are replaced by '?'.		
3	And I enter a valid password "secret_sauce"	SKIPPED	0.002 s
4	And I click on Login	SKIPPED	0.001 s
5	Then product page is displayed	SKIPPED	0.001 s
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.310 s
	Login with valid credentials to Sauce lab		
	ScreenShot attached		
			

Login with invalid credentials to Sauce lab

<div>PASSED</div> <div>DURATION - 3.341 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:01:46.346 AM // 10:01:49.687 AM /				
User Authentication				

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	0.695 s
2	When I enter user name "standard_user"	PASSED	0.288 s
3	And I enter password "secretsauce"	PASSED	0.207 s
4	And I click on Login	PASSED	0.284 s
5	Then User not able to login	PASSED	0.043 s
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.234 s
	Login with invalid credentials to Sauce lab		
	ScreenShot attached		
			

Login with invalid credentials to Sauce lab



<div>FAILED</div> <div>DURATION - 6.622 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:01:49.714 AM // 10:01:56.336 AM /				
User Authentication				

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	0.332 s
2	When I enter user name "problem_user3"	PASSED	1.792 s
3	And I enter password "secret_sauce"	FAILED	2.389 s
	<p>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:15338 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)</p> <p>at org.openqa.selenium.By\$ById.findElement(By.java:188)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy20.clear(Unknown Source)</p> <p>at com.saucelab.pages.HomePage.enterPassword(HomePage.java:42)</p> <p>at com.saucelab.stepDefination.HomePageStepDef.iEnterPassword(HomePageStepDef.java:60)</p> <p>at ?.I enter password "secret_sauce"(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/login.feature:24)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:15338</p> <p>at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)</p> <p>at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)</p> <p>at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)</p> <p>at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)</p> <p>at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)</p> <p>at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)</p> <p>at okhttp3.RealCall.execute(RealCall.java:77)</p> <p>at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy20.clear(Unknown Source) at com.saucelab.pages.HomePage.enterPassword(HomePage.java:42) at com.saucelab.stepDefination.HomePageStepDef.iEnterPassword(HomePageStepDef.java:60) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:760) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And I click on Login	SKIPPED	0.000 s
5	Then User not able to login	SKIPPED	0.001 s

Login with invalid credentials to Sauce lab

<div><div>PASSED</div><div>DURATION - 3.374 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:01:56.356 AM // 10:01:59.730 AM /				
User Authentication				

#	Step / Hook Details	Status	Duration
1	Given I navigate to Sauce lab login page	PASSED	0.483 s
2	When I enter user name "performance_glitch_user1"	PASSED	0.450 s
3	And I enter password "secret_sauce"	PASSED	0.390 s
4	And I click on Login	PASSED	0.219 s
5	Then User not able to login	PASSED	0.047 s

#	Step / Hook Details	Status	Duration
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario) Login with invalid credentials to Sauce lab ScreenShot attached 	PASSED	0.184 s


logout

FAILED	DURATION - 34.785 s	Scenarios		Steps	
/ 10:01:59.748 AM // 10:02:34.533 AM /		Total - 1		Total - 2	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



Login with valid credentials to Sauce lab

FAILED	DURATION - 34.785 s		Steps	
/ 10:01:59.748 AM // 10:02:34.533 AM /			Total - 2	
			Pass - 1	
			Fail - 1	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I log in as standard user using "standard_user" and "secret_sauce"	PASSED	2.307 s
2	Then I logout org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[ChromeDriver: chrome on WINDOWS (16927b16b42dd7d963975166a02f52c3)] -> css selector: .bm-overlay] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:	FAILED	30.452 s


#	Step / Hook Details	Status	Duration
	localhost:62466}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16927b16b42dd7d963975166a02f52c3 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.saucelab.pages.BasePage.waitForElementToBeClickable(BasePage.java:39) at com.saucelab.pages.ProductsPage.logout(ProductsPage.java:89) at com.saucelab.stepDefination.ProductPageStepDef.iLogout(ProductPageStepDef.java:76) at ?.i logout(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/logout.feature:7) * Not displayable characters are replaced by '?'. AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario) Login with valid credentials to Sauce lab ScreenShot attached 		
		PASSED	0.662 s

product



FAILED	DURATION - 17.504 s	Scenarios		Steps	
/ 10:02:34.558 AM // 10:02:52.062 AM /		Total - 2 Pass - 1 Fail - 1 Skip - 0		Total - 6 Pass - 5 Fail - 1 Skip - 0	

Verify product page is displayed

PASSED		DURATION - 7.591 s			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 10:02:34.558 AM // 10:02:42.149 AM /							
product							

#	Step / Hook Details	Status	Duration
1	Given I log in as standard user using "standard_user" and "secret_sauce"	PASSED	5.469 s
2	Then product page is displayed	PASSED	0.078 s
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.388 s
	Verify product page is displayed		
	ScreenShot attached		
			



Verify inventory item names are in descending order

<div>FAILED</div> <div>DURATION - 9.890 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:02:42.172 AM // 10:02:52.062 AM /				
product				



#	Step / Hook Details	Status	Duration
1	Given I log in as standard user using "standard_user" and "secret_sauce"	PASSED	6.521 s
2	When I click on filter icon	PASSED	0.407 s
3	And product name is ordered in descending	PASSED	0.964 s
4	Then Item should be in descending order	FAILED	0.388 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: target frame detached: received Inspector.detached event (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=130.0.6723.92) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-VQFEBNL', ip: '192.168.146.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\Users\LIKITHA REDDY\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62510}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 327d523e707c0b9a4c793c8ba2dd4c09 *** Element info: {Using=id, value=item_3_title_link}</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.getText(Unknown Source) at com.saucelab.pages.ProductsPage.verifyInventoryOrder(ProductsPage.java:67) at com.saucelab.stepDefination.ProductPageStepDef.itemShouldBeInDescendingOrder(ProductPageStepDef.java:47) at ?.Item should be in descending order(file:///D:/Automation/Saucelab/src/test/java/com/saucelab/featureFiles/prodcut.feature:14)</p> <p>* Not displayable characters are replaced by '?'. </p>		

Remove Item from Cart

PASSED	DURATION - 7.507 s	Scenarios		Steps	
/ 10:02:52.090 AM // 10:02:59.597 AM /		Total - 1	1	Total - 4	4
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Removing one item from cart

<div>PASSED</div>	<div>DURATION - 7.506 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 10:02:52.091 AM // 10:02:59.597 AM /</div>			
<div>Remove Item from Cart</div>			

#	Step / Hook Details	Status	Duration
1	Given I log in as standard user using "standard_user" and "secret_sauce"	PASSED	3.703 s
2	And I add item to cart	PASSED	0.208 s
3	And I click on Shopping cart badge	PASSED	0.682 s
4	Then I remove an item	PASSED	0.229 s
	AFTER - com.saucelab.hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.235 s
	Removing one item from cart		
	ScreenShot attached		
	