

# Cucumber Report

17 Jul, 2025 6:30:57 PM

Start : Jul 17, 6:30:56.914 PM

End : Jul 17, 6:30:56.958 PM

Duration : 0.044 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality</u>	0.044 s	1	0	1	0	6	0	0	6

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality</u>	<u>To Validate the online payemt method using different cards sample data</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@test2	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality</u>	1	0	1	0	0.044 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality</u>	<u>To Validate the online payemt method using different cards sample data</u>	6	0	0	6	0.036 s

## To be Verify the E2E Functionality

<b>FAILED</b>	DURATION - 0.044 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 6:30:56.914 PM // 6:30:56.958 PM /					

## To Validate the online payemt method using different cards sample data

<div>FAILED</div> <div>DURATION - 0.036 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 6:30:56.922 PM // 6:30:56.958 PM /</div>				
<div>To be Verify the E2E Functionality</div>				
<div>@test2 @E2E</div>				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - org.steps.BinHooks.Start()</b> io.cucumber.core.exception.CucumberException: Failed to instantiate class org.steps.BinHooks at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:140) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:124) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)	<b>FAILED</b>	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:132) ... 35 more Caused by: java.lang.Error: Unresolved compilation problems: Syntax error on token ".", @ expected after this token Syntax error, insert "SimpleName" to complete QualifiedName Syntax error, insert "Identifier (" to complete MethodHeaderName Syntax error, insert ")" to complete MethodDeclaration at org.steps.BinHooks.&lt;init&gt;(BinHooks.java:20) </pre>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When user select the main Category to sub category option from Home page	SKIPPED	0.000 s
3	And User select the anyone product from PDP page to cart page	SKIPPED	0.004 s
4	And Go to the checkout page.If,already register detail navigate to payment page	SKIPPED	0.000 s
5	And User select the different card payment option and click on the place order	SKIPPED	0.000 s
6	Then Observe the order flow.If,payment failure	SKIPPED	0.000 s
	AFTER - org.steps.BinHooks.End(io.cucumber.java.Scenario)	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<p>io.cucumber.core.exception.CucumberException: Failed to instantiate class org.steps.BinHooks  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:140)  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:124)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  at io.cucumber.core.runner.TestCase.run(TestCase.java:110)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)  at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)  at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)  at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)  at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)  at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)  at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)  at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)  at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)  at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)  at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)  at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)  at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)  Caused by: java.lang.reflect.InvocationTargetException  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p>		

#	Step / Hook Details	Status	Duration
	<pre>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader. java:132) ... 35 more Caused by: java.lang.Error: Unresolved compilation problems:   Syntax error on token ".", @ expected after this token   Syntax error, insert "SimpleName" to complete QualifiedName   Syntax error, insert "Identifier (" to complete MethodHeaderName   Syntax error, insert ")" to complete MethodDeclaration at org.steps.BinHooks.&lt;init&gt;(BinHooks.java:20)</pre>		