Gallivanter CRM – Operator Handout

Live site: https://gallivanter.pages.dev **Repository:** github.com/gomous/gallivanting- (branch `main`)
Owner: Mousum Gogoi · Falcongrid Pvt. Ltd.

---

1. What Gallivanter is

Gallivanter is a CRM that you can use by hand (the web app) or through AI (the built-in "Ask AI" assistant, and later Claude). There are three ways in, and all of them use the same data and the same rules:

Way in	Who uses it	How
Web app	People	Sign in at gallivanter.pages.dev with Google
Ask AI	People, in plain language	The ✨**Ask AI** button, bottom-right of the app
Claude connector (MCP)	Claude.ai / Claude Desktop	*Coming next*

Every change is checked against the user's permissions and recorded in the record's history, along with where the change came from (app, AI or Claude).

---

2. How it is built

```
 Browser (original Gallivanter UI)
        │  /api/*
        ▼
Cloudflare Pages: gallivanter.pages.dev
  └─ functions/api/[[path]].ts  →  shared backend (server/src)
        │
        ├─ Cloudflare D1 database "gallivanter"   ← the single source
of truth
        ├─ Vyce AI (https://vyceai.com/v1)       ← Ask AI, keys
rotated
        └─ Google (sign-in, Drive file access)

Cloudflare Worker "gallivanter" (cron, every 5 min)
```

```
  └─ copies each workspace to a read-only Google Sheet in the owner's
Drive
```

- **The database (D1)** holds everything: users, sessions, workspaces, members, records for all 17 modules, notes, history, line items, views, reports and dashboards.
- **The Google Sheet** is a *read-only copy* for your own convenience. Edits made in the Sheet are **not** copied back into the app.
- **Modules:** Leads, Contacts, Accounts, Deals, Campaigns, Tasks, Meetings, Calls, Products, Price Books, Quotes, Sales Orders, Purchase Orders, Invoices, Vendors, Cases, Solutions.

---

3. Secrets and settings (Cloudflare dashboard)

Go to **Workers & Pages → gallivanter (Pages) → Settings → Variables and Secrets**. Add every secret under **Production**.

Name	Type	What it is	Change it?
`GOOGLE_CLIENT_ID`	Secret	The Google sign-in app ID	Only if you replace the Google OAuth client
`GOOGLE_CLIENT_SECRET`	Secret	The Google sign-in app password	Same as above
`TOKEN_KEY`	Secret	A random encryption key that locks each user's Google token inside the database. Created automatically.	**Never.** Changing it signs everyone out and breaks the Sheet sync until people sign in again. If you ever change it, set the identical value on the Worker too.
`VYCE_API_KEY_1`, `_2`, `_3` …	Secret	Your Vyce AI keys, one per secret	Add or remove freely
`VYCE_API_KEYS`	Secret (optional)	An alternative: several keys in one secret, separated by commas	Optional

Non-secret settings live in `wrangler.toml` in the repository:

Name	Current value
`AI_BASE_URL`	`https://vyceai.com/v1`
`AI_MODEL`	`deepseek-v4.1`

Name	Current value
`AI_FALLBACK_MODEL`	`agnes-3.0-flash`

The Worker (Workers & Pages → gallivanter (Worker) → Settings) needs `GOOGLE_CLIENT_ID`, `GOOGLE_CLIENT_SECRET` and the **same** `TOKEN_KEY` value. It uses them for the Sheet sync.

Adding another Vyce key

1. Open the Pages project's Variables and Secrets page and click **Add**.
2. Choose type **Secret**, name it `VYCE_API_KEY_2` (then `_3` and so on), paste the key and save.
3. The change takes effect on the next deployment. To apply it straight away, go to Deployments → latest → **Retry deployment**.

How key rotation works

- Each request starts with the next key in turn.
- If a key returns 401/402/403 (invalid key or no credit), it is skipped for **10 minutes**.
- If a key is rate-limited (429) or Vyce has a server error (5xx), it is skipped for **at least 1 minute**, or longer if Vyce asks.
- If every key fails, the assistant shows the error and which key endings failed. Key values are never displayed.
- If the main model fails on the first step, the assistant tries `agnes-3.0-flash` automatically.

---

4. Google Cloud Console

Go to **APIs & Services → Credentials → OAuth client**. The authorised redirect URIs should include:

- `https://gallivanter.pages.dev/api/google/callback` ← **the one that matters**
- `https://fullstack-d1.gallivanter.pages.dev/api/google/callback` (old test preview; safe to remove)
- `https://gallivanter.mousumg911.workers.dev/api/auth/google/callback` (no longer used; safe to remove)

Also, under **APIs & Services → Library**, enable the **Google Sheets API** for the Sheet copy.

> Preview addresses (`something.gallivanter.pages.dev`) don't have the production secrets. Signing in there fails with `login_error=token_401`. That's expected: always use **gallivanter.pages.dev**.

---

5. Using the app

Signing in: click *Sign in with Google*. On first sign-in, a personal workspace is created automatically and you land in the CRM.

Everyday use: the screens are the same as before.

- **Create:** use the toolbar's *Create* button.
- **Open:** click any row.
- **Change:** edit, delete (moves the record to the recycle bin) or restore.
- **Notes and activity:** add notes, and use the contact detail actions.

Changes save automatically about a second after you make them. The sync icon in the top bar shows the status: ✓ saved, saving, ! problem. Click it to reload from the server.

Other devices: your data follows your Google account, so changes appear on another device when you open or refresh the page there.

Ask AI:

1. Click **Ask AI** and type a question or an instruction, for example:
    - "What's overdue this week?"
    - "Show my open deals by stage"
    - "Create a lead: Priya Sharma at Globex, priya@globex.com, source LinkedIn"
    - "Move the Acme deal to Negotiation/Review and add a follow-up task for Friday"
2. The assistant looks things up on its own.
3. Before it **creates, changes or deletes** anything, it shows a yellow card. Click **Approve** to go ahead or **Decline** to cancel.
4. After AI changes, the lists refresh. If an open module page doesn't show a change yet, reopen it.
5. **New chat** clears the conversation.

First use of a module: whatever that browser already showed (including the original sample rows) is uploaded once, so nothing on screen is lost. You can delete the sample rows afterwards.

---

6. Roles and teams

Role	Can do
Owner	Everything, including deleting the workspace
Admin	Manage members and all records
Member	Create, edit and delete records

Role	Can do
Viewer	Read only (the AI only gets read tools)

Team invites are built into the backend (7-day invite links per email address). Settings screens in the original UI for managing members are the next item on the roadmap.

---

7. Deploying changes

- **Automatic:** pushing to `main` runs GitHub Actions. It typechecks, builds, applies database migrations, deploys Pages and deploys the sync Worker.
    - The `CLOUDFLARE_API_TOKEN` GitHub secret needs **Pages: Edit**, **Workers Scripts: Edit** and **D1: Edit** permissions. If a run fails at "Apply D1 migrations", widen the token's permissions.
- **Manual, from the laptop** (run in the `gallivanting` folder):

```
npm run web:build
wrangler pages deploy web-dist --project-name gallivanter --branch
main
wrangler deploy -c server/wrangler.jsonc
wrangler d1 migrations apply gallivanter --remote -c server/
wrangler.jsonc
```

- On this Windows laptop, use the globally installed Wrangler (4.133). For local testing, run it from `C:\Users\mousu\.gallivanter-dev`, because the local runtime can't create its folders inside OneDrive.

Local testing

```
cd C:\Users\mousu\.gallivanter-dev
wrangler dev -c ..\OneDrive\Desktop\gallivanting\server\wrangler.jsonc
--persist-to .\state --env-file .\.dev.vars
# in another terminal, in the project folder:
npm run server:smoke        # 43 end-to-end checks
```

---

8. Troubleshooting

Symptom	Likely cause	Fix
`?login_error=token_401`	Signing in on a preview URL, or a wrong Google client secret	Use gallivanter.pages.dev; check `GOOGLE_CLIENT_SECRET`
`?login_error=state`	Login started in one tab and finished in another, or took more than 10 minutes	Sign in again
Sync icon shows **!**	Network issue or a rejected record	Hover over it to see the message; the app retries automatically every 5 seconds
Ask AI: "No AI API keys configured"	No `VYCE_API_KEY_*` secret in Production, or no redeploy yet	Add the key, then **Retry deployment**
Ask AI: "All AI keys failed"	Keys invalid, out of credit or rate-limited	Check the key endings in the message; add more keys
Ask AI: provider error 404 / model not found	Wrong model name	Change `AI_MODEL` / `AI_FALLBACK_MODEL` in `wrangler.toml` and redeploy
Google Sheet not updating	Sheets API not enabled, or the owner's Google access was revoked	Enable the Sheets API; the owner signs out and back in
Everyone was signed out	`TOKEN_KEY` was changed	Set the same value on Pages and the Worker; users sign in again

---

9. Free-tier limits to keep in mind

- **Cloudflare Workers/Pages (free):** 100,000 requests per day for Workers and Pages Functions together, and 10 ms of CPU per request.
- **Cloudflare D1 (free):** 5 GB of storage, 5 million rows read and 100,000 rows written per day, shared across the account. If a daily limit is hit, queries fail until midnight UTC.
- **Google Sheets API:** 60 requests per minute per user. The sync batches changes, so this stays very low.
- **Upgrade path:** the Workers Paid plan ($5/month) removes the daily caps.

---

10. Roadmap

1. **Claude connector (MCP):** the URL to add in Claude Settings → Connectors, with Google sign-in and the same 40 tools and permissions.
2. **Team management screens:** invite, change roles and remove members inside the original UI's Settings.
3. **Live refresh:** open module pages update automatically when the AI or another device changes data.
4. **Optional:** a custom domain such as `crm.falcongrid.com`.