

Laboratorio IV

Librerías

1. Imprimir en pantalla las librerías compartidas que usa el comando gzip.

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# ldd $(which gzip)  
    linux-vdso.so.1 (0x00007fffeeacd1000)  
    libc.so.6 => /lib/x86_64-linux-gnu/libc.so.6 (0x00007fd94535e000)  
    /lib64/ld-linux-x86-64.so.2 (0x00007fd945633000)  
root@Debian12:/home/vboxuser#
```

2. Imprimir en pantalla las librerías compartidas del caché

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# strings /etc/ld.so.cache  
glibc-ld.so.cache1.1A  
/lib/x86_64-linux-gnu/libVkLayer_MESA_overlay.so  
/lib/x86_64-linux-gnu/libVkLayer_INTEL_nullhw.so  
/lib/x86_64-linux-gnu/libresolv.so  
/lib/x86_64-linux-gnu/libcrypt.so  
/lib/x86_64-linux-gnu/libVkLayer_MESA_device_select.so  
/lib/x86_64-linux-gnu/libnss_compat.so  
/lib/x86_64-linux-gnu/libshotwell-authenticator.so  
/lib/x86_64-linux-gnu/libvulkan_lvp.so  
/lib/x86_64-linux-gnu/libshotwell-plugin-common.so  
/lib/x86_64-linux-gnu/libvulkan_radeon.so  
/lib/x86_64-linux-gnu/libirs-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libdns-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libns-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libiscfg-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libisc-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libisccc-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libbind9-9.18.28-1~deb12u2-Debian.so  
/lib/x86_64-linux-gnu/libopcodes-2.40-system.so  
/lib/x86_64-linux-gnu/libbfd-2.40-system.so  
/lib/x86_64-linux-gnu/libnsl.so  
/lib/x86_64-linux-gnu/libanl.so  
/lib/x86_64-linux-gnu/libvulkan_intel.so
```

3. Consultar el valor de la variable correspondiente al 'path' de las librerías compartidas.
¿Es lógico que tenga ese valor?

```
root@Debian12:/home/vboxuser# echo $LD_LIBRARY_PATH  
  
root@Debian12:/home/vboxuser#
```

El resultado está vacío, es porque el sistema utiliza rutas por defecto, como /lib y /usr/lib.

Es lógico que esté vacío en la mayoría de los sistemas Debian, ya que las rutas estándar se gestionan automáticamente mediante el archivo /etc/ld.so.conf.

Paquetes Debian

1. Descargar (en caso de no tenerlo, desde <https://pkgs.org/>) los paquetes **mc** y **mc-data**.
Instalar el paquete **mc**.

```
vboxuser@Debian12: ~  
vboxuser@Debian12:~$ apt download mc mc-data  
vboxuser@Debian12:~$  
  
root@Debian12:/home/vboxuser# apt install ./mc_*.deb  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
Note, selecting 'mc' instead of './mc_3%3a4.8.29-2_amd64.deb'  
mc is already the newest version (3:4.8.29-2).  
0 upgraded, 0 newly installed, 0 to remove and 2 not upgraded.  
root@Debian12:/home/vboxuser#
```

2. Verificar que el paquete está instalado

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# dpkg -l | grep mc  
ii  libxdmcp6:amd64 1:1.1.2-3  
amd64 X11 Display Manager Control Protocol library  
ii  libxvmc1:amd64 2:1.0.12-2  
amd64 X11 Video extension library  
ii  mc 3:4.8.29-2  
amd64 Midnight Commander - a powerful file manager  
ii  mc-data 3:4.8.29-2  
all Midnight Commander - a powerful file manager -- data files  
root@Debian12:/home/vboxuser#
```

3. Consultar todos los paquetes instalados

Se usa el comando `dpkg -l`

```
vboxuser@Debian12: ~  
Desired=Unknown/Install/Remove/Purge/Hold  
| Status=Not/Inst/Conf-files/Unpacked/halF-conf/Half-inst/trig-aWait/Trig-pend  
|/ Err?=(none)/Reinst-required (Status,Err: uppercase=bad)  
||/ Name                               Version  
+++-----  
ii accountsservice                     22.08.8-6  
ii acl                                 2.3.1-3  
ii adduser                             3.134  
ii adwaita-icon-theme                 43-1  
ii aisleriot                          1:3.22.23-1  
ii alien                              8.95.6  
ii alsa-topology-conf                 1.2.5.1-2  
ii alsa-ucm-conf                      1.2.8-1  
ii alsa-utils                         1.2.8-1  
ii amd64-microcode                   3.20240820.1~deb12u1  
ii anacron                           2.3-36  
ii apache2-bin                       2.4.62-1~deb12u2  
ii apg                               2.2.3.dfsg.1-5+b2  
ii apparmor                          3.0.8-3  
ii appstream                         0.16.1-2  
ii apt                               2.6.1  
ii apt-config-icons                   0.16.1-2  
ii apt-listchanges                    3.24  
lines 1-23
```

4. Consultar los archivos que contiene el paquete **mc**.

```
vboxuser@Debian12: ~  
vboxuser@Debian12:~$ dpkg -L mc  
/.  
/etc  
/etc/mc  
/etc/mc/edit.indent.rc  
/etc/mc/filehighlight.ini  
/etc/mc/mc.default.keymap  
/etc/mc/mc.emacs.keymap  
/etc/mc/mc.ext.ini  
/etc/mc/mc.menu  
/etc/mc/mcedit.menu  
/etc/mc/sfs.ini  
/usr  
/usr/bin  
/usr/bin/mc  
/usr/lib  
/usr/lib/mc  
/usr/lib/mc/cons.saver  
/usr/lib/mc/ext.d  
/usr/lib/mc/ext.d/archive.sh  
/usr/lib/mc/ext.d/doc.sh  
/usr/lib/mc/ext.d/image.sh  
/usr/lib/mc/ext.d/misc.sh  
/usr/lib/mc/ext.d/package.sh
```

5. Consultar la información del paquete **mc**, tales como descripción, licencia, dependencias, etc.

```
vboxuser@Debian12: ~  
vboxuser@Debian12:~$ apt show mc  
Package: mc  
Version: 3:4.8.29-2  
Priority: optional  
Section: utils  
Maintainer: Dmitry Smirnov <onlyjob@debian.org>  
Installed-Size: 1,526 kB  
Provides: mcedit  
Depends: libc6 (>= 2.34), libext2fs2 (>= 1.37), libglib2.0-0 (>= 2.67.3), libgpm2 (>= 1.20.7), libslang2 (>= 2.2.4), libssh2-1 (>= 1.2.8), mc-data (= 3:4.8.29-2)  
Recommends: mailcap, perl, sensible-utils, unzip  
Suggests: arj, bzip2, catdvi | texlive-binaries, dbview, djvulibre-bin, epub-utils, file, genisoimage, gv, imagemagick, libaspell-dev, links | w3m | lynx, odt2txt, poppler-utils, python, python-boto, python-tz,unar, wimtools, xpdf | pdf-viewer, zip  
Homepage: https://www.midnight-commander.org  
Tag: admin::filesystem, devel::lang:perl, devel::library, implemented-in::c, implemented-in::perl, interface::commandline, interface::text-mode, role::devel-lib, role::program, scope::application, scope::utility, suite::gnu, uitoolkit::ncurses, use::browsing, use::editing, use::organizing, works-with::archive, works-with::file  
Download-Size: 522 kB  
APT-Manual-Installed: yes
```

6. Desinstalar el paquete **mc**.

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# apt remove mc  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
The following package was automatically installed and is no longer required:  
  mc-data  
Use 'apt autoremove' to remove it.  
The following packages will be REMOVED:  
  mc  
0 upgraded, 0 newly installed, 1 to remove and 2 not upgraded.  
After this operation, 1,526 kB disk space will be freed.  
Do you want to continue? [Y/n] y  
(Reading database ... 178185 files and directories currently installed.)  
Removing mc (3:4.8.29-2) ...  
Processing triggers for gnome-menus (3.36.0-1.1) ...  
Processing triggers for mailcap (3.70+nmul) ...  
Processing triggers for desktop-file-utils (0.26-1) ...  
root@Debian12:/home/vboxuser#
```

7. Volver a instalar el paquete **mc**.

```
vboxuser@Debian12: ~
root@Debian12:/home/vboxuser# apt install mc
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Suggested packages:
  arj catdvi | texlive-binaries dbview djvulibre-bin epub-utils genisoimage gv
  imagemagick libaspell-dev odt2txt python python-boto python-tz unar wimtools
  zip
The following NEW packages will be installed:
  mc
0 upgraded, 1 newly installed, 0 to remove and 2 not upgraded.
Need to get 522 kB of archives.
After this operation, 1,526 kB of additional disk space will be used.
Get:1 http://deb.debian.org/debian bookworm/main amd64 mc amd64 3:4.8.29-2 [522
kB]
Fetched 522 kB in 0s (2,130 kB/s)
Selecting previously unselected package mc.
(Reading database ... 178093 files and directories currently installed.)
Preparing to unpack .../mc_3%3a4.8.29-2_amd64.deb ...
Unpacking mc (3:4.8.29-2) ...
Setting up mc (3:4.8.29-2) ...
Processing triggers for mailcap (3.70+nmul) ...
Processing triggers for desktop-file-utils (0.26-1) ...
Processing triggers for gnome-menus (3.36.0-1.1) ...
```

8. Desinstalar el paquete **mc** pero eliminando todos los archivos del paquete incluyendo los de configuración

```
vboxuser@Debian12: ~
root@Debian12:/home/vboxuser# apt purge mc
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
  mc-data
Use 'apt autoremove' to remove it.
The following packages will be REMOVED:
  mc*
0 upgraded, 0 newly installed, 1 to remove and 2 not upgraded.
After this operation, 1,526 kB disk space will be freed.
Do you want to continue? [Y/n] y
(Reading database ... 178185 files and directories currently installed.)
Removing mc (3:4.8.29-2) ...
Processing triggers for gnome-menus (3.36.0-1.1) ...
Processing triggers for mailcap (3.70+nmul) ...
Processing triggers for desktop-file-utils (0.26-1) ...
(Reading database ... 178093 files and directories currently installed.)
Purging configuration files for mc (3:4.8.29-2) ...
root@Debian12:/home/vboxuser#
```

9. Buscar en el sistema el archivo **libm.so** y averiguar a qué paquete le pertenece.

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# find / -name libm.so 2>/dev/null  
/usr/lib/x86_64-linux-gnu/libm.so  
root@Debian12:/home/vboxuser# dpkg -S libm.so  
libc6:amd64: /lib/x86_64-linux-gnu/libm.so.6  
libc6-dev:amd64: /usr/lib/x86_64-linux-gnu/libm.so  
root@Debian12:/home/vboxuser#
```

10. Ver la información del paquete **mc** descargado

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# apt show mc  
Package: mc  
Version: 3:4.8.29-2  
Priority: optional  
Section: utils  
Maintainer: Dmitry Smirnov <onlyjob@debian.org>  
Installed-Size: 1,526 kB  
Provides: mcedit  
Depends: libc6 (>= 2.34), libext2fs2 (>= 1.37), libglib2.0-0 (>= 2.67.3), libgpm2 (>= 1.20.7), libslang2 (>= 2.2.4), libssh2-1 (>= 1.2.8), mc-data (= 3:4.8.29-2)  
Recommends: mailcap, perl, sensible-utils, unzip  
Suggests: arj, bzip2, catdvi | texlive-binaries, dbview, djvulibre-bin, epub-utils, file, genisoimage, gv, imagemagick, libaspell-dev, links | w3m | lynx, odt2txt, poppler-utils, python, python-boto, python-tz,unar, wimtools, xpdf | pdf-viewer, zip  
Homepage: https://www.midnight-commander.org  
Tag: admin::filesystem, devel::lang:perl, devel::library, implemented-in::c, implemented-in::perl, interface::commandline, interface::text-mode, role::devel-lib, role::program, scope::application, scope::utility, suite::gnu, uitoolkit::ncurses, use::browsing, use::editing, use::organizing, works-with::archive, works-with::file  
Download-Size: 522 kB  
APT-Sources: http://deb.debian.org/debian bookworm/main amd64 Packages
```

Repositorios Debian

1. Actualizar la información de los paquetes de los repositorios

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# sudo apt update  
Hit:1 http://security.debian.org/debian-security bookworm-security InRelease  
Hit:2 http://deb.debian.org/debian bookworm InRelease  
Hit:3 http://deb.debian.org/debian bookworm-updates InRelease  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
2 packages can be upgraded. Run 'apt list --upgradable' to see them.  
root@Debian12:/home/vboxuser#
```

2. Buscar el paquete ranger en el caché de repositorios

```
vboxuser@Debian12: ~  
root@Debian12:/home/vboxuser# apt search ranger  
Sorting... Done  
Full Text Search... Done  
ardour/stable 1:7.3.0+ds0-1 amd64  
  the digital audio workstation  
  
cataclysm-dda-curses/stable 0.F-3-9 amd64  
  post-apocalyptic roguelike game - curses interface  
  
cataclysm-dda-data/stable 0.F-3-9 all  
  post-apocalyptic roguelike game - data files  
  
cataclysm-dda-sdl/stable 0.F-3-9 amd64  
  post-apocalyptic roguelike game - SDL interface  
  
elpa-eyebrowse/stable 0.7.8-2 all  
  simple-minded way of managing window configs in Emacs  
  
golang-github-yl2chen-cidranger-dev/stable 1.0.2-1 all  
  Fast IP to CIDR lookup in Golang  
  
lf/stable 28-1+b3 amd64  
  terminal file manager written in Go
```

3. Instalar el paquete ranger desde los repositorios


```
vboxuser@Debian12: ~
root@Debian12:/home/vboxuser# sudo apt install ranger
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libid3tag0 libimlib2 w3m w3m-img
Suggested packages:
  atool caca-utils highlight | python3-pygments mediainfo | exiftool unoconv
  brotli cmigemo compface dict dict-wn dictd libsixel-bin w3m-el xsel
The following NEW packages will be installed:
  libid3tag0 libimlib2 ranger w3m w3m-img
0 upgraded, 5 newly installed, 0 to remove and 2 not upgraded.
Need to get 1,633 kB of archives.
After this operation, 5,150 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://deb.debian.org/debian bookworm/main amd64 libid3tag0 amd64 0.15.1b-14 [35.4 kB]
Get:2 http://deb.debian.org/debian bookworm/main amd64 libimlib2 amd64 1.10.0-4+deb12u1 [206 kB]
Get:3 http://deb.debian.org/debian bookworm/main amd64 ranger all 1.9.3-5 [237 kB]
Get:4 http://deb.debian.org/debian bookworm/main amd64 w3m amd64 0.5.3+git20230121-2 [1,102 kB]
Get:5 http://deb.debian.org/debian bookworm/main amd64 w3m-img amd64 0.5.3+git20230121-2 [1,102 kB]
```

4. Desinstalar el paquete ranger incluyendo sus archivos de configuración

```
root@Debian12:/home/vboxuser# sudo apt purge ranger
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages will be REMOVED:
  ranger*
0 upgraded, 0 newly installed, 1 to remove and 2 not upgraded.
After this operation, 1,179 kB disk space will be freed.
Do you want to continue? [Y/n] y
(Reading database ... 176387 files and directories currently installed.)
Removing ranger (1.9.3-5) ...
Processing triggers for gnome-menus (3.36.0-1.1) ...
Processing triggers for man-db (2.11.2-2) ...
Processing triggers for mailcap (3.70+nmu1) ...
Processing triggers for desktop-file-utils (0.26-1) ...
root@Debian12:/home/vboxuser#
```

5. Simular una actualización de todos los paquetes


```

root@Debian12:/home/vboxuser# apt upgrade --simulate
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages will be upgraded:
  gstreamer1.0-gtk3 gstreamer1.0-plugins-good
2 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Inst gstreamer1.0-gtk3 [1.22.0-5+deb12u1] (1.22.0-5+deb12u2 Debian-Security:12/s
table-security [amd64])
Inst gstreamer1.0-plugins-good [1.22.0-5+deb12u1] (1.22.0-5+deb12u2 Debian-Secur
ity:12/stable-security [amd64])
Conf gstreamer1.0-gtk3 (1.22.0-5+deb12u2 Debian-Security:12/stable-security [amd
64])
Conf gstreamer1.0-plugins-good (1.22.0-5+deb12u2 Debian-Security:12/stable-secur
ity [amd64])
root@Debian12:/home/vboxuser#

```

6. Simular una actualización total de la distribución

```

root@Debian12:/home/vboxuser# apt full-upgrade --simulate
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages will be upgraded:
  gstreamer1.0-gtk3 gstreamer1.0-plugins-good
2 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Inst gstreamer1.0-gtk3 [1.22.0-5+deb12u1] (1.22.0-5+deb12u2 Debian-Security:12/s
table-security [amd64])
Inst gstreamer1.0-plugins-good [1.22.0-5+deb12u1] (1.22.0-5+deb12u2 Debian-Secur
ity:12/stable-security [amd64])
Conf gstreamer1.0-gtk3 (1.22.0-5+deb12u2 Debian-Security:12/stable-security [amd
64])
Conf gstreamer1.0-plugins-good (1.22.0-5+deb12u2 Debian-Security:12/stable-secur
ity [amd64])
root@Debian12:/home/vboxuser# █

```

7. Editar el archivo correspondiente para que use los paquetes de la versión testing y simular una actualización a dicha versión.

Ingresamos con `sudo nano /etc/apt/sources.list`

```
vboxuser@Debian12: ~
GNU nano 7.2 /etc/apt/sources.list
#deb cdrom:[Debian GNU/Linux 12.8.0 _Bookworm_ - Official amd64 NETINST with firmware 20241109]

deb http://deb.debian.org/debian/ bookworm main non-free-firmware
deb-src http://deb.debian.org/debian/ bookworm main non-free-firmware

deb http://security.debian.org/debian-security bookworm-security main non-free-firmware
deb-src http://security.debian.org/debian-security bookworm-security main non-free-firmware

# bookworm-updates, to get updates before a point release is made;
# see https://www.debian.org/doc/manuals/debian-reference/ch02.en.html#_updates_and_backports
deb http://deb.debian.org/debian/ bookworm-updates main non-free-firmware
deb-src http://deb.debian.org/debian/ bookworm-updates main non-free-firmware

# This system was installed using small removable media
# (e.g. netinst, live or single CD). The matching "deb cdrom"
# entries were disabled at the end of the installation process.
# For information about how to configure apt package sources,
# see the sources.list(5) manual.

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```

Cambiamos bookworm por testing

```
vboxuser@Debian12: ~
GNU nano 7.2 /etc/apt/sources.list
#deb cdrom:[Debian GNU/Linux 12.8.0 _Bookworm_ - Official amd64 NETINST with firmware 20241109]

deb http://deb.debian.org/debian/ testing main non-free-firmware
deb-src http://deb.debian.org/debian/ testing main non-free-firmware

deb http://security.debian.org/debian-security testing-security main non-free-firmware
deb-src http://security.debian.org/debian-security testing-security main non-free-firmware

# bookworm-updates, to get updates before a point release is made;
# see https://www.debian.org/doc/manuals/debian-reference/ch02.en.html#_updates_and_backports
deb http://deb.debian.org/debian/ testing-updates main non-free-firmware
deb-src http://deb.debian.org/debian/ testing-updates main non-free-firmware

# This system was installed using small removable media
# (e.g. netinst, live or single CD). The matching "deb cdrom"
# entries were disabled at the end of the installation process.
# For information about how to configure apt package sources,
# see the sources.list(5) manual.

[ Wrote 18 lines ]
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```

Presionamos Ctrl + O (para guardar). Luego Enter (para confirmar el nombre del archivo).

Y presionamos Ctrl + X (para salir).

Luego revertir el cambio.

Revertimos los cambios

```
vboxuser@Debian12: ~
GNU nano 7.2 /etc/apt/sources.list
#deb cdrom:[Debian GNU/Linux 12.8.0 _Bookworm_ - Official amd64 NETINST with firmware 20241109>

deb http://deb.debian.org/debian/ bookworm main non-free-firmware
deb-src http://deb.debian.org/debian/ bookworm main non-free-firmware

deb http://security.debian.org/debian-security bookworm-security main non-free-firmware
deb-src http://security.debian.org/debian-security bookworm-security main non-free-firmware

# bookworm-updates, to get updates before a point release is made;
# see https://www.debian.org/doc/manuals/debian-reference/ch02.en.html#_updates_and_backports
deb http://deb.debian.org/debian/ bookworm-updates main non-free-firmware
deb-src http://deb.debian.org/debian/ bookworm-updates main non-free-firmware

# This system was installed using small removable media
# (e.g. netinst, live or single CD). The matching "deb cdrom"
# entries were disabled at the end of the installation process.
# For information about how to configure apt package sources,
# see the sources.list(5) manual.

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```