


At this point, you can already create a copy of the repository on your local disk.

Creating a local copy of the repository

The last step is to create a local copy of the repository, using the address (URL) that identifies it. This step is only possible if git is already installed. For that, you can consult, among others, the post Git basics, or any other guide to installing git.

To get this URL, go to the repository's main page by following these steps:

1. Click the button with three lines (☰), in the top left corner, to open the main menu.
2. Select the "All repositories" option.
3. Choose the repository you want from the list shown.

Click the green "Code" button and select the SSH option. Copy the text that appears (which starts with `git@github.com...`) (use the two-squares button on the right side of the text box). The text has the form `git@github.com:OWNER/REPO`, where `OWNER` is the entity that owns the repository (this can be a user, an organization, or a project) and `REPO` is the name of the repository.

On the same machine where you created the key, run the command:

```
git clone <URL>
```

where `URL` is the text you copied earlier (the one with the form `git@github.com:OWNER/REPO`)

You should see a message similar to:

```
$ git clone git@github.com:OWNER/REPO.git
Cloning into 'REPO'...
warning: You appear to have cloned an empty repository.
```

and, on disk, a folder named `REPO` is created (where `REPO` is the name of the repository).

Última alteração: terça-feira, 15 de setembro de 2026 às 12:16