Assignment 1-Module-1

- > Do search for web-site, http, URL etc given topics in lecture.
 - HTTP:- hyper text transfer protocol
 - URL:- Uniform resources locator

Assignment 1-Module-2

- Do search for domain, hosting, SEO etc.
 - ➤ Hosting:- the process where a web hosting provider stores and maintains website files and applications on a server to make its customers' websites accessible on the internet.
 - > SEO:- Search engine optimization
 - > **SEO is** the art and science of getting pages to rank higher in search engines such as Google.

Assignment 1-Module-3

- Are the HTML tags and elements the same thing?
 - No.
 - > HTML element holds the content.
 - ➤ HTML attributes are used to describe the characteristic of an HTML element in detail
- What are tags and attributes in HTML?
 - An element is an object on a page (such as a heading, paragraph, or image).
 - > attributes are qualities that describe that element (such as width and height).
- What are void elements in HTML? With Example.
 - > The void elements tags in HTML don't require a closing tag to be valid.
 - > Example:-
- What are HTML Entities? With Example.


- ➤ HTML entities are the reserved characters that are used in the HTML document.
- Example:- & amp; & quot; & apos;
- What are different types of lists in HTML? With Example.
 - > There are three types of list
 - Ordered List
 - Unordered List
 - > Description List
 - > Example:- Order List:- 1.Example1

2.Example2


- ➤ Unordered List:- Example1
 - Example 2
- ➤ Description List:- List
 - o List1
 - o List2
- What is the 'class' attribute in HTML? With Example.
 - ➤ The class attribute specifies one or more class names for an element in html.
 - > Example:- <div class="Row1"></div>
- What is the difference between the 'id' attribute and the 'class' attribute of HTML elements? With Example.
 - A Class name can be used by multiple HTML elements.
 - > an ID name must only be used by one HTML element within the page.
- What are the various formatting tags in HTML?
 - Formatting elements were designed to display special types of text
 - > Bold text
 - Important text
 - <mark> Marked text

• How is Cell Padding different from Cell Spacing? With Example

- ➤ Cellpadding basically defines the space present between a table cell's border and the content present in it.
- Cellspacing basically defines the space present between individual adjacent cells.
- > Example:-



- How can we club two or more rows or columns into a single row or column in an HTML table? With Example.
 - It can be done by using the rowspan and colspan attribute in HTML.
 - The rowspan is used to merge or combine the number of cells in a row.
 - the colspan is used to merge column cells in a table.
 - > Example:-



What is the difference between a block-level element and an inline element?


- > Block elements always start from a new line.
- Inline elements never start from a new line.

• How to create a Hyperlink in HTML? With Example.

- Hyperlinks in HTML are used to jump from one document to another.
- The HTML <a> tag defines a hyperlink.
- Example:- link text


What is the use of an iframe tag? With Example.

- The iframe tag specifies an inline frame.
- ➤ The most common use of an iframe is to load content from another site within the page.
- Example:-



• What is the use of a span tag? Explain with example?

- > The span tag is an inline container used to mark up a part of a text, or a part of a document.
- > Example:-



How to insert a picture into a background image of a web page? With Example.

- In the <u>body</u> tag, specify a background image in the <u>background</u> attribute by passing the URL of the image or location path.
- > Example:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Website</title>
</head>
<body background="https://media.geeksforgeeks.org/wp-content/cdn-uploads/20190710102234/download3.png">
<h1>GeeksforGeeks</h1>
<h2>Background Image</h2>
</body></html>
```

• How are active links different from normal links?

- An active link is underlined and red.
- Normal Linkns are underline and blue(unvisited link)
- > Visited links are underline and purple

What are the different tags to separate sections of text?

-

tag It is used to separate the line of text. It breaks the current line and shifts the flow of the text to a new line.
- tag- This tag is used to write a paragraph of text.
- <div> tag- this tag is used to create a new line in text section

• What is difference between HTML and XHTML?

- ➤ An HTML file can be saved with the extensions .html, .htm.
- > An XHTML file has extensions .xhtml, .xht, .html, .htm, .xml.
- > Attribute values are not important in HTML.
- > Attributes values are very significant in XHTML.

• What are logical and physical tags in HTML?

- Physical and Logical tags are used in HTML for better visibility and understanding of the text by the user on the web page.
- ➤ Logical tags are used to tell the browser what kind of text is written inside the tags.
- physical tags are used to decide the appearance of the text and do not provide any information about the text.