
(a) Mean localization performance across all 18 synthetic settings
Hop-SGBS
MC-SGBS
pMC-SGBS
Average source rank
(log scale; lower is better)
10^1
10^0
0.739
0.769
0.741
1.450
1.361
1.334
17.350
15.992
15.814
Low
(0, 0.1]
Medium
(0.1, 0.3]
High
(0.3, 0.5]
(b) BA | MC-SGBS vs Hop
(c) ER | MC-SGBS vs Hop
(d) WS | MC-SGBS vs Hop
(e) BA | pMC-SGBS vs Hop
(f) ER | pMC-SGBS vs Hop
(g) WS | pMC-SGBS vs Hop
Delay variability
Low
Medium
High
Graph size N
20
50
100
200
300
500
-4.1 -11.3 -5.8 -4.5 -1.9 -2.1
-1.5 -3.1 +4.3 +8.7 +14.3 +10.2
-0.3 +2.4 +4.3 +9.8 +12.0 +14.2
-3.4 -6.8 -5.5 -3.4 -1.6 -0.9
-2.0 -0.9 +2.8 +11.8 +17.8 +21.0
-1.3 +2.8 +3.2 +5.4 +6.3 +6.5
-3.5 -5.5 -1.0 -1.9 -0.8 -2.0
-0.1 -1.0 +5.2 +4.8 +3.5 +1.1
+1.3 +4.8 +12.5 +26.8 +30.9 +24.0
+0.3 -0.3 -0.2 -0.0 -0.1 +0.1
+0.2 -0.6 +3.3 +10.3 +14.1 +14.1
-0.1 +3.7 +5.0 +11.1 +13.9 +17.3
+0.2 -0.1 -0.0 +0.0 +0.0 +0.0
-0.6 +0.7 +3.9 +13.5 +21.4 +26.2
-1.1 +4.4 +3.7 +5.8 +7.3 +6.9
-0.6 +0.3 -0.0 -0.6 -0.5 -2.7
+1.1 +1.0 +5.3 +4.6 +3.3 +0.3
-0.2 +7.7 +13.5 +27.8 +32.6 +26.4
Relative improvement over Hop-SGBS (%)
positive = lower source rank
30
20
10
0
−10
−20
−30