

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ gcc --version
```

```
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
```

```
Copyright (C) 2025 Free Software Foundation, Inc.
```

```
This is free software; see the source for copying conditions.  There is NO  
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ git --version
```

```
git version 2.53.0
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ cd
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ touch file.txt
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ cd ~/Documents
```

```
-bash: cd: /home/navya/Documents: No such file or directory
```

mkdir: FileManagement: File exists

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ cd FileManagement

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ touch file1.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ ls file1.txt

file1.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ touch a.txt b.txt c.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ echo "Hello Ubuntu"> file1.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ cat file1.txt

Hello Ubuntu

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ cat file.txt a.txt

cat: file.txt: No such file or directory

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ cat file1.txt a.txt

Hello Ubuntu

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ cp file1.txt copy.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ ls a.txt b.txt c.txt copy.txt file1.txt

a.txt b.txt c.txt copy.txt file1.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ mv copy.txt newcopy.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ ls

a.tx a.txt b.txt c.txt file file1.txt newcopy.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ rm a.txt c.txt

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ seq 20>numbers.txt

seq: missing operand

Try 'seq --help' for more information.

navya@DESKTOP-LST06QP:/mnt/c/Windows/system32\$ \$ seq 20 > numbers.txt

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ head numbers.txt
```

```
1
2
3
4
5
6
7
8
9
10
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ tail numbers.txt
```

```
11
12
13
14
15
16
17
18
19
20
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ nano hello
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ ls
```

```
a.tx b.txt file file1.txt hello newcopy.txt numbers.txt
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ ./hello
```

```
-bash: ./hello: Permission denied
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ which gcc
```

```
/usr/bin/gcc
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ whereis gcc
```

```
gcc: /usr/bin/gcc /usr/lib/gcc /usr/libexec/gcc /usr/share/gcc /usr/share/man/man1/gcc.1.gz
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ man gcc
```

```
navya@DESKTOP-LST06QP:/mnt/c/Windows/system32$ $ |
```