



CONEXIÓN	CANTIDAD	DIAMETRO	SERIE	TIPO	SCH	D.DATUM	AVANCE	ANG.	SERVICIO	SET	MATERIAL TUBE	MATERIAL FLANGE
CONNECTIONS												



ISOMETRIC VIEW
ESCALA:(1 : 75)


DESING DATA	
EMPTY WEIGHT:	18.000 Kg
FULL WEIGHT WITH REFRACTORY:	82.800 kg
VOLUME:	-

NOTES
1- ALL DIMENSIONS ARE INDICATED IN mm UNLESS OTHERWISE SPECIFIED. 2- THE DIMENSIONS GIVEN ON THE DRAWING ARE FOR REFERENCE ONLY. 3- CONNECTION PLACES WILL BE ACCORDING TO THE APPLICABLE SPECIFICATION AND STANDARD, AND THEY WILL BE WELDED WITH 304/304SS STRAIGHTENING THE MAIN AXIS. 4- REMOVE ALL SHARP EDGES INSIDE AND OUTSIDE, ANY CONNECTION NECK WELDED FLUSH TO THE INTERIOR OF THE EQUIPMENT WILL HAVE ITS INNER EDGE ROUNDED. 5- NO VESSEL PENETRATION SHALL OVERLAP WITH A LONGITUDINAL OR CIRCUMFERENTIAL SEAM.

40	BRIDA DN500 EN 1092-1 TYPE 1-A PN-10	2	CARBON STEEL EN 1.0036 S 235 JR	27,169 kg
39	A01-A02 COUPLING	2	AISI 310 S EN 1.4845 stainless steel	36,756 kg
38	CONJUNTO TAPA BRIDA SENSOR DE PRESION	9	CARBON STEEL EN 1.0036 S 235 JR	1,560 kg
37	VESELL LOWER CONE THICKNESS 10=mm	1	CARBON STEEL EN 1.0036 S 235 JR	1280,167 kg
36	REINFORCEMENT GUSSET DRAINAGE THICKNESS 6 mm	16	CARBON STEEL EN 1.0036 S 235 JR	0,324 kg
35	ROCK WOOL	1	Rock Wool	1,662 kg
34	INTERALS IN THE CONE	1	AISI 310 S EN 1.4845 stainless steel	1412,618 kg
33	INTERNAL MANIFOLD AIR DISTRIBUTOR	1	AISI 310 S EN 1.4845 stainless steel	2715,695 kg
32	FLANGE DN300 EN 1092-1 Type 1-a PN-10	1	CARBON STEEL EN 1.0036 S 235 JR	13,879 kg
31	PIPE DN 400 O.D 406.4 mm tks 5 mm	2,012 m	CARBON STEEL EN 1.0036 S 235 JR	40,051 kg
30	PIPE DN 450	1	AISI 310 S EN 1.4845 stainless steel	4,796 kg
29	ISO 4071M16x65 + din 125-2 A 17 x 2 + DIN 934 M16	40		0,196 kg
28	BLIND FLANGE DIN-86044 DN 200	5	PIPE DN 200 tks 5 mm	9,846 kg
27	FLAT FLANGE DIN-86044 DN 200	5	CARBON STEEL EN 1.0036 S 235 JR	4,984 kg
26	PIPE DN 200 tkns 3 mm	5	CARBON STEEL EN 1.0036 S 235 JR	5,596 kg
25	DIN-86044 DN 800 flat flange	1	CARBON STEEL EN 1.0036 S 235 JR	54,754 kg
24	DIN EN ISO 4017 M20 x 80 + DIN125-2 A A21 x2 + DIN934 M20	28	CARBON STEEL EN 1.0036 S 235 JR	0,371 kg
23	LOWER REFRACTORY STOP Thickness=10mm	1	AISI 310 S EN 1.4845 stainless steel	32,227 kg
22	PIPE DN 200 tkns 3mm	1	CARBON STEEL EN 1.0036 S 235 JR	4,779 kg
21	DIN-86044 DN 800 flat flange (SPECIAL)	1	CARBON STEEL EN 1.0036 S 235 JR	111,010 kg
20	MANHOLE	3	AISI 310 S EN 1.4845 stainless steel	312 kg
19	REINFORCEMENT PAD THICKNESS 20 mm	12	CARBON STEEL EN 1.0036 S 235 JR	68 kg
18	R01-R02 COUPLING	2	AISI 310 S EN 1.4845 stainless steel	42,969 kg
17	SUPPORT RING PAD TKNS=20 mm	4	CARBON STEEL EN 1.0036 S 235 JR	25,879 kg
16	LIFTING EAR	2	CARBON STEEL EN 1.0036 S 235 JR	58,681 kg
15	BRIDA DN50 EN 1092-1 TYPE 1 -A PN-10	1	CARBON STEEL EN 1.0036 S 235 JR	2,731 kg
14	PIPE DN 20 PN-10 THICKNESS 2 mm	9	Stainless steel AISI 304 EN 1.4307	0,553 kg
13	FLANGE DN20 EN 1092-1 TIPI1-B PN-10	9	CARBON STEEL EN 1.0036 S 235 JR	0,851 kg
12	PIPE DN 50 P-10 THICKNESS 3 mm	16	Stainless steel AISI 304 EN 1.4307	2,808 kg
11	FLANGE DN50 EN 1092-1 TYPE 1-A PN-10	15	Stainless steel AISI 304 EN 1.4307	2,783 kg
10	SUPPORT RING VESSELL thickness=20 mm	4	CARBON STEEL EN 1.0036 S 235 JR	178,374 kg
9	PIPE O.D 1646mm THICKNESS 8 mm	0,400 m	CARBON STEEL EN 1.0036 S 235 JR	88,631 kg
8	FLANGE DN1600 EN 1092-1 TIPI1 PN-10 ESPECIAL	1	CARBON STEEL EN 1.0036 S 235 JR	105,128 kg
7	PIPE DN 500 P-10 THICKNESS 6 mm	2	CARBON STEEL EN 1.0036 S 235 JR	37,140 kg
6	BRIDA DN450 EN 1092-1 TYPE 1-A PN-10	1	AISI 310 S EN 1.4845 stainless steel	34,214 kg
5	SUPPORT CONSOLE	4	AISI 310 S EN 1.4845 stainless steel	375 kg
4	BRIDA DN500 EN 1092-1 TYPE1-A PN-10	2	CARBON STEEL EN 1.0036 S 235 JR	40,346 kg
3	ANCHOR LEGS PAD thickness=20 mm	4	CARBON STEEL EN 1.0036 S 235 JR	81,882 kg
2	TORISPHERICAL HEAD KLOPPER De=4300 H=871 esp= 10 mm	1	CARBON STEEL EN 1.0036 S 235 JR	1446,626 kg
1	Vesell Gasifier (G-101) esp=10 mm	1	CARBON STEEL EN 1.0036 S 235 JR	8647,504 kg
ITEM	DESCRIPCION	CANT.	MATERIAL	MASA

BILL OF MATERIALS


INTERNAL MANIFOLD AIR DISTRIBUTOR




30	CARTELA DUCTO 3 esp.= 8 mm	2	AISI 310 S EN 1.4845 stainless steel
29	CARTELA DUCTO 2 esp.= 8 mm	2	AISI 310 S EN 1.4845 stainless steel
28	CARTELA DUCTO 1 Esp.= 8 mm	1	AISI 310 S EN 1.4845 stainless steel
27	PLATE 100 x 100 X 6	5	AISI 310 S EN 1.4845 stainless steel
26	DIN 125-2 - A 25A	40	A2
25	DIN 934 - M24	20	A2
24	DIN EN ISO 4017 - M24 x 110	20	A2
23	ISO 4017 - M16 x 70	40	A2
22	DIN 934 - M16	40	A2
21	DIN 125-1 - B 17	80	A2
20	Brida ciega EN-1092-1 Type 1 PN-10 DN 125 304	5	Stainless steel AISI 304 EN 1.4307
19	Brida plana EN-1092-1 Type 1 PN-10 DN 125 304	5	Stainless steel AISI 304 EN 1.4307
18	PIPE O.D 139.7 mm tks= 3 mm	5	Stainless steel AISI 304 EN 1.4307
17	ISO 4017 M20 x 90	60	A2
16	DIN 934 - M20 x 2	60	A2
15	DIN 125-2 - A 21	120	A2
14	FIBER-CERAMIC STRIP + INCONEL 30 WIDTH X 3 THICKNESS RECTANGULAR PROFILE	6,758 m	-
13	Brida plana EN-1092-1 Type 1 PN-10 DN500 304	1	Stainless Steel AISI 304
12	CAÑO S_C NPS 12 SCH40 304	0,500 m	Stainless Steel AISI 304
11	CAÑO S/C NPS 20 SCH20 304	0,300 m	Stainless Steel AISI 304
10	CAÑO S_C NPS 12 SCH40 304	1,500 m	Stainless Steel AISI 304
9	CAPS NPS 24 SCH20 304	2	Stainless Steel AISI 304
8	CAÑO S/C NPS 24 SCH20 304	2,50 m	Stainless Steel AISI 304
7	CODO 90° RC NPS 12 SCH40 304	5	Stainless Steel AISI 304
6	CODO 90° RL NPS 1 SCH80 BW SA234WPB	26	Stainless Steel AISI 310
5	BOQUILLA INYECCION LECHO FLUIDIFICADO	653	Stainless Steel AISI 310
4	CAÑO S_C NPS 1 SCH80 310	184,580 m	Stainless Steel AISI 310
3	CAÑO S_C NPS 12 SCH40 310	16,523 m	Stainless Steel AISI 310
2	CAPS NPS 12 SCH40 B16.9	5	Stainless Steel AISI 310
1	FLANGE DN300 EN 1092-1 Type 1-a PN-10	10	Stainless Steel AISI 304
ITEM	DESCRIPCION	CANT.	MATERIAL

LISTA DE MATERIALES


INTERNALS




FRONT VIEW
ESCALA:(1 : 15)




CUT CW-CW
ESCALA:(1 : 15)



DETALLE CX
ESCALA:(1 : 5)



FRONT VIEW
ESCALA:(1 : 32)




BOTTOM VIEW
ESCALA:(1 : 32)

9	DIN EN ISO 4017 M16 x 50	4	S31000
8	DIN 934 - M16	4	S31000
7	DIN 125-1 B B 17	8	S31000
6	PLATE 487 x 45.63 x 8	4	AISI 310 S EN 1.4845 stainless steel
5	PLATE 1000 x 45.6 x 8	2	AISI 310 S EN 1.4845 stainless steel
4	PLATE 1050x100x10	4	AISI 310 S EN 1.4845 stainless steel
3	DISCO TAPA CHINO esp.:6 mm	2	AISI 310 S EN 1.4845 stainless steel
2	DISCO CHINO PLEGADO esp.: 8 mm	2	AISI 310 S EN 1.4845 stainless steel
1	PAD CHINO CONO	4	AISI 310 S EN 1.4845 stainless steel


ITEM	DESCRIPCION	CANT.	MATERIAL
------	-------------	-------	----------

LISTA DE MATERIALES


INTERNALS / CONECTIONS




VISTA EN CORTE MANHOLE M02
ESCALA:(1 : 10)







DETALLE CZ
ESCALA:(1 : 5)



DETALLE
ESCALA:(1 : 5)






CUT DA-DA
NOTE: THIS PIECE IS SIMPLY SUPPORTED, DO NOT WELD
ESCALA:(1 : 10)




3	RIGIDIZADOR CENTRADOR	1	AISI 310 S EN 1.4845 stainless steel
2	PIPE Ø365.4THK 5mm	1,006 m	AISI 310 S EN 1.4845 stainless steel
1	BRIDA DN400 ESPECIAL	1	AISI 310 S EN 1.4845 stainless steel
ITEM	DESCRIPCION	CANT.	MATERIAL

LISTA DE MATERIALES



3	RIGIDIZADOR CENTRADOR	1	AISI 310 S EN 1.4845 stainless steel
2	PIPE Ø457 THK 5mm	1	AISI 310 S EN 1.4845 stainless steel
1	BRIDA DN500 ESPECIAL	1	AISI 310 S EN 1.4845 stainless steel
ITEM	DESCRIPCION	CANT.	MATERIAL


LISTA DE MATERIALES



DETALLE TIPICO SENSORES DE PRESION

ESCALA:(1 : 5)


NOTE 1 : SOLDAR CON MATERIAL DE APOORTE ER309L (AWS A5.9)



DETALLE TIPICO SENSORES DE TEMPERATURA


ESCALA:(1 : 20)

NOTE 1 : SOLDAR CON MATERIAL DE APOORTE ER309L (AWS A5.9)



VISTA ISOMETRICA


ESCALA:(1 : 2.5)



FRONTAL BRIDA MECANIZADA


ESCALA:(1 : 2.5)

5	DIN EN ISO 4017 M12 x 60	4	8
4	DIN 934 - M12	4	8
3	DIN 125-1 - B 15	8	8.8
2	MANGUITO 1-2 inch BSPP	1	CARBON STEEL EN 1.0036 S 235 JR
1	Brida ciega EN-1092-1 Type 5 PN-10 DN 20 MECANIZADA	1	CARBON STEEL EN 1.0036 S 235 JR
ITEM	DESCRIPCION	CANT.	MATERIAL
LISTA DE MATERIALES			




TOP VIEW

ESCALA:(1 : 60)




DETALLE CR
ENTALLADURA
ESCALA:(1 : 30)




FRONT VIEW

ESCALA:(1 : 5)



BOTTOM VIEW

ESCALA:(1 : 60)




FRONT VIEW

ESCALA:(1 : 5)


3	PLATE 100* 30 * 6	10	AISI 310 S EN 1.4845 stainless steel
2	UNION PLATE EN 1.4845 thk 12 mm	30	AISI 310 S EN 1.4845 stainless steel
1	SUPPORT CONSOLE RING EN 1.4845 thk 12 mm	1	AISI 310 S EN 1.4845 stainless steel
ITEM	DESCRIPCION	CANT.	MATERIAL

LISTA DE MATERIALES




FRONT VIEW

ESCALA:(1 : 5)



TOP VIEW


ESCALA:(1 : 60)



DETAIL BL
ESCALA:(1 :10)


2	SUPPORT CONSOLE RING 2 EN 1.4845 TKNS=12 mm	1	AISI 310 S EN 1.4845 stainless steel
1	UNION PLATE EN 1.4845 TKNS=12 mm	36	AISI 310 S EN 1.4845 stainless steel
ITEM	DESCRIPCION	CANT.	MATERIAL

BILL OF MATERIALS




FRONT VIEW

ESCALA:(1 : 5)



TOP VIEW


ESCALA:(1 : 60)



DETAIL BN
ESCALA:(1 : 10)


2	UNION PLATE EN 1.4845 TKNS=12 mm	30	AISI 310 S EN 1.4845 stainless steel
1	SUPPORT CONSOLE RING EN 1.4845 TKNS=12 mm	1	AISI 310 S EN 1.4845 stainless steel
ITEM	DESCRIPCION	CANT.	MATERIAL

BILL OF MATERIALS




TOP VIEW

ESCALA:(1 : 75)




CUT DN-DN

ESCALA:(1 : 30)




ISOMETRIC VIEW

ESCALA:(1 : 10)



CUT DL-DL

ESCALA:(1 : 10)




FRONT VIEW

ESCALA:(1 : 10)


ITEM	DESCRIPCION	CANT.	MATERIAL
4	TORISFERICAL REFORCEMENT THKNS=10 mm	1	CARBON STEEL EN 1.0036 S 235 JR
3	EAR LIFT BOOSTER THKNS=30 mm	1	CARBON STEEL EN 1.0036 S 235 JR
2	EAR LIFT THKNS=30 mm	1	CARBON STEEL EN 1.0036 S 235 JR
1	EAR LIFT PAD THKNS=12 mm	1	CARBON STEEL EN 1.0036 S 235 JR

BILL OF MATERIALS




EQUIPMENT SUPPORT LEGS VIEW

ESCALA:(1 : 75)




DETAIL POS. 20

ESCALA:(1 : 15)



DETAIL C

ESCALA:(1 : 15)



TOP VIEW

ESCALA:(1 : 10)