JRuby SQuirrel Ave-? $\rightarrow 1$	6 0.156 0.183	2 0.692 0.680		0 0.411 0.413	0.411	0.411	0.411 0.173 0.630	0.411 0.173 0.630 0.416	0.411 0.630 0.416 0.246	0.411 0.630 0.416 0.246 0.482	0.411 0.630 0.416 0.246 0.482
	0.206	0.642	0.360		0.221	0.221	0.221 0.575 0.422	0.221 0.575 0.422 0.397	0.221 0.575 0.422 0.397	0.221 0.575 0.422 0.397	0.221 0.575 0.422 0.397 -
nart JMeter	1 0.181	902.0 6	9 0.556		4 0.193						
t JFreeChart	8 0.201	669.0	0.349		0.214						
nate JEdit	9 0.178	7 0.659	8 0.360		3 0.140						
F Hibernate	4 0.189	1 0.647	5 0.438		0.123						
nba EMF	0.224	0.741	0.485		- 09	50 88 . 0.747					
IL Columba	0.207	0.657	ı		0.160						
nt ArgoUML	0.108	ı	0.249		0.125	0.125	0.125 0.410 0.252	0.125 0.410 0.252 0.209	0.125 0.410 0.252 0.209 0.297	0.125 0.410 0.252 0.209 0.297	0.125 0.410 0.252 0.209 0.297 0.428
Apache Ant	1	0.681	0.511		0.443	0.443	0.443 0.756 0.374	0.443 0.756 0.374 0.262	0.443 0.756 0.374 0.262	0.443 0.756 0.374 0.262 0.674	0.443 0.756 0.374 0.262 0.674 0.648
Target	Apache Ant	ArgoUML	Columba		EMF	EMF Hibernate	EMF Hibernate JEdit	EMF Hibernate JEdit JFreeChart	EMF Hibernate JEdit JFreeChart	EMF Hibernate JEdit JFreeChart JMeter JRuby	EMF Hibernate JEdit JFreeChart JMeter JRuby SQuirrel

Table 1: Traditional Text Mining: Precision in  $1\to 1$  Setting

Target	Apache Ant ArgoUML Columba	ArgoUML	Columba	EMF	Hibernate JEdit		JFreeChart JMeter JRuby	JMeter	JRuby	SQuirrel	Ave-? $\rightarrow 1$
Apache Ant	•	0.471	0.559	0.353	0.451	0.539	0.412	0.373	0.569	0.373	0.456
$\operatorname{ArgoUML}$	0.640	1	0.739	0.882	0.752	0.834	0.824	0.747	0.724	0.804	0.768
Columba	0.695	0.820		0.758	0.805	0.820	0.695	0.781	0.797	0.797	0.774
EMF	0.419	0.716	0.554		0.541	0.581	0.500	0.459	0.514	0.459	0.527
Hibernate	0.623	0.658	0.700	0.743	1	0.769	0.714	0.700	902.0	0.724	0.704
JEdit	0.344	0.554	0.415	0.297	0.446	1	0.410	0.328	0.503	0.456	0.417
JFreeChart	0.436	0.752	0.752	0.525	0.762	0.564	ı	0.743	0.762	0.554	0.650
${f JMeter}$	0.681	0.677	0.713	0.784	0.770	0.755	0.702	ı	0.702	0.745	0.725
JRuby	0.480	0.742	0.809	0.554	0.841	0.611	0.679	0.836	1	0.548	829.0
SQuirrel	0.488	0.632	0.577	0.662	0.652	0.672	0.632	0.562	0.582	1	209.0
Ave-1 $\rightarrow$ ?	0.530	0.669	0.646	0.618	0.669	0.683	0.619	0.614	0.651	0.607	1

Table 2: Traditional Text Mining: Recall in  $1\to 1$  Setting

Target	Apache Ant ArgoUML Columba	$\operatorname{ArgoUML}$	Columba	EMF	Hibernate JEdit		JFreeChart JMeter	JMeter	JRuby	SQuirrel	Ave-? $\rightarrow$ 1
Apache Ant	•	0.596	0.496	0.302	0.510	0.405	0.388	0.427	0.650	0.626	0.440
$\operatorname{ArgoUML}$	0.515	1	0.767	0.524	0.798	0.378	0.684	0.834	0.700	0.802	0.600
Columba	0.560	0.703		0.427	0.726	0.520	0.524	0.655	0.638	0.496	0.525
EMF	0.497	0.659	0.658	1	0.711	0.416	0.507	0.620	0.526	0.524	0.512
Hibernate	0.502	0.786	0.775	0.505	ı	0.392	0.521	0.723	0.611	0.625	0.544
JEdit	0.469	0.540	0.437	0.489	0.563	1	0.399	0.342	0.502	0.427	0.463
JFreeChart	0.543	0.672	0.612	0.477	299.0	0.400	ı	0.395	0.519	0.526	0.481
${f JMeter}$	0.555	0.672	0.874	0.536	0.795	0.348	0.703	ı	0.757	0.765	0.692
JRuby	0.610	0.880	0.803	0.704	0.748	0.470	0.652	0.826	1	0.770	0.718
SQuirrel	0.340	0.786	0.754	0.682	0.868	0.242	0.600	0.873	0.769	1	0.591
Ave-1 $\rightarrow$ ?	0.459	0.652	0.618	0.465	0.639	0.397	0.498	0.633	0.630	0.556	ı

Table 3: Our Approach: Precision in  $1\to 1$  Setting

Target	Apache Ant ArgoUML Columba	ArgoUML	Columba	EMF	Hibernate JEdit		JFreeChart JMeter JRuby	JMeter	JRuby	SQuirrel	Ave-? $\rightarrow$ 1
Apache Ant	•	0.620	0.443	0.224	0.403	0.276	0.253	0.322	0.498	0.553	0.359
$\operatorname{ArgoUML}$	0.365	1	0.874	0.408	0.818	0.384	0.539	0.808	0.556	0.685	0.544
Columba	0.322	0.858		0.373	0.597	0.386	0.448	0.559	0.573	0.434	0.455
EMF	0.332	0.645	0.536	1	0.604	0.289	0.485	0.798	0.435	0.480	0.460
Hibernate	0.316	0.969	0.868	0.406	ı	0.432	0.659	0.792	0.631	0.793	0.587
JEdit	0.250	0.601	0.302	0.390	0.456	1	0.312	0.428	0.447	0.269	0.345
JFreeChart	0.268	0.650	0.499	0.395	0.611	0.319	ı	0.551	0.479	0.361	0.413
${f JMeter}$	0.315	0.854	0.734	0.401	0.838	0.364	0.576	ı	0.658	0.659	0.540
JRuby	0.294	0.822	0.787	0.673	0.874	0.285	0.561	0.753	1	0.681	0.573
SQuirrel	0.477	0.987	0.821	0.630	0.754	0.250	0.719	0.778	0.702	1	0.612
Ave-1 $\rightarrow$ ?	0.294	0.701	0.586	0.390	0.595	0.299	0.455	0.579	0.498	0.491	1

Table 4: Our Approach: Recall in  $1 \to 1$  Setting

Target	Apache Ant ArgoUML	ArgoUML	Columba	EMF	Hibernate	JEdit	JFreeChart	JMeter	JRuby	SQuirrel	Ave-? $\rightarrow$ 1	Ave-? $\rightarrow$ 1 (w/o ft)	Imp2
Apache Ant		0.152	0.277	0.338	0.353	0.255	0.299	0.329	0.312	0.279	0.288	0.183	57.50%
ArgoUML	0.591		0.568	0.548	0.625	0.594	0.585	0.595	0.610	0.585	0.589	89.0	-13.38%
Columba	0.372	0.175		0.491	0.277	0.259	0.311	0.375	0.268	0.309	0.315	0.413	-23.68%
EMF	0.466	0.315	0.305	1	0.494	0.443	0.437	0.466	0.500	0.437	0.429	0.199	115.69%
Hibernate	0.726	0.486	0.631	0.666	ı	0.640	0.639	0.675	0.671	0.695	0.648	0.622	4.13%
JEdit	0.402	0.294	0.387	0.409	0.424	1	0.432	0.375	0.493	0.434	0.406	0.346	17.21%
JFreeChart	0.472	0.260	0.355	0.489	0.450	0.368	1	0.462	0.461	0.461	0.420	0.34	23.46%
JMeter	0.690	0.390	0.561	0.591	0.563	0.517	0.595		0.623	0.644	0.575	0.482	19.27%
${ m JRuby}$	0.634	0.476	0.504	0.569	0.661	0.639	0.567	0.627	1	0.630	0.590	0.56	5.30%
SQuirrel	0.480	0.262	0.429	0.436	0.406	0.461	0.421	0.475	0.410	ı	0.420	0.378	11.11%
$Ave-1\to?$	0.537	0.312	0.446	0.504	0.473	0.464	0.476	0.487	0.483	0.497	•		
Ave-1 $\rightarrow$ ? (w/o ft)	0.539	0.254	0.399	0.502	0.393	0.398	0.437	0.459	0.409	0.413	,		
Imp1	-0.37%	22.92%	11.86%	0.42%	20.24%	16.58%	8:98%	800.9	18.12%	20.37%			1

Table 5: Traditional Text Mining: Precision in  $1 \to 1$  Setting with 20% Fine-Tuning Data (row?  $\to 1$  represents the nine experiments of the same testing project and column  $1 \to ?$  represents the nine experiments of the same training project.

t) Imp2	27.36%	-0.94%	-16.90%	63.29%	1.42%	3.84%	-10.67%	-2.88%	17.19%	-5.31%	1	1	
Ave-? $\rightarrow$ 1 (w/o ft)	0.456	0.768	0.774	0.527	0.704	0.417	0.650	0.725	0.678	0.607	ı	ı	
Ave-? $\rightarrow$ 1	0.581	0.761	0.643	0.861	0.714	0.433	0.581	0.704	0.795	0.575	-		
SQuirrel	0.639	0.813	0.730	0.905	0.753	0.406	0.547	0.734	0.836	-	0.707	0.607	16.47%
JRuby	0.494	0.732	0.540	0.926	0.687	0.477	0.707	0.672		0.551	0.643	0.651	-1.25%
JMeter	0.590	0.769	0.667	0.863	0.733	0.348	0.560		0.786	0.603	0.658	0.614	7.11%
JFreeChart JMeter	0.602	0.796	0.730	0.842	0.803	0.471	,	0.738	0.750	0.583	0.702	0.619	13.35%
JEdit	0.578	0.754	0.667	0.947	0.740		0.573	0.716	0.855	0.673	0.723	0.683	5.79%
Hibernate	0.578	0.778	0.492	0.884		0.394	0.480	0.664	0.770	0.500	0.616	0.669	-7.99%
EMF	0.602	0.743	0.884	1	0.797	0.465	0.573	0.769	0.868	0.628	0.703	0.618	13.79%
Columba	0.614	0.811		0.683	0.660	0.452	0.733	0.707	0.757	0.558	0.664	0.646	2.77%
ArgoUML	0.530	ı	0.571	0.842	0.643	0.542	0.600	0.616	0.743	0.526	0.624	0.669	-6.78%
Apache Ant ArgoUML	1	0.651	0.508	0.853	0.610	0.342	0.453	0.721	0.786	0.551	0.608	0.53	14.78%
Target	Apache Ant	ArgoUML	Columba	EMF	Hibernate	JEdit	JFreeChart	JMeter	JRuby	SQuirrel	$\text{Ave-1} \rightarrow ?$	Ave-1 $\rightarrow$ ? (w/o ft)	Imp1

Table 6: Traditional Text Mining: Recall in  $1 \to 1$  Setting with 20% Fine-Tuning Data (row ?  $\to 1$  represents the nine experiments of the same testing project and column  $1 \to ?$  represents the nine experiments of the same training project.

Target	Apache Ant ArgoUML	ArgoUML	Columba	EMF	Hibernate	JEdit	JFreeChart JMeter	JMeter	JRuby	SQuirrel	Ave-? $\rightarrow$ 1	Ave-? $\rightarrow$ 1 of TM	Imp4	Ave-? $\rightarrow$ 1 (w/o ft) Imp2	Imp2
Apache Ant		0.852	0.768	0.705	0.819	0.750	0.781	0.820	0.731	0.846	0.786	0.288	172.92%	0.440	78.64%
ArgoUML	0.824		0.806	0.912	0.847	0.545	0.621	0.887	0.839	0.892	0.717	0.589	21.73%	0.600	19.50%
Columba	0.850	0.887		0.770	0.816	0.646	0.770	0.912	0.800	0.870	0.732	0.325	125.23%	0.525	39.43%
EMF	0.783	0.732	0.711		0.773	0.729	0.803	0.741	0.718	0.760	0.675	0.429	57.23%	0.512	31.84%
Hibernate	0.796	0.905	0.858	0.821		0.495	0.583	0.813	0.688	0.740	0.670	0.648	3.40%	0.544	23.16%
JEdit	0.479	0.600	0.490	0.805	0.822		0.675	969.0	0.613	0.577	0.576	0.406	41.87%	0.463	24.41%
JFreeChart	0.815	0.895	0.730	0.837	0.922	0.594		0.750	0.774	0.718	0.704	0.420	67.62%	0.481	46.36%
JMeter	0.866	0.890	0.855	0.890	0.922	0.747	0.909		0.912	0.913	0.790	0.575	37.39%	0.692	14.16%
JRuby	0.902	0.871	0.902	0.834	0.927	0.802	0.865	0.936	,	0.926	0.797	0.590	35.08%	0.718	11.00%
SQuirrel	0.920	0.899	0.916	0.887	0.938	0.507	0.967	0.953	0.916		0.790	0.420	88.10%	0.591	33.67%
$Ave-1\to?$	0.804	0.753	0.704	0.746	0.779	0.581	0.697	0.751	0.699	0.724	ı	-	ı	-	
Ave-? $\rightarrow$ 1 of TM	0.537	0.312	0.446	0.504	0.473	0.464	0.476	0.487	0.483	0.49	,				
Imp3	49.72%	141.35%	57.85%	48.02%	64.69%	25.22%	46.43%	54.21%	44.72%	47.76%			-		
Ave-1 $\rightarrow$ ? (w/o ft)	0.459	0.652	0.618	0.465	0.639	0.397	0.498	0.633	0.630	0.556					
Imp1	75.16%	15.49%	13.92%	60.43%	21.91%	46.35%	39.96%	18.64%	10.95%	30.22%					

Table 7: Our Approach: Precision in  $1 \to 1$  Setting with 20% Fine-Tuning Data (row?  $\to 1$  represents the nine experiments of the same testing project and column  $1 \to ?$  represents the nine experiments of the same training project.

Imp2	100.28%	22.24%	50.99%	38.48%	10.73%	80.29%	62.95%	57.96%	47.47%	36.93%				ı	
Ave-? $\rightarrow$ 1 (w/o ft)	0.359	0.544	0.455	0.460	0.587	0.345	0.413	0.540	0.573	0.612		1			ı
Imp4	23.75%	-12.61%	6.84%	-26.02%	~8.96%	43.65%	15.83%	21.16%	6.29%	45.74%	1	,			
Ave-? $\rightarrow$ 1 of TM	0.581	0.761	0.643	0.861	0.714	0.433	0.581	0.704	0.795	0.575					1
Ave-? $\rightarrow$ 1	0.719	0.665	0.687	0.637	0.650	0.622	0.673	0.853	0.845	0.838	ı	1		-	1
SQuirrel	0.788	0.853	0.837	0.744	0.701	0.516	0.687	0.895	0.889	-	0.768	0.707	8.63%	0.491	56.42%
JRuby	0.723	0.750	0.771	0.633	0.623	0.89	0.637	0.884		0.890	0.722	0.643	12.29%	0.498	44.98%
JMeter	0.785	0.869	0.871	0.719	0.789	0.506	0.698		0.897	0.906	0.782	0.658	18.84%	0.579	35.06%
JFreeChart JMeter	0.682	0.586	0.674	0.654	0.651	0.470	ı	0.832	0.851	0.799	0.620	0.702	-11.68%	0.455	36.26%
JEdit	0.698	0.486	0.602	0.641	0.399		0.537	0.588	0.542	0.416	0.545	0.723	-24.62%	0.299	82.27%
Hibernate	0.734	0.804	0.766	0.740		0.766	0.873	0.885	0.909	0.918	0.740	0.616	20.13%	0.595	24.37%
EMF	0.497	0.697	0.756		0.694	00.700	0.827	0.808	0.799	0.854	0.663	0.703	-5.69%	0.390	70.00%
Columba	0.750	0.837		0.767	0.940	0.708	0.810	0.937	0.945	0.934	0.763	0.664	14.91%	0.586	30.20%
ArgoUML	0.817		0.791	0.740	0.891	0.690	0.864	0.937	0.929	0.942	0.760	0.624	21.79%	0.701	8.42%
Apache Ant	ı	0.768	0.807	0.736	0.810	0.651	0.793	0.915	0.842	0.879	0.800	0.608	31.58%	0.294	172.11%
Target	Apache Ant	ArgoUML	Columba	EMF	Hibernate	JEdit	JFreeChart	JMeter	JRuby	SQuirrel	Ave-1 $\rightarrow$ ?	Ave-? $\rightarrow$ 1 of TM	Imp3	Ave-1 $\rightarrow$ ? (w/o ft)	Imp1

Table 8: Our Approach: Recall in  $1 \to 1$  Setting with 20% Fine-Tuning Data (row ?  $\to 1$  represents the nine experiments of the same testing project and column  $1 \rightarrow ?$  represents the nine experiments of the same training project.