



LPX Explorer

Quick guide · find tracks, plug-ins and bounces across your Logic Pro projects
– without opening Logic.

Getting started

- 1 **Add a folder** that contains your `.logicx` projects (File ▶ Add Folder... ⌘0, or drop a folder on the window). Subfolders and Backups folders are included.
- 2 The first scan reads every project once. After that only new or changed projects are read again, so starting the app is fast. ⌘R rescans.
- 3 The app is **read-only**: it never changes a project, never opens Logic and makes no network requests. Everything it remembers is kept in `~/Library/Application Support/LpxExplorer`.

The window

From left to right: **folders** (and the Plug-ins view) · the **project list** · the project's **details** with its **bounces** below · the **tracks** in Logic's order, hidden tracks marked. The **Tracks** button in the toolbar hides or shows the track pane (View ▶ Reset Column Widths restores the default layout). Click a key or tempo in the details to find similar projects. Right-click a project to reveal it in Finder or copy its path.

Searching

- The **search box** (top right) matches *everything*: project names, track and object names, channel names and plug-ins. Several words must all match.
- The three **fields above the list** match only their own field – *Project name*, *Track / object name*, *Plug-in* – and narrow the results further. Buttons below them limit the result to audio, instrument or folder tracks, to projects with or without a bounce, and show or skip hidden tracks.
- The **Sort** button in the toolbar orders the project list and the results by name or by **date saved** (newest or oldest first; the date is shown at the right of each project). The choice is remembered.
- Results are the matching **projects**, each followed by the **tracks** inside it that matched. Click a track to open its project and jump to that track. Searching covers the whole library, not only the selected folder.

Bounces and the player

- A bounce belongs to a project when its **file name starts with the project's name**, version number included; whatever follows is ignored. A file with `STM#nn` after the name is stem *nn*; everything else is a mix, the newest being the main one.
- They are looked up in `Bounces` folders in the project's folder and in every folder above it up to the library folder (so projects in `Backups` find the `Bounces` next to it), including all subfolders, and inside the project package.
- Click a bounce to play it in the **player** at the bottom: click or drag the waveform to jump, `Space` plays or pauses (except while you type), and “back to project” returns to where it started. It keeps playing while you browse.

Plug-ins and compatibility

The **Plug-ins** view lists every plug-in used in the library with the projects that use it. A project that needs plug-ins this Mac doesn't have shows a warning; “Missing plug-ins only” filters for them. Plug-in names come from the installed Audio Units (`auval`).

Good to know

- Track names are shown exactly as stored; names are never used to guess what a track is.
- Projects from older Logic versions are read too (tested with Logic Pro X 10.5 and 11). Single-file projects from Logic 4–9 (`.lso`) are listed by name with their folder, size and bounces, marked as legacy; their tracks, tempo and plug-ins are not read.
- Reveal in Finder is the only way a project is “opened” – never launched in Logic.

LPX Explorer is free software (GPL-3.0-or-later) from **Good Loops** · www.good-loops.com – based on LPX Explorer by Rhyd Lewis, whose reverse-engineering of the Logic Pro project format made it possible. Source code: github.com/goodloops-mirror/LPX-Explorer-Swift