

P1 Samples used, and the evidence that defined the two groups

			TP53 mutation read directly (cells)	Numbat 17p LOH (fraction)	cells in sample
			TP53-mut		
AML328-D0 (pair 1) single-cell genotype			3	–	597
AML916-D0 (pair 2) single-cell genotype			21	–	658
AML328-D113 (pair 3) single-cell genotype			1	–	1,647
AML328-D171 (pair 4) single-cell genotype			1	–	961
AML328-D29 (pair 5) single-cell genotype			23	–	1,250
809653 (pair 6) single-cell genotype			–	–	15,194
1886_R (pair 7) Numbat 17p LOH			–	0.981	1,743
6323_R (pair 8) Numbat 17p LOH			–	0.931	892
GSM8791438_MLL_28830 (pair 9) Numbat 17p LOH			–	0.986	5,502
			TP53-WT		
AML707B-D0 (pair 1)			–	–	1,215
AML556-D0 (pair 2)			–	–	1,554
AML707B-D18 (pair 3)			–	–	1,413
AML420B-D14 (pair 4)			–	–	938
AML556-D31 (pair 5)			–	–	1,104
782328 (pair 6)			–	–	15,148
4978_R (pair 7)			–	–	2,035
3853_R (pair 8)			–	–	528
GSM8791434_MLL_17746 (pair 9)			–	–	5,273