
| committee               |                  |
|-------------------------|------------------|
| committee_id ${\cal O}$ | int              |
| committee_code          | varchar(50)      |
| committee_name          | nvarchar(200) NN |
| is_active               | bit NN           |
| created_at              | datetime2 NN     |

| appointment_order           |                  |
|-----------------------------|------------------|
| order_id ${\cal O}$         | int              |
| € committee_id <b>&amp;</b> | int NN           |
| order_name                  | nvarchar(200) NN |
| order_number                | varchar(50)      |
| order_effective_start       | date NN          |
| order_effective_end         | date NN          |
| doc_url                     | nvarchar(400)    |
| created_at                  | datetime2 NN     |
|                             |                  |



person

title\_th

person\_id  ${\cal O}$ 

first\_name\_th

last\_name\_th

first\_name\_en

last\_name\_en

gender

birth\_date

created\_at

updated\_at

nvarchar(20)

nvarchar(100) NN

nvarchar(100) NN

nvarchar(100)

nvarchar(100)


gender\_code E

datetime2 NN

datetime2 NN

date







health\_interest → interest\_code ② varchar(20) nvarchar(100) NN name\_th description nvarchar(255)



| committee               |                  |
|-------------------------|------------------|
| committee_id ${\cal O}$ | int              |
| committee_code          | varchar(50)      |
| committee_name          | nvarchar(200) NN |
| is_active               | bit NN           |
| created_at              | datetime2 NN     |

|          | appointment_order     |                  |
|----------|-----------------------|------------------|
|          | order_id ${\cal O}$   | int              |
| <b>\</b> | committee_id &        | int NN           |
|          | order_name            | nvarchar(200) NN |
|          | order_number          | varchar(50)      |
|          | order_effective_start | date NN          |
|          | order_effective_end   | date NN          |
|          | doc_url               | nvarchar(400)    |
|          | created_at            | datetime2 NN     |
|          |                       |                  |

| int               |
|-------------------|
| int NN            |
| int NN            |
| nvarchar(100)     |
| date NN           |
| date              |
| start_reason E NN |
| end_reason E      |
| nvarchar(400)     |
|                   |

person

title\_th

person\_id  ${\cal O}$ 

first\_name\_th

last\_name\_th

first\_name\_en

last\_name\_en

gender

birth\_date

created\_at

updated\_at



| person_addre          | person_address    |  |
|-----------------------|-------------------|--|
| address_id ${\cal O}$ | int               |  |
| person_id 🔗           | int NN            |  |
| type                  | address_type E NN |  |
| line1                 | nvarchar(200) NN  |  |
| line2                 | nvarchar(200)     |  |
| subdistrict           | nvarchar(100)     |  |
| district              | nvarchar(100)     |  |
| province              | nvarchar(100)     |  |
| postal_code           | varchar(20)       |  |
| is_active             | bit NN            |  |
| valid_from            | date              |  |
| valid_to              | date              |  |
| created_at            | datetime2 NN      |  |

int 1

nvarchar(20)

nvarchar(100) NN

nvarchar(100) NN

nvarchar(100)

nvarchar(100)

gender\_code E

datetime2 NN

datetime2 NN

date

|                      | person_interest                       |                |
|----------------------|---------------------------------------|----------------|
| <b>k</b><br><b>€</b> | person_id $\mathcal{O}$ $\mathscr{O}$ | int NN         |
|                      | interest_code 🛭 🔗                     | varchar(20) NN |
|                      | note                                  | nvarchar(255)  |
|                      | created_at                            | datetime2 NN   |

| hea  | health_interest |                  |
|------|-----------------|------------------|
| inte | erest_code 🖉    | varchar(20)      |
| nan  | ne_th           | nvarchar(100) NN |
| des  | cription        | nvarchar(255)    |



```
Enum gender_code {
  M [note: " "]
  F [note: " "]
 X [note: " /
  U [note: "
                  "]
Enum address_type {
  ID_CARD [note: "
  CURRENT [note: "
  MAILING [note: "
Enum contact_type {
  MOBILE
  EMAIL
  LINE
  PHONE
  FAX
Enum start_reason {
  INITIAL [note: "
  ADDED [note: "
Enum end_reason {
 TERM_END [note: "
RESIGNED [note: "
  REMOVED [note: "
```

