

Merchant Dashboard — Exploratory QA Findings

Unico `vendor-admin-front` · event merchant view · automated exploratory sweep

Date	6 August 2026
Application	<code>vendor-admin-front</code> , branch <code>develop</code> (commit <code>1bb0f44</code>)
Environment	Local Next.js dev server on port 3000, talking to <code>api.unico-app.com/coolAdminTest</code>
Account	Event merchant, store ID 264, reached from 总后台 via the 商家后台 link
Method	Playwright over CDP against a normally-launched Edge browser; 37 routes swept, plus targeted form, search and pagination probes
Evidence	50 screenshots in <code>./screenshots/</code> ; raw results in <code>sweep-results.json</code> , <code>searchtest-results.json</code>
Data created	2 events (<i>QA Automated Probe Event</i> , <i>QA Deadline Semantics Probe</i>)
Data deleted	None

Summary

Sixteen issues found. The core flows work — creating an event succeeds, order search filters, and the recently merged refund status fix displays consistently. The problems are concentrated in three areas: developer-only pages that shipped into the merchant-facing app, validation that is technically correct but very hard to act on, and interface copy that describes something other than what the page does.

Severity	Count	Theme
HIGH	3	Developer pages exposed to merchants; a scheduling rule that lets registration stay open after an event has begun; a JavaScript error on nearly every page
MEDIUM	7	Unmarked required fields, transient one-at-a-time validation, search results that cannot be explained, pagination off-by-one, edit-mode copy on the create page
LOW	6	Untranslated text, inconsistent terminology, loading-state flashes, route naming

One limitation worth stating up front. This build talks to the shared test API, which does not include the backend search widening from `fx_order_search_fields` . Any judgement below about which fields order search matches reflects the currently deployed backend, not that pending patch.

High severity

1 HIGH Seven developer test pages are reachable inside the merchant dashboard

All seven load inside the real navigation shell, with the merchant's own data, for any logged-in merchant who types the URL. They are not linked from the menu, but nothing blocks them.

/firebase-debug	Firebase Debug Dashboard, diagnostics and config validation
/firebase-test	Firebase Phone Verification Test, sends real SMS
/test-account-settings	prints the raw store record as JSON
/test-firebase-phone	Firebase Phone Authentication Test, sends real SMS
/test-unread	lets you set the global unread counter to any value
/test-validation	form validation demo page
/test/firebase-auth	forgot-password flow test

/test-account-settings is the most exposing: it prints the store object directly on the page, including internal identifiers that are not shown anywhere in the real interface.


```
{ "id": 264, "createTime": "2026-03-18 08:33:51", "memberId": 1447, ... }
```

WHY IT MATTERS

Two pages can trigger real SMS sends, which costs money and can be abused. One lets a merchant desynchronise their own notification badge. All seven make the product look unfinished if a merchant finds them.

SUGGESTED FIX

Delete the routes, or gate them behind an environment check so they only build outside production.



/test-account-settings — raw store record rendered inside the merchant navigation

2 **HIGH** Registration deadline can be set after the event has already started

The form checks the registration deadline only against the *end* time. It never compares it to the *start* time. The helper text under the field says the same thing: "Must be at least 15 minutes before End Time."

REPRODUCED

Created an event with start 10:00 AM, end 2:00 PM, registration deadline 1:00 PM. Accepted with "Event created successfully". Registration stays open for three hours after the event begins.

WHERE

`src/app/events/planning/event-planning-form.jsx:973-984` — the comparison uses `endTimeStamp` only.

QUESTION FOR PRODUCT

Is late registration intentional for walk-ins? If yes, the rule is fine and only the helper text needs to explain it. If no, the check should be against start time. This needs a product decision before it is coded.

Unico

Dashboard

Users

Promotions

Event Tab

Financials

Edit PopEvent

Ongoing Eve...

Order List

Event Planning

Event Settings

Event Planning

Create new events and edit existing ones. Updates apply in real time to event content without changing tickets or reservations already purchased.

Create New Event

Event	Schedule	Status	Actions
 QA Deadline Semantics Probe QA Deadline Venue	Dec 2, 2026 10:00 AM - 2:00 PM	Draft	...
 QA Automated Probe Event 1 QA Street	Dec 1, 2026 10:00 AM - 12:00 PM	Draft	...
 New Testing Event test	Sep 18, 2026 12:00 AM - 1:00 AM	Published	...
 Photography 55 Shutter Lane, Downtown Arts District	Sep 4, 2026 6:45 PM - 9:45 PM	Published	...
 Urban Street Photography Workshop 55 Shutter Lane, Downtown Arts District	Sep 4, 2026 6:45 PM - 9:45 PM	Published	...
 capacity Test test	Aug 27, 2026 9:00 AM - 9:45 AM	Draft	...
 EVENT_STARTING_SOON EVENT_STARTING_SOON	Aug 8, 2026 8:50 PM - 9:00 PM	Published	...
 EVENT_STARTING_SOON EVENT_STARTING_SOON	Aug 8, 2026 8:45 PM - 9:00 PM	Published	...
 EVENT_STARTING_SOON EVENT_STARTING_SOON	Aug 8, 2026 8:45 PM - 9:00 PM	Published	...
 EVENT_STARTING_SOON EVENT_STARTING_SOON	Aug 8, 2026 8:45 PM - 9:00 PM	Published	...

Previous

1

2

3

4

Next

10 / page

N

1 issue

Event accepted with a deadline three hours after its own start time

3 **HIGH** A JavaScript error fires on nearly every page load

Observed on the login page, the dashboard, event settings, coupons, order pages and the marketing pages — essentially everywhere.

```
TypeError: Cannot set properties of null (setting 'onMessageHandler')  
  at onMessage$1 (@firebase/messaging/dist/esm/index.esm2017.js:1176)  
  at onMessageListener (src/services/firebase-messaging.js:56)  
  at ApplicationLayout.useEffect
```

WHY IT MATTERS

The visible interface still works, so this is easy to ignore. But the messaging listener is failing to attach, which means push notifications are likely not being delivered in this environment. It also fills the error console, which hides genuine errors during debugging.

SUGGESTED FIX

Guard the call in `firebase-messaging.js` so it returns early when the messaging instance is null, rather than throwing.

Medium severity

4 **MEDIUM** Six fields are required but none is marked as required

The Create Event form requires Title, Start Time, End Time, Cover Image, Venue Name, and at least one Ticket Type. Not one of them carries an asterisk, helper text, or the HTML `required` attribute. A merchant has no way to know what is mandatory before pressing the button.

NOTE

The product already has the right pattern elsewhere — the internal `/test-validation` page documents required fields with asterisks. It was simply not applied to the real form.

5 **MEDIUM** Validation reveals one error at a time, in a message that disappears

Each submit returns the first failure only, as a toast that clears after roughly three seconds. Nothing is marked on the field itself, and the page does not scroll to the problem.

Attempt	Form state	Message shown
1	Empty	Title is required
2	Title filled	Start time is required
3	Title + Venue filled	Start time is required

Filling the venue changed nothing, because venue is checked fifth. A merchant filling fields out of order gets no credit for the work. Discovering all six requirements takes six separate submits, and any message missed in those three seconds means submitting again to see it.

SUGGESTED FIX

Validate all fields at once and mark each failing field inline, keeping the toast as a summary.

Unico

Dashboard

Users

Promotions

Event Tab

Financials

Ed

Title is required

Ongoing Eve...

Order List

Event Planning

Event Settings

Create New Event

Set up a new event record for upcoming publishing and ticketing.

Basic Information

Title

2026 Spring Music Festival

Event Type

Ticketed Event

Description

Describe the event experience

Cover Image

Upload a file or drag and drop

PNG, JPG up to 10MB

Schedule And Capacity

Start Time

Select date and time

End Time

Select date and time

Registration Deadline

Select date and time

Capacity

0

Must be at least 15 minutes before End Time.

Status

Draft

Repeating Event

Repeat this event

Venue And Contact

Venue Name

Venue Address

Contact Phone

Contact Email

Entry Rule

Entry Note

Ticket QR code required for entry

Ticket Types

Set up ticket tiers, inventory, shared capacity, and tiered pricing rules for this event.

Sort Tickets

Shared Ticket Capacity

When enabled, all ticket types will share the event capacity. Any ticket purchase will reduce the available inventory for all ticket types.

1 Unnamed Ticket Fixed Price Enabled

Need to reorder tickets? Use the compact "Sort Tickets" dialog above.

Ticket Name

e.g. Early Bird, VIP

Ticket Status

Enabled

Base Price

Pay What You Can

Inventory

Limit 0

Tiered Pricing

Price changes automatically as more tickets are sold

No tiered pricing - fixed price applies

Add a tier to set price brackets based on sales volume

+ Add Tier

+ Add Ticket Type

Edits apply immediately after save, but existing purchases and appointments are preserved.

Back

Create Event

The full response to submitting an empty form — one transient line

file:///E:/Github%20Go/qa-merchant-dashboard-2026-08-06/Unico_Merchant_Dashboard_QA_2026-08-06.html

8/19

6 **MEDIUM** Order search matches on fields the merchant cannot see

The placeholder reads "Search by order ID, event, customer, or phone". Searching does filter, but the matched value is often in none of the visible columns, so the results look arbitrary.

Search term	Result
Photography	Correct — four Urban Street Photography Workshop orders
1017	One order, ID 273887, titled "Urban Street Photography Workshop". Nothing visible on that row contains 1017
Sticky	Filtered to a different set, but no visible column contains "Sticky"

SUGGESTED FIX

Show what matched — either add the matched field as a column, or highlight it in the row. Merchants currently cannot verify that a search did the right thing.

7 **MEDIUM** A single percent sign returns every order

Searching % returns exactly the unfiltered list. The term is being placed into a SQL LIKE pattern without escaping, so the wildcard passes straight through.

SCOPE

This is not an injection risk — `' ; DROP TABLE orders; --` was handled safely and returned an empty result, which shows the query is parameterised. The problem is only that % and _ behave as wildcards.

PRACTICAL IMPACT

A merchant searching for something like "50% off" gets results that make no sense.

SUGGESTED FIX

Escape % and _ in the keyword before building the pattern.

8 **MEDIUM** **Pagination accepts page 0, negative pages, and non-numeric pages**

URL	Behaviour
?page=0	Renders the same rows as page 1. The "Previous" button on page 1 links here
?page=abc	Silently renders page 1
?page=-1	Empty state
?page=99999	Empty state (469 pages exist)

The visible symptom is that "Previous" on the first page appears clickable and takes the merchant to a duplicate of the page they are already on.

SUGGESTED FIX

Disable "Previous" on the first page, clamp out-of-range values to the nearest valid page, and treat non-numeric input as page 1.

9 **MEDIUM** The create page shows edit-mode text about purchases that cannot exist

At the bottom of *Create New Event*, immediately above the Create button:

Edits apply immediately after save, but existing purchases and appointments are preserved.

On a page that creates a brand-new event, there are no edits and no existing purchases. The form component is shared between create and edit, and this line is not conditioned on which mode it is in.

WHERE

`src/app/events/planning/event-planning-form.jsx:2201`

SUGGESTED FIX

Show this only in edit mode. In create mode, either omit it or say something true of creating.

Unico

Dashboard

Users

Promotions

Event Tab

Financials

Edit PopEvent

Ongoing Eve...

Order List

Event Planning

Event Settings

Create New Event

Set up a new event record for upcoming publishing and ticketing.

Basic Information

Title

2026 Spring Music Festival

Event Type

Ticketed Event

Description

Describe the event experience

Cover Image

Upload a file or drag and drop

PNG, JPG up to 10MB

Schedule And Capacity

Start Time

Select date and time

End Time

Select date and time

Registration Deadline

Select date and time

Capacity

0

Status

Draft

Repeating Event

Repeat this event

Venue And Contact

Venue Name

Venue Address

Contact Phone

Contact Email

Entry Rule

Entry Note

Ticket QR code required for entry

Ticket Types

Set up ticket tiers, inventory, shared capacity, and tiered pricing rules for this event.

Sort Tickets

Shared Ticket Capacity

When enabled, all ticket types will share the event capacity. Any ticket purchase will reduce the available inventory for all ticket types.

1 Unnamed Ticket Fixed Price Enabled

Need to reorder tickets? Use the compact "Sort Tickets" dialog above.

Ticket Name

e.g. Early Bird, VIP

Ticket Status

Enabled

Base Price

Pay What You Can

Inventory

Limit 0

Tiered Pricing

Price changes automatically as more tickets are sold

No tiered pricing - fixed price applies

Add a tier to set price brackets based on sales volume

+ Add Ticket Type

Edits apply immediately after save, but existing purchases and appointments are preserved.

Back

Create Event

Create New Event — note the edit-mode notice above the buttons, and that no field label carries a required marker

file:///E:/Github%20Go/qa-merchant-dashboard-2026-08-06/Unico_Merchant_Dashboard_QA_2026-08-06.html

12/19

10 **MEDIUM** **The event list displays an impossible time range without comment**

In Ongoing Events, event #2495 "EVENT_SETTLEMENT_RELEASE-MQ" is listed as:

Aug 11, 2026 9:00 AM - 8:45 AM

The end time is before the start time. The create form rejects this combination ("End time must be after start time"), so this record was created another way — before the rule existed, or directly through the API.

WHY IT MATTERS

Whatever produced it, the list presents it as a normal Published event with no warning. If the form guards against this, the display and the API should too.

SUGGESTED FIX

Apply the same rule server-side, and have the list flag records that violate it instead of rendering them as ordinary.

Low severity

11 **LOW** The settings icon is announced as "Inbox" to screen readers

Two adjacent header buttons carry the same accessible name. The bell is correct; the settings gear was copy-pasted from it.

```
<NavbarItem href="/Inbox"    aria-label="Inbox"><BellAlertIcon />  ← correct  
<NavbarItem href="/settings" aria-label="Inbox"><Cog8ToothIcon /> ← wrong
```

WHERE

`src/app/application-layout.jsx:822`

SUGGESTED FIX

One-line change to `aria-label="Settings"`. Listed as low only because it does not affect sighted users; for anyone using a screen reader the two buttons are indistinguishable.

12 **LOW** Chinese-only instructions on English-language pages

Two of the developer pages carry untranslated instructions in an otherwise entirely English product:

```
/test-firebase-phone  测试说明: • 输入手机号码 (如: 13800138000) ...  
/test/firebase-auth   测试说明 / 注意事项 ...
```

This is the same class of issue as the developer text already removed from the Edit Event form in `hx_display_patch`. It disappears on its own if finding 1 is fixed by deleting the routes.

13 **LOW** **Order detail shows "Not provided" for a customer whose details are on the same screen**

On order #273323 , the Customer Information block lists a name, phone and email. The Registrations table directly below shows all three as "Not provided".

Customer Information	UC_m_6252 · 1353636252 · stickyfinger.orz@gmail.com
Registrations (1)	Not provided · Not provided · Not provided

Both may be technically accurate — the order has a purchaser, and the ticket has no separate attendee registered. But shown together they read as a data error.

SUGGESTED FIX

When no separate attendee was supplied, say so — for example "Same as purchaser" — rather than "Not provided".

Unico

Dashboard

Users

Promotions

Event Tab

Financials

Edit PopEvent

Ongoing Eve...

Order List

Event Planning

Event Settings

Back to Event Orders

Print / Save as PDF

Event Order #273323

Created on 2026-04-26 07:38:37

Refund In Progress

Process Refund

Total Price
\$10

Payment Method
Offline Payment

Order Date
2026-04-26 07:38:37

Customer Information

Customer Name

UC_m_6252

Email

stickyfinger.orz@gmail.com

Customer ID

1454

Phone Number

1353636252

Event Information

Event Name

2026

Order Number

273323

Ticket Type

T1

Payment Time

2026-04-29 09:57:14

Total Price

\$10

Registrations (1)

NAME	EMAIL	PHONE	PAYMENT	STATUS	CHECK-IN TIME
Not provided	Not provided	Not provided	Paid	Registered	Not provided

Order Timeline

Awaiting Confirmation

2026-04-26 07:38:41

Complete

2026-04-29 09:57:14

Refund In Progress

2026-04-29 09:57:28

Current

Refund Information

Refund Amount

\$10

Status

Refund In Progress

Apply Time

Not provided

Reason

Item Doesn't Match Description

Notes and Remarks

No notes or remarks provided

Order #273323 — Customer Information populated, Registrations row empty

14 **LOW** "No events found." flashes before the list loads

On Event Planning, the empty-state message renders while the request is still in flight, then is replaced by the real list. On a slow connection a merchant may believe they have no events.

SUGGESTED FIX

Show a loading state until the request resolves, and the empty state only when the response is genuinely empty.

15 **LOW** Two routing inconsistencies

- `/events/customers` silently redirects to `/users/customers`. Harmless today, but it means two paths reach one page and only one of them is canonical.
- `/Inbox` is the only capitalised route in the application; every other one is lowercase. On case-sensitive hosting a link to `/inbox` would 404.

16 **LOW** The same payment method has two different names

Payment type 2 is labelled differently depending on where the merchant or customer is looking:

Wording	Where
Pay in Person	<code>popapp-mall/pages/order/submit.vue:3124</code> <code>popapp-mall/pages/order/activity-submit.vue:714</code>
Offline Payment	<code>popapp-mall/pages/order/dict/index.ts:127</code> <code>vendor-admin-front/src/app/events/orders/[id]/page.jsx:378</code>

A customer chooses "Pay in Person" at checkout; the merchant then sees "Offline Payment" on the order. The inconsistency exists inside the customer app as well, not only between the two applications.

SUGGESTED FIX

Pick one term and use it in both applications. This is a copy decision, not an engineering one.

What was checked and found working

Recording these so the same ground is not covered twice.

Area	Result
Event creation, happy path	PASS Full form with cover image submitted, "Event created successfully", event appears in the list
Refund status display	PASS Order #273323 shows "Refund In Progress" consistently in the badge, the timeline and the action button — the merged <code>fx_refund_status_patch</code> behaves correctly
Order search by event title	PASS Filters correctly
SQL injection through search	PASS <code>' ; DROP TABLE orders;--</code> returned an empty result, no error — query is parameterised
Oversized and unicode input	PASS 500-character and emoji search terms returned empty results without error
End time before start time	PASS Rejected by the create form
404 handling	PASS Unknown routes render a proper 404 page
Route sweep	PASS 37 routes visited; no blank pages, no navigation failures, no server errors

Recommended order of work

Step	Item	Reason
1	Remove the seven developer routes (1)	Largest exposure, smallest change, and it clears finding 12 at the same time
2	Fix the aria-label (11) and the create-page notice (9)	One line each
3	Guard the Firebase messaging listener (3)	Clears the console so real errors become visible
4	Decide the registration deadline rule (2)	Needs a product answer before any code changes
5	Rework create-form validation (4, 5)	Largest effort, largest gain in day-to-day usability
6	Search transparency and wildcard escaping (6, 7)	Coordinate with the pending <code>fx_order_search_fields</code> backend patch
7	Pagination bounds (8), remaining copy items (13–16)	Low risk, batch together

Notes on method

- Testing ran against the shared test API, not production. Two events were created and nothing was deleted, per instruction.
- The browser was launched normally and attached to over the DevTools protocol. A Playwright-launched browser sets `navigator.webdriver = true`, which Google's sign-in rejects, so that approach could not be used for a logged-in

session.

- One earlier reading was wrong and is corrected here: an initial probe reported that submitting an empty form produced no feedback at all. It does — the toast simply clears in about three seconds, and the probe read the page too late. Finding 5 reflects the corrected behaviour.
- Findings 2, 9, 10 and 11 were confirmed in source, not inferred from the interface alone. File and line references are given with each.