

ELECTRONIC REVISION HISTORY ON FILE

| REV | DESCRIPTION |
|-----|-------------|
| | |

A

A

B


三

6

1

D

4



ASSEMBLY NOTES

1. INSTALL JUMPERS ON JP1 AND JP2
 2. INSTALL RF CASE (SMS-462C)

FABRICATION NOTES

1. PCB SUBSTRATE MATERIAL: FR4" (-6900.89mil,12765mil) on Notes
 2. FINISHED THICKNESS SHALL BE 62 MIL" (-6900.89mil,12565mil) on Notes
 3. HOLE DIMENSIONS TO APPLY AFTER PLATING
 4. COPPER WEIGHT: 1 OZ
 5. SILKSCREEN COLOR: WHITE
 6. SOLDER MASK: BLACK
 7. FINISH:ENIG
 8. NO MOUSEBITES AROUND PERIMETER OF BOARD

| | | | | | | |
|---|--|---|---|-------------------------|-----------------------------|--|
| HOLE TOLERANCES THIRD ANGLE PROJECTION  ON ALL HOLE DIAMETERS | | DRAWN: 'DRAWN BY' Haman CHECKED: 'CHECKED BY' Seto APPROVED: 'APPROVED BY' 3-15-19 |  100 Mayfield Ave Mountain View, CA 94043 DRAWING TITLE: PCB, LUCHADOR, REV 3.2b, AMBER | | | |
| DIMENSIONAL TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MIL (MM) AND PER ASME Y 14.5M PTH SIZE 8(0.2) OR LESS: +3/-8 (+0.07/-0.2) | | SIZE: B DRAWING NUMBER: 651-02461-01 REV: 01 | | | | |
| | | SCALE: NONE | CAGE CODE: | SYSTEM: ALUMINUM | SHEET: 1 OF 1 | |
| ALL OTHER HOLES: ± 5 (0.12) | | | | | | |

ELECTRONIC REVISION HISTORY ON FILE

| REV | DESCRIPTION |
|-----|-------------|
| | |

A

A

B


三

6

1

D

1



ASSEMBLY NOTES

1. INSTALL JUMPERS ON JP1 AND JP2
 2. INSTALL RF CASE (SMS-462C)

FABRICATION NOTES

1. PCB SUBSTRATE MATERIAL: FR4" (-6900.89mil,12765mil) on Notes
 2. FINISHED THICKNESS SHALL BE 62 MIL" (-6900.89mil,12565mil) on Notes
 3. HOLE DIMENSIONS TO APPLY AFTER PLATING
 4. COPPER WEIGHT: 1 OZ
 5. SILKSCREEN COLOR: WHITE
 6. SOLDER MASK: BLACK
 7. FINISH:ENIG
 8. NO MOUSEBITES AROUND PERIMETER OF BOARD

ELECTRONIC REVISION HISTORY ON FILE

| REV | DESCRIPTION |
|-----|-------------|
| | |

A

A

B


三

8

1

4

1



ASSEMBLY NOTES

1. INSTALL JUMPERS ON JP1 AND JP2
 2. INSTALL RF CASE (SMS-462C)


FABRICATION NOTES

1. PCB SUBSTRATE MATERIAL: FR4" (-6900.89mil,12765mil) on Notes
 2. FINISHED THICKNESS SHALL BE 62 MIL" (-6900.89mil,12565mil) on Notes
 3. HOLE DIMENSIONS TO APPLY AFTER PLATING
 4. COPPER WEIGHT: 1 OZ
 5. SILKSCREEN COLOR: WHITE
 6. SOLDER MASK: BLACK
 7. FINISH:ENIG
 8. NO MOUSEBITES AROUND PERIMETER OF BOARD

| | | | | | | |
|--|--|---|--|--|--|--|
| HOLE TOLERANCES THIRD ANGLE PROJECTION  ON ALL HOLE DIAMETERS | | DRAWN: 'DRAWN BY' Haman CHECKED: 'CHECKED BY' Seto APPROVED: 'APPROVED BY' 3-15-19 |  100 Mayfield Ave Mountain View, CA 94043 DRAWING TITLE: PCB, LUCHADOR, REV 3.2b, AMBER SIZE: B DRAWING NUMBER: 651-02461-01 REV: 01 SCALE: NONE CAGE CODE: SYSTEM: ALUMINUM SHEET: 1 OF 1 | | | |
| DIMENSIONAL TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MIL (MM) AND PER ASME Y 14.5M PTH SIZE 8(0.2) OR LESS: +3/-8 (+0.07/-0.2) ALL OTHER HOLES: ± 5 (0.12) | | | | | | |
| | | | | | | |

ELECTRONIC REVISION HISTORY ON FILE

| REV | DESCRIPTION |
|-----|-------------|
| | |




ASSEMBLY NOTES

1. INSTALL JUMPERS ON JP1 AND JP2
2. INSTALL RF CASE (SMS-462C)


FABRICATION NOTES

1. PCB SUBSTRATE MATERIAL: FR4" (-6900.89mil,12765mil) on Notes
2. FINISHED THICKNESS SHALL BE 62 MIL" (-6900.89mil,12565mil) on Notes
3. HOLE DIMENSIONS TO APPLY AFTER PLATING
4. COPPER WEIGHT: 1 OZ
5. SILKSCREEN COLOR: WHITE
6. SOLDER MASK: BLACK
7. FINISH:ENIG
8. NO MOUSEBITES AROUND PERIMETER OF BOARD

| | | | | |
|---|--|--|---|---|
| HOLE TOLERANCES ON ALL HOLE DIAMETERS | | THIRD ANGLE PROJECTION  | DRAWN: 'DRAWN BY' Haman CHECKED: 'CHECKED BY' Seto APPROVED: 'APPROVED BY' 3-15-19 | DRAWING TITLE: PCB, LUCHADOR, REV 3.2b, AMBER |
| DIMENSIONAL TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MIL (MM) AND PER ASME Y14.5M PTH SIZE 8(0.2) OR LESS: +3/-8 (+0.07/-0.2) ALL OTHER HOLES: ± 5 (0.12) | | | | |

ELECTRONIC REVISION HISTORY ON FILE

| REV | DESCRIPTION |
|-----|-------------|
| | |




ASSEMBLY NOTES

1. INSTALL JUMPERS ON JP1 AND JP2
2. INSTALL RF CASE (SMS-462C)

FABRICATION NOTES

1. PCB SUBSTRATE MATERIAL: FR4" (-6900.89mil,12765mil) on Notes
2. FINISHED THICKNESS SHALL BE 62 MIL" (-6900.89mil,12565mil) on Notes
3. HOLE DIMENSIONS TO APPLY AFTER PLATING
4. COPPER WEIGHT: 1 OZ
5. SILKSCREEN COLOR: WHITE
6. SOLDER MASK: BLACK
7. FINISH:ENIG
8. NO MOUSEBITES AROUND PERIMETER OF BOARD

| | | | | |
|--|--|--|------------------------------------|--|
| HOLE TOLERANCES ON ALL HOLE DIAMETERS | | THIRD ANGLE PROJECTION  | DRAWN: 'DRAWN BY' Haman | DRAWING TITLE: PCB, LUCHADOR, REV 3.2b, AMBER |
| | | | CHECKED: 'CHECKED BY' Seto | |
| | | | APPROVED: 'APPROVED BY' 3-15-19 | |
| | | DIMENSIONAL TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MIL (MM) AND PER ASME Y 14.5M PTH SIZE 8(0.2) OR LESS: +3/-8 (+0.07/-0.2) ALL OTHER HOLES: ± 5 (0.12) | | |
| SIZE: B | DRAWING NUMBER: 651-02461-01 | REV: 01 | | |
| SCALE: NONE | CAGE CODE: | SYSTEM: ALTIUM | SHEET: 1 OF 1 | |