





e	XLCR98	0065	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>0</td><td>16</td><td>181</td><td>1.00</td></tr><tr><td>XOLC</td><td>10</td><td>6</td><td>168</td><td>1.00</td></tr><tr><td>YOLC</td><td>13</td><td>3</td><td>114</td><td>1.00</td></tr><tr><td>YOLC</td><td>26</td><td>19</td><td>130</td><td>1.00</td></tr><tr><td>YOLC</td><td>8</td><td>9</td><td>96</td><td>1.00</td></tr><tr><td>YOLC</td><td>23</td><td>22</td><td>79</td><td>1.00</td></tr><tr><td>XTLR</td><td>16</td><td>10</td><td>566</td><td>1.00</td></tr><tr><td>XTLR</td><td>16</td><td>22</td><td>646</td><td>1.00</td></tr><tr><td>YTLC</td><td>26</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>206</td><td>3.27</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>206</td><td>2.82</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>26</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>13</td><td>138</td><td>1.00</td></tr><tr><td>XQLC</td><td>13</td><td>12</td><td>112</td><td>1.00</td></tr><tr><td>XQLC</td><td>18</td><td>19</td><td>163</td><td>1.00</td></tr><tr><td>YQLC</td><td>16</td><td>15</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>16</td><td>201</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	0	16	181	1.00	XOLC	10	6	168	1.00	YOLC	13	3	114	1.00	YOLC	26	19	130	1.00	YOLC	8	9	96	1.00	YOLC	23	22	79	1.00	XTLR	16	10	566	1.00	XTLR	16	22	646	1.00	YTLC	26	3	1044	1.00	XLCR	-1	0	206	3.27	XLCR	6	99	206	2.82	YTOS	X	3	22	1.00	YTOS	B	26	-22	1.00	XQLC	14	13	138	1.00	XQLC	13	12	112	1.00	XQLC	18	19	163	1.00	YQLC	16	15	180	1.00	YQLC	17	16	201	1.00
name	p1	p2	units	scale																																																																																														
XOLC	0	16	181	1.00																																																																																														
XOLC	10	6	168	1.00																																																																																														
YOLC	13	3	114	1.00																																																																																														
YOLC	26	19	130	1.00																																																																																														
YOLC	8	9	96	1.00																																																																																														
YOLC	23	22	79	1.00																																																																																														
XTLR	16	10	566	1.00																																																																																														
XTLR	16	22	646	1.00																																																																																														
YTLC	26	3	1044	1.00																																																																																														
XLCR	-1	0	206	3.27																																																																																														
XLCR	6	99	206	2.82																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	26	-22	1.00																																																																																														
XQLC	14	13	138	1.00																																																																																														
XQLC	13	12	112	1.00																																																																																														
XQLC	18	19	163	1.00																																																																																														
YQLC	16	15	180	1.00																																																																																														
YQLC	17	16	201	1.00																																																																																														
																																																																																																		
206	1327	206	WLRPCA U																																																																																															




name	p1	p2	units	scale
X0LC	0	16	7	0.04
X0LC	10	6	4	0.02
Y0LC	13	3	114	1.00
Y0LC	26	19	130	1.00
Y0LC	8	9	96	1.00
Y0LC	23	22	79	1.00
XTLR	16	10	582	1.03
XTLR	16	22	514	0.80
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00



name	p1	p2	units	scale
X0LC	0	16	606	3.35
X0LC	10	6	484	2.88
Y0LC	13	3	114	1.00
Y0LC	26	19	130	1.00
Y0LC	8	9	96	1.00
Y0LC	23	22	79	1.00
XTLR	16	10	533	0.94
XTLR	16	22	898	1.39
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00



name	p1	p2	units	scale
XOLC	0	16	181	1.00
XOLC	10	6	168	1.00
YOLC	13	3	114	1.00
YOLC	26	19	130	1.00
YOLC	8	9	96	1.00
YOLC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	251	1.82
XQLC	13	12	198	1.77
XQLC	18	19	276	1.69
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00




e

XQLC14

0065

name	p1	p2	units	scale
XOLC	0	16	181	1.00
XOLC	10	6	168	1.00
YOLC	13	3	114	1.00
YOLC	26	19	130	1.00
YOLC	8	9	96	1.00
YOLC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	49	0.36
XQLC	13	12	37	0.33
XQLC	18	19	79	0.48
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00




63


1051

73

WLRPCA U

name	p1	p2	units	scale
XOLC	0	16	181	1.00
XOLC	10	6	168	1.00
YOLC	13	3	114	1.00
YOLC	26	19	130	1.00
YOLC	8	9	96	1.00
YOLC	23	22	79	1.00
XTLR	16	10	117	0.21
XTLR	16	22	245	0.38
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00



e	XTLR629	0065	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>0</td><td>16</td><td>181</td><td>1.00</td></tr><tr><td>XOLC</td><td>10</td><td>6</td><td>168</td><td>1.00</td></tr><tr><td>YOLC</td><td>13</td><td>3</td><td>114</td><td>1.00</td></tr><tr><td>YOLC</td><td>26</td><td>19</td><td>130</td><td>1.00</td></tr><tr><td>YOLC</td><td>8</td><td>9</td><td>96</td><td>1.00</td></tr><tr><td>YOLC</td><td>23</td><td>22</td><td>79</td><td>1.00</td></tr><tr><td>XTLR</td><td>16</td><td>10</td><td>1129</td><td>1.99</td></tr><tr><td>XTLR</td><td>16</td><td>22</td><td>1212</td><td>1.88</td></tr><tr><td>YTLC</td><td>26</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>63</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>73</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>26</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>13</td><td>138</td><td>1.00</td></tr><tr><td>XQLC</td><td>13</td><td>12</td><td>112</td><td>1.00</td></tr><tr><td>XQLC</td><td>18</td><td>19</td><td>163</td><td>1.00</td></tr><tr><td>YQLC</td><td>16</td><td>15</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>16</td><td>201</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	0	16	181	1.00	XOLC	10	6	168	1.00	YOLC	13	3	114	1.00	YOLC	26	19	130	1.00	YOLC	8	9	96	1.00	YOLC	23	22	79	1.00	XTLR	16	10	1129	1.99	XTLR	16	22	1212	1.88	YTLC	26	3	1044	1.00	XLCR	-1	0	63	1.00	XLCR	6	99	73	1.00	YTOS	X	3	22	1.00	YTOS	B	26	-22	1.00	XQLC	14	13	138	1.00	XQLC	13	12	112	1.00	XQLC	18	19	163	1.00	YQLC	16	15	180	1.00	YQLC	17	16	201	1.00
name	p1	p2	units	scale																																																																																														
XOLC	0	16	181	1.00																																																																																														
XOLC	10	6	168	1.00																																																																																														
YOLC	13	3	114	1.00																																																																																														
YOLC	26	19	130	1.00																																																																																														
YOLC	8	9	96	1.00																																																																																														
YOLC	23	22	79	1.00																																																																																														
XTLR	16	10	1129	1.99																																																																																														
XTLR	16	22	1212	1.88																																																																																														
YTLC	26	3	1044	1.00																																																																																														
XLCR	-1	0	63	1.00																																																																																														
XLCR	6	99	73	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	26	-22	1.00																																																																																														
XQLC	14	13	138	1.00																																																																																														
XQLC	13	12	112	1.00																																																																																														
XQLC	18	19	163	1.00																																																																																														
YQLC	16	15	180	1.00																																																																																														
YQLC	17	16	201	1.00																																																																																														
																																																																																																		
63	1614	73	WLRPCAU																																																																																															


63

1051

73

WLRPCAU

CA




63

993

73

WLRPCA U

CA




e

YQLC40

0065

name	p1	p2	units	scale
XOLC	0	16	181	1.00
XOLC	10	6	168	1.00
YOLC	13	3	114	1.00
YOLC	26	19	130	1.00
YOLC	8	9	96	1.00
YOLC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	1044	1.00
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	80	0.44
YQLC	17	16	101	0.50




63


1051

73


WLRPCA U



name	p1	p2	units	scale
X0LC	0	16	181	1.00
X0LC	10	6	168	1.00
Y0LC	13	3	114	1.00
Y0LC	26	19	130	1.00
Y0LC	8	9	96	1.00
Y0LC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	1216	1.16
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	26	1.18
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00



name	p1	p2	units	scale
X0LC	0	16	181	1.00
X0LC	10	6	168	1.00
Y0LC	13	3	114	1.00
Y0LC	26	19	130	1.00
Y0LC	8	9	96	1.00
Y0LC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	896	0.86
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	22	1.00
YTOS	B	26	-22	1.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00



e	YT0S30	0065	name p1 p2 units scale X0LC 0 16 181 1.00 X0LC 10 6 168 1.00 Y0LC 13 3 114 1.00 Y0LC 26 19 130 1.00 Y0LC 8 9 96 1.00 Y0LC 23 22 79 1.00 XTLR 16 10 566 1.00 XTLR 16 22 646 1.00 YTLC 26 3 1081 1.04 XLCR -1 0 63 1.00 XLCR 6 99 73 1.00 YT0S X 3 41 1.86 YT0S B 26 -40 1.82 XQLC 14 13 138 1.00 XQLC 13 12 112 1.00 XQLC 18 19 163 1.00 YQLC 16 15 180 1.00 YQLC 17 16 201 1.00
---	--------	------	---

name	p1	p2	units	scale
X0LC	0	16	181	1.00
X0LC	10	6	168	1.00
Y0LC	13	3	114	1.00
Y0LC	26	19	130	1.00
Y0LC	8	9	96	1.00
Y0LC	23	22	79	1.00
XTLR	16	10	566	1.00
XTLR	16	22	646	1.00
YTLC	26	3	1000	0.96
XLCR	-1	0	63	1.00
XLCR	6	99	73	1.00
YTOS	X	3	0	0.00
YTOS	B	26	0	-0.00
XQLC	14	13	138	1.00
XQLC	13	12	112	1.00
XQLC	18	19	163	1.00
YQLC	16	15	180	1.00
YQLC	17	16	201	1.00

