




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	46	0.53
XLCS	44	99	63	0.45
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	156	1.81
XLCS	44	99	171	1.21
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
X0LC	13	32	72	0.47
X0LC	19	26	45	0.35
X0LC	38	50	4	0.02
X0LC	56	44	4	0.02
X0LC	0	7	52	0.30
X0LC	16	29	12	0.08
Y0LC	35	10	105	1.00
Y0LC	59	41	114	1.00
Y0LC	47	53	102	1.00
Y0LC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
X0LC	13	32	499	3.28
X0LC	19	26	238	1.83
X0LC	38	50	490	2.80
X0LC	56	44	490	2.77
X0LC	0	7	367	2.15
X0LC	16	29	311	1.98
Y0LC	35	10	105	1.00
Y0LC	59	41	114	1.00
Y0LC	47	53	102	1.00
Y0LC	65	64	135	1.00
XTLR	7	13	860	1.23
XTLR	50	56	469	1.00
XTLR	44	65	159	1.09
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	184	1.77
XQLC	59	58	193	1.71
XQLC	52	53	193	1.71
XQLC	53	54	185	1.76
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	34	0.33
XQLC	59	58	34	0.30
XQLC	52	53	34	0.30
XQLC	53	54	34	0.32
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	249	0.36
XTLR	50	56	108	0.23
XTLR	44	65	59	0.40
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	1285	1.84
XTLR	50	56	948	2.02
XTLR	44	65	239	1.64
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
X0LC	13	32	152	1.00
X0LC	19	26	130	1.00
X0LC	38	50	175	1.00
X0LC	56	44	177	1.00
X0LC	0	7	171	1.00
X0LC	16	29	157	1.00
Y0LC	35	10	213	2.03
Y0LC	59	41	262	2.30
Y0LC	47	53	247	2.42
Y0LC	65	64	277	2.05
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	19	0.18
YOLC	59	41	7	0.06
YOLC	47	53	7	0.07
YOLC	65	64	56	0.41
XTLR	7	13	569	0.81
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	15	0.10
YQLC	50	61	44	0.33
YQLC	56	57	44	0.34
YQLC	55	56	17	0.11




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	300	1.94
YQLC	50	61	279	2.08
YQLC	56	57	274	2.12
YQLC	55	56	302	1.92




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	692	1.34
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-72	1.89
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00




name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1022	1.00
YTDE	35	-1	232	0.45
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-32	0.84
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00



name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1190	1.16
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00



name	p1	p2	units	scale
XOLC	13	32	152	1.00
XOLC	19	26	130	1.00
XOLC	38	50	175	1.00
XOLC	56	44	177	1.00
XOLC	0	7	171	1.00
XOLC	16	29	157	1.00
YOLC	35	10	105	1.00
YOLC	59	41	114	1.00
YOLC	47	53	102	1.00
YOLC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	874	0.86
YTDE	35	-1	518	1.00
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	22	1.00
YTOS	D	35	-38	1.00
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00



name	p1	p2	units	scale
X0LC	13	32	152	1.00
X0LC	19	26	130	1.00
X0LC	38	50	175	1.00
X0LC	56	44	177	1.00
X0LC	0	7	171	1.00
X0LC	16	29	157	1.00
Y0LC	35	10	105	1.00
Y0LC	59	41	114	1.00
Y0LC	47	53	102	1.00
Y0LC	65	64	135	1.00
XTLR	7	13	700	1.00
XTLR	50	56	469	1.00
XTLR	44	65	146	1.00
YTLC	-1	41	1049	1.03
YTDE	35	-1	544	1.05
XLCS	-1	38	86	1.00
XLCS	44	99	141	1.00
YTOS	X	41	49	2.23
YTOS	D	35	-64	1.68
XQLC	60	59	104	1.00
XQLC	59	58	113	1.00
XQLC	52	53	113	1.00
XQLC	53	54	105	1.00
YQLC	51	50	155	1.00
YQLC	50	61	134	1.00
YQLC	56	57	129	1.00
YQLC	55	56	157	1.00

