







name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	-26	-0.38
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	25	0.12
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	372	1.82
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00





name	p1	p2	units	scale
X0LC	31	15	9	0.05
X0LC	2	22	8	0.05
Y0LC	34	12	126	1.00
Y0LC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
X0LC	31	15	643	3.49
X0LC	2	22	581	3.42
Y0LC	34	12	238	1.89
Y0LC	18	28	167	1.62
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00









name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	262	1.83
XSHL	22	24	301	1.98
XSHL	6	4	267	1.80
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	0	0.00
XSHL	22	24	0	0.00
XSHL	6	4	0	0.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	113	1.20
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	118	0.21
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00





name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	1156	2.01
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00




name	p1	p2	units	scale
X0LC	31	15	184	1.00
X0LC	2	22	170	1.00
Y0LC	34	12	260	2.06
Y0LC	18	28	232	2.25
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCS	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00









name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	342	1.87
YQLC	30	31	414	2.16




name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	0	0.00
YSHL	24	23	0	0.00
YSHL	5	6	0	0.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00







name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-620	1.29
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00



name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1032	1.00
YTDE	-1	0	-200	0.42
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCS	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	183	1.00
YQLC	30	31	192	1.00



name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	1200	1.16
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	20	1.00
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	224	1.22
YQLC	30	31	229	1.19



name	p1	p2	units	scale
XOLC	31	15	184	1.00
XOLC	2	22	170	1.00
YOLC	34	12	126	1.00
YOLC	18	28	103	1.00
XTLR	25	31	574	1.00
YTLC	18	12	874	0.85
YTDE	-1	0	-480	1.00
XSHL	0	2	143	1.00
XSHL	22	24	152	1.00
XSHL	6	4	148	1.00
YSHL	0	1	80	1.00
YSHL	24	23	80	1.00
YSHL	5	6	94	1.00
YHAL	4	5	30	1.00
YHAL	23	22	35	1.00
YHAL	1	2	35	1.00
XLCS	-1	4	204	1.00
XLCR	15	99	68	1.00
YTOS	X	12	10	0.50
YTOS	B	18	-12	1.00
XQLC	28	29	136	1.00
XQLC	34	33	132	1.00
YQLC	31	32	142	0.78
YQLC	30	31	157	0.82

