


W

XLCD17

0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	43	0.35
XLCD	34	99	-18	-0.15
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00




–83


1245

–36

WLRPCAUI


name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	233	1.89
XLCD	34	99	210	1.72
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00






0077	name	p1	p2	units	scale
	X0LC	1	7	576	3.79
	X0LC	39	19	584	3.40
	X0LC	26	33	349	1.80
	XTLC	6	25	1351	1.39
	YTLC	0	31	1049	1.00
	XSHL	3	2	142	1.00
	XSHL	14	13	92	1.00
	YSHL	3	4	97	1.00
	YSHL	14	15	98	1.00
	XLCD	-1	2	123	1.00
	XLCD	34	99	14	0.11
	YTOS	B	0	-8	1.00
	XTTW	20	21	10	1.00
	XTTW	41	40	10	1.00
	XTTW	9	10	10	1.00
	YTTL	22	21	140	1.00
	YTTL	19	20	128	1.00
	YTTL	42	41	125	1.00
	YTTL	40	39	120	1.00
	YTTL	11	10	118	1.00
	YTTL	8	9	114	1.00

name	p1	p2	units	scale
X0LC	1	7	7	0.05
X0LC	39	19	64	0.37
X0LC	26	33	171	0.88
XTLC	6	25	808	0.83
YTLC	0	31	1009	0.96
XSHL	3	2	148	1.04
XSHL	14	13	98	1.07
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	129	1.05
XLCD	34	99	134	1.10
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	32	0.23
YTTL	19	20	44	0.34
YTTL	42	41	35	0.28
YTTL	40	39	41	0.34
YTTL	11	10	48	0.41
YTTL	8	9	53	0.46






W


XSHL4


0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	22	0.15
XSHL	14	13	17	0.18
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	123	1.00
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00









```
name  p1  p2  units  scale
```




WLRPCA U

W

YSHL144

0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	206	1.45
XSHL	14	13	162	1.76
YSHL	3	4	297	3.06
YSHL	14	15	298	3.04
XLCD	-1	2	187	1.52
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00



-42

1465

104


WLRPCA U

W

YSHL0

0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	128	0.90
XSHL	14	13	77	0.84
YSHL	3	4	0	0.00
YSHL	14	15	0	0.00
XLCD	-1	2	92	0.75
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00




—

1465


104

WLRPCA U

name	p1	p2	units	scale
XOLC	1	7	145	0.95
XOLC	39	19	188	1.09
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1216	1.16
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	123	1.00
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	139	0.99
YTTL	19	20	126	0.98
YTTL	42	41	120	0.96
YTTL	40	39	117	0.97
YTTL	11	10	117	0.99
YTTL	8	9	113	0.99



name	p1	p2	units	scale
XOLC	1	7	156	1.03
XOLC	39	19	124	0.72
XOLC	26	33	188	0.97
XTLC	6	25	978	1.01
YTLC	0	31	899	0.86
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	123	1.00
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	131	1.02
YTTL	42	41	161	1.29
YTTL	40	39	155	1.29
YTTL	11	10	131	1.11
YTTL	8	9	118	1.04








W

Y TTL0

0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	172	1.00
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	123	1.00
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	140	1.00
YTTL	19	20	128	1.00
YTTL	42	41	125	1.00
YTTL	40	39	120	1.00
YTTL	11	10	118	1.00
YTTL	8	9	114	1.00



—

1465

104

WLRPCAUI

This figure displays a network diagram and associated data for a system labeled YTTL104.

The network diagram shows a complex structure with nodes (circles) and edges (lines). Nodes are numbered from 0 to 43. The diagram is divided into several regions by thick black lines. A central region contains a large loop structure. Other regions include smaller loops and linear segments. Some nodes are highlighted with blue circles, while others are black dots. Red lines connect specific nodes, indicating a path or flow.

The data table below provides information about the connections between nodes:

	name	p1	p2	units	scale
	XOLC	1	7	152	1.00
	XOLC	39	19	116	0.67
	XOLC	26	33	194	1.00
	XTLC	6	25	971	1.00
	YTLC	0	31	1049	1.00
	XSHL	3	2	142	1.00
	XSHL	14	13	92	1.00
	YSHL	3	4	97	1.00
	YSHL	14	15	98	1.00
	XLCD	-1	2	123	1.00
	XLCD	34	99	122	1.00
	YTOS	B	0	-8	1.00
	XTTW	20	21	10	1.00
	XTTW	41	40	10	1.00
	XTTW	9	10	10	1.00
	YTTL	22	21	187	1.34
	YTTL	19	20	216	1.69
	YTTL	42	41	192	1.54
	YTTL	40	39	212	1.77
	YTTL	11	10	190	1.61
	YTTL	8	9	202	1.77

The diagram also includes labels for various components and regions:

- Top left: W
- Top center: YTTL104
- Top right: 0077
- Bottom left: -3
- Bottom center: 1465
- Bottom right: 104 WLRPCAU

[illegible]

w

YTTL104

0077

name	p1	p2	units	scale
XOLC	1	7	152	1.00
XOLC	39	19	116	0.67
XOLC	26	33	194	1.00
XTLC	6	25	971	1.00
YTLC	0	31	1049	1.00
XSHL	3	2	142	1.00
XSHL	14	13	92	1.00
YSHL	3	4	97	1.00
YSHL	14	15	98	1.00
XLCD	-1	2	123	1.00
XLCD	34	99	122	1.00
YTOS	B	0	-8	1.00
XTTW	20	21	10	1.00
XTTW	41	40	10	1.00
XTTW	9	10	10	1.00
YTTL	22	21	187	1.34
YTTL	19	20	216	1.69
YTTL	42	41	192	1.54
YTTL	40	39	212	1.77
YTTL	11	10	190	1.61
YTTL	8	9	202	1.77


The diagram illustrates a geometric mesh or triangulation of a specific area. The vertices are numbered sequentially from 0 to 43. Vertices 0, 1, 2, 3, 4, 5, 6, 7, 12, 13, 14, 15, 16, 17, 18, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 42, and 43 are marked with blue circles. Vertices 8, 9, 10, 11, 19, 20, 21, 22, 39, and 44 are marked with black dots. The shape is defined by a series of connected edges forming a large outer boundary and several internal connections.

-3

1465

104

WLRPCAU

[illegible]

This figure displays a network diagram and associated data for a system labeled YTTL104.

The network diagram shows a complex structure with nodes (circles) and edges (lines). Nodes are numbered from 0 to 43. The diagram is divided into several regions by thick black lines. A central region contains a large loop structure. Other regions include smaller loops and linear segments. Some nodes are highlighted with blue circles, while others are black dots. Red lines connect specific nodes, indicating a path or flow.

The data table below provides details for various components, including their names, parameters (p1, p2), units, and scale factors.

	name	p1	p2	units	scale
	XOLC	1	7	152	1.00
	XOLC	39	19	116	0.67
	XOLC	26	33	194	1.00
	XTLC	6	25	971	1.00
	YTLC	0	31	1049	1.00
	XSHL	3	2	142	1.00
	XSHL	14	13	92	1.00
	YSHL	3	4	97	1.00
	YSHL	14	15	98	1.00
	XLCD	-1	2	123	1.00
	XLCD	34	99	122	1.00
	YTOS	B	0	-8	1.00
	XTTW	20	21	10	1.00
	XTTW	41	40	10	1.00
	XTTW	9	10	10	1.00
	YTTL	22	21	187	1.34
	YTTL	19	20	216	1.69
	YTTL	42	41	192	1.54
	YTTL	40	39	212	1.77
	YTTL	11	10	190	1.61
	YTTL	8	9	202	1.77

The diagram also includes labels for different sections: W, YTTL104, 0077, -3, 1465, 104, and WLRPCAU.

[illegible]

This figure displays a network diagram and associated data for a system labeled YTTL104.

The network diagram shows a complex structure with nodes (circles) and edges (lines). Nodes are numbered from 0 to 43. The diagram is divided into several regions by thick black lines. A central region contains a large loop structure. Other regions include smaller loops and linear segments. Some nodes are highlighted with blue circles, while others are black dots. Red lines connect specific nodes, indicating a path or flow.

The data table below provides details about the connections between nodes:

	name	p1	p2	units	scale
	XOLC	1	7	152	1.00
	XOLC	39	19	116	0.67
	XOLC	26	33	194	1.00
	XTLC	6	25	971	1.00
	YTLC	0	31	1049	1.00
	XSHL	3	2	142	1.00
	XSHL	14	13	92	1.00
	YSHL	3	4	97	1.00
	YSHL	14	15	98	1.00
	XLCD	-1	2	123	1.00
	XLCD	34	99	122	1.00
	YTOS	B	0	-8	1.00
	XTTW	20	21	10	1.00
	XTTW	41	40	10	1.00
	XTTW	9	10	10	1.00
	YTTL	22	21	187	1.34
	YTTL	19	20	216	1.69
	YTTL	42	41	192	1.54
	YTTL	40	39	212	1.77
	YTTL	11	10	190	1.61
	YTTL	8	9	202	1.77

The diagram also includes labels for various components and parameters:

- W
- YTTL104
- 0077
- 1465
- 104
- WLRPCAU

This figure displays a network diagram and associated data for a system labeled YTTL104.

The network diagram shows a complex structure with nodes (circles) and edges (lines). Nodes are numbered from 0 to 43. The diagram is divided into several regions by thick black lines. A central region contains a large loop structure. Other regions include a top-left section, a bottom-left section, and a rightmost section. Some nodes are highlighted with blue circles, while others are black dots. Red lines connect specific nodes, indicating a path or flow.

The data table below provides details for various components, including their names, primary and secondary parameters (p1, p2), units, and scale factors.

	name	p1	p2	units	scale
XOLC	1	7	152	1.00	
XOLC	39	19	116	0.67	
XOLC	26	33	194	1.00	
XTLC	6	25	971	1.00	
YTLC	0	31	1049	1.00	
XSHL	3	2	142	1.00	
XSHL	14	13	92	1.00	
YSHL	3	4	97	1.00	
YSHL	14	15	98	1.00	
XLCD	-1	2	123	1.00	
XLCD	34	99	122	1.00	
YTOS	B	0	-8	1.00	
XTTW	20	21	10	1.00	
XTTW	41	40	10	1.00	
XTTW	9	10	10	1.00	
YTTL	22	21	187	1.34	
YTTL	19	20	216	1.69	
YTTL	42	41	192	1.54	
YTTL	40	39	212	1.77	
YTTL	11	10	190	1.61	
YTTL	8	9	202	1.77	

Additional information at the bottom of the page:

- Left side: -3
- Center: 1465
- Right side: 104 WLRPCAU