




name	p1	p2	units	scale
X0UC	6	15	11	0.06
X0UC	18	27	11	0.06
Y0UC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00




name	p1	p2	units	scale
X0UC	6	15	621	3.45
X0UC	18	27	621	3.45
Y0UC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00



name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	0	0.00
XSHU	22	20	0	0.00
XSHU	27	29	0	0.00
XSHU	13	11	0	0.00
XSHU	25	23	0	0.00
XSHU	4	6	0	0.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00




name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	308	1.48
XSHU	22	20	308	1.48
XSHU	27	29	308	1.48
XSHU	13	11	308	1.48
XSHU	25	23	308	1.48
XSHU	4	6	308	1.48
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00




name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	0	0.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	282	2.31
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	143	0.18
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00



name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	1316	1.69
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00




The drawing is a technical cross-section of a mechanical part, identified as 'XUCS205' at the top and '1960' at the bottom. The part features a central vertical shaft and two horizontal flanges. The top flange is a thick, shaded disk with a central hole, surrounded by a smaller, unshaded disk. The bottom flange is a similar thick, shaded disk with a central hole, also surrounded by a smaller, unshaded disk. The central shaft is a solid cylinder. The drawing includes dimension lines and numerical values for various features.

Key dimensions and features include:


- Top Flange:** A central hole with a diameter of 10. The flange has a thickness of 11. The outer diameter of the top flange is 22. The distance from the center of the top flange to the center of the central shaft is 21.
- Central Shaft:** The shaft has a diameter of 13. The distance from the center of the shaft to the center of the top flange is 8. The distance from the center of the shaft to the center of the bottom flange is 14.
- Bottom Flange:** The bottom flange has a thickness of 15. The outer diameter of the bottom flange is 18. The distance from the center of the bottom flange to the center of the central shaft is 17.
- Base:** The base of the part is a thick, shaded disk with a diameter of 29. The distance from the center of the base to the center of the central shaft is 3.
- Other Dimensions:** The distance from the center of the base to the center of the top flange is 20. The distance from the center of the base to the center of the bottom flange is 25. The distance from the center of the base to the center of the central shaft is 26.


name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	410	1.41
XUCS	27	99	410	1.41

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	64	0.22
XUCS	27	99	64	0.22



name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUUC	3	16	436	4.04
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00







040F

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUUC	3	16	7	0.06
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	0	0.00
YSHU	9	10	0	0.00
YSHU	12	11	0	0.00
YSHU	21	22	0	0.00
YSHU	24	23	0	0.00
YSHU	29	28	0	0.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	300	3.00
YSHU	9	10	314	2.75
YSHU	12	11	314	2.75
YSHU	21	22	314	2.75
YSHU	24	23	314	2.75
YSHU	29	28	300	3.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00






040F

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	220	1.80
YSVU	2	3	0	0.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1500	1.00
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	438	1.30
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00



name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1750	1.17
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

name	p1	p2	units	scale
XOUC	6	15	180	1.00
XOUC	18	27	180	1.00
YOUC	3	16	108	1.00
XTUC	13	20	780	1.00
YTUC	4	10	1082	0.72
XSHU	10	8	208	1.00
XSHU	22	20	208	1.00
XSHU	27	29	208	1.00
XSHU	13	11	208	1.00
XSHU	25	23	208	1.00
XSHU	4	6	208	1.00
YSHU	4	5	100	1.00
YSHU	9	10	114	1.00
YSHU	12	11	114	1.00
YSHU	21	22	114	1.00
YSHU	24	23	114	1.00
YSHU	29	28	100	1.00
XSVU	2	1	122	1.00
YSVU	2	3	338	1.00
XUCS	-1	6	290	1.00
XUCS	27	99	290	1.00

