




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	181	2.66
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	-34	-0.50
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	36	0.19
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	331	1.71
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
X0LC	0	24	21	0.11
X0LC	17	12	13	0.08
Y0LC	21	27	126	1.00
Y0LC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
X0LC	0	24	622	3.38
X0LC	17	12	591	3.48
Y0LC	21	27	189	1.50
Y0LC	34	3	156	1.51
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	275	1.94
XQLC	26	27	265	2.01
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	36	0.25
XQLC	26	27	23	0.17
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	252	1.66
XSHL	15	17	273	1.58
XSHL	10	8	249	1.67
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	0	0.00
XSHL	15	17	0	0.00
XSHL	10	8	0	0.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCS	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	95	0.16
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCS	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	1139	1.97
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
X0LC	0	24	184	1.00
X0LC	17	12	170	1.00
Y0LC	21	27	232	1.84
Y0LC	34	3	304	2.95
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCS	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	19	0.15
YOLC	34	3	14	0.14
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	95	0.54
YQLC	25	24	103	0.56




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	391	2.23
YQLC	25	24	365	1.99



name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	0	0.00
YSHL	15	16	0	0.00
YSHL	9	8	0	0.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCS	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	280	3.50
YSHL	15	16	280	3.50
YSHL	9	8	294	3.16
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




68

1188


40

WLRPCAU


name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1029	1.00
YTDE	-1	15	-200	0.42
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	20	1.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00




name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1198	1.16
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	21	1.05
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00



name	p1	p2	units	scale
XOLC	0	24	184	1.00
XOLC	17	12	170	1.00
YOLC	21	27	126	1.00
YOLC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	871	0.85
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCS	-1	0	68	1.00
YTOS	B	21	-9	1.00
YTOS	X	3	10	0.50
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00



name	p1	p2	units	scale
X0LC	0	24	184	1.00
X0LC	17	12	170	1.00
Y0LC	21	27	126	1.00
Y0LC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1074	1.04
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YT0S	B	21	-32	3.56
YT0S	X	3	42	2.10
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00



name	p1	p2	units	scale
X0LC	0	24	184	1.00
X0LC	17	12	170	1.00
Y0LC	21	27	126	1.00
Y0LC	34	3	103	1.00
XTLR	24	30	579	1.00
YTLC	21	3	1000	0.97
YTDE	-1	15	-480	1.00
XSHL	12	14	152	1.00
XSHL	15	17	173	1.00
XSHL	10	8	149	1.00
YSHL	14	13	80	1.00
YSHL	15	16	80	1.00
YSHL	9	8	93	1.00
YHAL	13	12	35	1.00
YHAL	16	17	35	1.00
YHAL	10	9	34	1.00
XLCS	12	99	194	1.00
XLCR	-1	0	68	1.00
YTOS	B	21	0	-0.00
YTOS	X	3	0	0.00
XQLC	35	34	142	1.00
XQLC	26	27	132	1.00
YQLC	24	36	175	1.00
YQLC	25	24	183	1.00

