




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	197	2.90
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	-26	-0.38
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	50	0.25
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	337	1.69
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
X0LC	0	25	7	0.04
X0LC	31	14	2	0.01
Y0LC	22	28	126	1.00
Y0LC	36	3	103	1.00
XTLR	25	31	480	0.81
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCS	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
X0LC	0	25	625	3.40
X0LC	31	14	626	3.77
Y0LC	22	28	186	1.48
Y0LC	36	3	163	1.58
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	304	2.01
XQLC	27	28	259	1.77
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	26	0.17
XQLC	27	28	26	0.18
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	317	1.90
XSHL	14	16	249	1.67
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
X0LC	0	25	184	1.00
X0LC	31	14	166	1.00
Y0LC	22	28	126	1.00
Y0LC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	0	0.00
XSHL	14	16	0	0.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	86	0.15
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCS	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	1128	1.91
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
X0LC	0	25	184	1.00
X0LC	31	14	166	1.00
Y0LC	22	28	197	1.56
Y0LC	36	3	277	2.69
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	33	0.26
YOLC	36	3	18	0.17
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	163	1.08
XQLC	27	28	158	1.08
YQLC	25	38	206	1.18
YQLC	26	25	234	1.28




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	75	0.43
YQLC	26	25	83	0.45




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	391	2.23
YQLC	26	25	367	2.01




name	p1	p2	units	scale
X0LC	0	25	184	1.00
X0LC	31	14	166	1.00
Y0LC	22	28	126	1.00
Y0LC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	0	0.00
YSHL	16	15	0	0.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00




name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	294	3.13
YSHL	16	15	280	3.50
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00



name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1029	1.00
YTAS	B	10	1330	0.87
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YTOS	X	3	20	1.00
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00






68

1207


50

WLRPCAU


name	p1	p2	units	scale
------	----	----	-------	-------



name	p1	p2	units	scale
XOLC	0	25	184	1.00
XOLC	31	14	166	1.00
YOLC	22	28	126	1.00
YOLC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	871	0.85
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCS	-1	0	68	1.00
YTOS	X	3	10	0.50
YTOS	B	22	-9	1.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00



name	p1	p2	units	scale
X0LC	0	25	184	1.00
X0LC	31	14	166	1.00
Y0LC	22	28	126	1.00
Y0LC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1078	1.05
YTAS	B	10	1554	1.01
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YT0S	X	3	46	2.30
YT0S	B	22	-32	3.56
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00



name	p1	p2	units	scale
X0LC	0	25	184	1.00
X0LC	31	14	166	1.00
Y0LC	22	28	126	1.00
Y0LC	36	3	103	1.00
XTLR	25	31	590	1.00
YTLC	22	3	1000	0.97
YTAS	B	10	1534	1.00
XSHL	9	7	167	1.00
XSHL	14	16	149	1.00
YSHL	8	9	94	1.00
YSHL	16	15	80	1.00
YHAL	7	8	30	1.00
YHAL	15	14	35	1.00
XLCS	14	99	199	1.00
XLCR	-1	0	68	1.00
YT0S	X	3	0	0.00
YT0S	B	22	0	-0.00
XQLC	37	36	151	1.00
XQLC	27	28	146	1.00
YQLC	25	38	175	1.00
YQLC	26	25	183	1.00

