





name	p1	p2	units	scale
X0LC	0	12	180	1.00
X0LC	18	6	186	1.00
Y0LC	21	3	116	1.00
Y0LC	9	15	110	1.00
XTLR	12	18	674	1.00
YTLC	9	3	1044	1.00
XLCR	-1	0	197	3.08
XLCR	6	99	197	3.08
YTOS	X	3	22	1.00
YTOS	B	9	-22	1.00
XQLC	21	20	152	1.00
XQLC	15	16	162	1.00
XQLC	22	21	164	1.00
XQLC	14	15	151	1.00
YQLC	12	23	180	1.00
YQLC	18	19	174	1.00
YQLC	17	18	189	1.00
YQLC	13	12	181	1.00











name	p1	p2	units	scale
X0LC	0	12	625	3.47
X0LC	18	6	625	3.36
Y0LC	21	3	116	1.00
Y0LC	9	15	110	1.00
XTLR	12	18	674	1.00
YTLC	9	3	1044	1.00
XLCR	-1	0	64	1.00
XLCR	6	99	64	1.00
YTOS	X	3	22	1.00
YTOS	B	9	-22	1.00
XQLC	21	20	152	1.00
XQLC	15	16	162	1.00
XQLC	22	21	164	1.00
XQLC	14	15	151	1.00
YQLC	12	23	180	1.00
YQLC	18	19	174	1.00
YQLC	17	18	189	1.00
YQLC	13	12	181	1.00




0	XQLC148	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>116</td><td>1.00</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>110</td><td>1.00</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>285</td><td>1.88</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>295</td><td>1.82</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>297</td><td>1.81</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>284</td><td>1.88</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>174</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>189</td><td>1.00</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>181</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	116	1.00	Y0LC	9	15	110	1.00	XTLR	12	18	674	1.00	YTLC	9	3	1044	1.00	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	22	1.00	YTOS	B	9	-22	1.00	XQLC	21	20	285	1.88	XQLC	15	16	295	1.82	XQLC	22	21	297	1.81	XQLC	14	15	284	1.88	YQLC	12	23	180	1.00	YQLC	18	19	174	1.00	YQLC	17	18	189	1.00	YQLC	13	12	181	1.00
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	116	1.00																																																																																														
Y0LC	9	15	110	1.00																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1044	1.00																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	9	-22	1.00																																																																																														
XQLC	21	20	285	1.88																																																																																														
XQLC	15	16	295	1.82																																																																																														
XQLC	22	21	297	1.81																																																																																														
XQLC	14	15	284	1.88																																																																																														
YQLC	12	23	180	1.00																																																																																														
YQLC	18	19	174	1.00																																																																																														
YQLC	17	18	189	1.00																																																																																														
YQLC	13	12	181	1.00																																																																																														
																																																																																																		
64	1168	64	WLRPCAU																																																																																															

0	XQLC14	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>116</td><td>1.00</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>110</td><td>1.00</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>28</td><td>0.18</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>28</td><td>0.17</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>29</td><td>0.18</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>26</td><td>0.17</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>174</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>189</td><td>1.00</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>181</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	116	1.00	Y0LC	9	15	110	1.00	XTLR	12	18	674	1.00	YTLC	9	3	1044	1.00	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	22	1.00	YTOS	B	9	-22	1.00	XQLC	21	20	28	0.18	XQLC	15	16	28	0.17	XQLC	22	21	29	0.18	XQLC	14	15	26	0.17	YQLC	12	23	180	1.00	YQLC	18	19	174	1.00	YQLC	17	18	189	1.00	YQLC	13	12	181	1.00
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	116	1.00																																																																																														
Y0LC	9	15	110	1.00																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1044	1.00																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	9	-22	1.00																																																																																														
XQLC	21	20	28	0.18																																																																																														
XQLC	15	16	28	0.17																																																																																														
XQLC	22	21	29	0.18																																																																																														
XQLC	14	15	26	0.17																																																																																														
YQLC	12	23	180	1.00																																																																																														
YQLC	18	19	174	1.00																																																																																														
YQLC	17	18	189	1.00																																																																																														
YQLC	13	12	181	1.00																																																																																														
																																																																																																		
64	1168	64	WLRPCA U																																																																																															






0	Y0LC149	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>298</td><td>2.57</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>321</td><td>2.92</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>152</td><td>1.00</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>162</td><td>1.00</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>164</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>151</td><td>1.00</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>174</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>189</td><td>1.00</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>181</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	298	2.57	Y0LC	9	15	321	2.92	XTLR	12	18	674	1.00	YTLC	9	3	1044	1.00	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	22	1.00	YTOS	B	9	-22	1.00	XQLC	21	20	152	1.00	XQLC	15	16	162	1.00	XQLC	22	21	164	1.00	XQLC	14	15	151	1.00	YQLC	12	23	180	1.00	YQLC	18	19	174	1.00	YQLC	17	18	189	1.00	YQLC	13	12	181	1.00
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	298	2.57																																																																																														
Y0LC	9	15	321	2.92																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1044	1.00																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	9	-22	1.00																																																																																														
XQLC	21	20	152	1.00																																																																																														
XQLC	15	16	162	1.00																																																																																														
XQLC	22	21	164	1.00																																																																																														
XQLC	14	15	151	1.00																																																																																														
YQLC	12	23	180	1.00																																																																																														
YQLC	18	19	174	1.00																																																																																														
YQLC	17	18	189	1.00																																																																																														
YQLC	13	12	181	1.00																																																																																														
64	1168	64	WLRPCAU																																																																																															




0	YQLC170	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>116</td><td>1.00</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>110</td><td>1.00</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>152</td><td>1.00</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>162</td><td>1.00</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>164</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>151</td><td>1.00</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>340</td><td>1.89</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>359</td><td>2.06</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>369</td><td>1.95</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>386</td><td>2.13</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	116	1.00	Y0LC	9	15	110	1.00	XTLR	12	18	674	1.00	YTLC	9	3	1044	1.00	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	22	1.00	YTOS	B	9	-22	1.00	XQLC	21	20	152	1.00	XQLC	15	16	162	1.00	XQLC	22	21	164	1.00	XQLC	14	15	151	1.00	YQLC	12	23	340	1.89	YQLC	18	19	359	2.06	YQLC	17	18	369	1.95	YQLC	13	12	386	2.13
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	116	1.00																																																																																														
Y0LC	9	15	110	1.00																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1044	1.00																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	9	-22	1.00																																																																																														
XQLC	21	20	152	1.00																																																																																														
XQLC	15	16	162	1.00																																																																																														
XQLC	22	21	164	1.00																																																																																														
XQLC	14	15	151	1.00																																																																																														
YQLC	12	23	340	1.89																																																																																														
YQLC	18	19	359	2.06																																																																																														
YQLC	17	18	369	1.95																																																																																														
YQLC	13	12	386	2.13																																																																																														
64	1168	64	WLRPCAU																																																																																															


0	YQLC40	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>116</td><td>1.00</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>110</td><td>1.00</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1044</td><td>1.00</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>22</td><td>1.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>-22</td><td>1.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>152</td><td>1.00</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>162</td><td>1.00</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>164</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>151</td><td>1.00</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>80</td><td>0.44</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>74</td><td>0.43</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>89</td><td>0.47</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>81</td><td>0.45</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	116	1.00	Y0LC	9	15	110	1.00	XTLR	12	18	674	1.00	YTLC	9	3	1044	1.00	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	22	1.00	YTOS	B	9	-22	1.00	XQLC	21	20	152	1.00	XQLC	15	16	162	1.00	XQLC	22	21	164	1.00	XQLC	14	15	151	1.00	YQLC	12	23	80	0.44	YQLC	18	19	74	0.43	YQLC	17	18	89	0.47	YQLC	13	12	81	0.45
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	116	1.00																																																																																														
Y0LC	9	15	110	1.00																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1044	1.00																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	22	1.00																																																																																														
YTOS	B	9	-22	1.00																																																																																														
XQLC	21	20	152	1.00																																																																																														
XQLC	15	16	162	1.00																																																																																														
XQLC	22	21	164	1.00																																																																																														
XQLC	14	15	151	1.00																																																																																														
YQLC	12	23	80	0.44																																																																																														
YQLC	18	19	74	0.43																																																																																														
YQLC	17	18	89	0.47																																																																																														
YQLC	13	12	81	0.45																																																																																														
64	1168	64	WLRPCA U																																																																																															

name	p1	p2	units	scale
XOLC	0	12	180	1.00
XOLC	18	6	186	1.00
YOLC	21	3	116	1.00
YOLC	9	15	110	1.00
XTLR	12	18	674	1.00
YTLR	9	3	1212	1.16





0	YT0S30	006F	name p1 p2 units scale X0LC 0 12 180 1.00 X0LC 18 6 186 1.00 Y0LC 21 3 116 1.00 Y0LC 9 15 110 1.00 XTLR 12 18 674 1.00 YTLC 9 3 1111 1.06 XLCR -1 0 64 1.00 XLCR 6 99 64 1.00 YTOS X 3 59 2.68 YTOS B 9 -52 2.36 XQLC 21 20 152 1.00 XQLC 15 16 162 1.00 XQLC 22 21 164 1.00 XQLC 14 15 151 1.00 YQLC 12 23 180 1.00 YQLC 18 19 174 1.00 YQLC 17 18 189 1.00 YQLC 13 12 181 1.00
---	--------	------	--

0	YT0S0	006F	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>0</td><td>12</td><td>180</td><td>1.00</td></tr><tr><td>X0LC</td><td>18</td><td>6</td><td>186</td><td>1.00</td></tr><tr><td>Y0LC</td><td>21</td><td>3</td><td>116</td><td>1.00</td></tr><tr><td>Y0LC</td><td>9</td><td>15</td><td>110</td><td>1.00</td></tr><tr><td>XTLR</td><td>12</td><td>18</td><td>674</td><td>1.00</td></tr><tr><td>YTLC</td><td>9</td><td>3</td><td>1000</td><td>0.96</td></tr><tr><td>XLCR</td><td>-1</td><td>0</td><td>64</td><td>1.00</td></tr><tr><td>XLCR</td><td>6</td><td>99</td><td>64</td><td>1.00</td></tr><tr><td>YTOS</td><td>X</td><td>3</td><td>0</td><td>0.00</td></tr><tr><td>YTOS</td><td>B</td><td>9</td><td>0</td><td>-0.00</td></tr><tr><td>XQLC</td><td>21</td><td>20</td><td>152</td><td>1.00</td></tr><tr><td>XQLC</td><td>15</td><td>16</td><td>162</td><td>1.00</td></tr><tr><td>XQLC</td><td>22</td><td>21</td><td>164</td><td>1.00</td></tr><tr><td>XQLC</td><td>14</td><td>15</td><td>151</td><td>1.00</td></tr><tr><td>YQLC</td><td>12</td><td>23</td><td>180</td><td>1.00</td></tr><tr><td>YQLC</td><td>18</td><td>19</td><td>174</td><td>1.00</td></tr><tr><td>YQLC</td><td>17</td><td>18</td><td>189</td><td>1.00</td></tr><tr><td>YQLC</td><td>13</td><td>12</td><td>181</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	X0LC	0	12	180	1.00	X0LC	18	6	186	1.00	Y0LC	21	3	116	1.00	Y0LC	9	15	110	1.00	XTLR	12	18	674	1.00	YTLC	9	3	1000	0.96	XLCR	-1	0	64	1.00	XLCR	6	99	64	1.00	YTOS	X	3	0	0.00	YTOS	B	9	0	-0.00	XQLC	21	20	152	1.00	XQLC	15	16	162	1.00	XQLC	22	21	164	1.00	XQLC	14	15	151	1.00	YQLC	12	23	180	1.00	YQLC	18	19	174	1.00	YQLC	17	18	189	1.00	YQLC	13	12	181	1.00
name	p1	p2	units	scale																																																																																														
X0LC	0	12	180	1.00																																																																																														
X0LC	18	6	186	1.00																																																																																														
Y0LC	21	3	116	1.00																																																																																														
Y0LC	9	15	110	1.00																																																																																														
XTLR	12	18	674	1.00																																																																																														
YTLC	9	3	1000	0.96																																																																																														
XLCR	-1	0	64	1.00																																																																																														
XLCR	6	99	64	1.00																																																																																														
YTOS	X	3	0	0.00																																																																																														
YTOS	B	9	0	-0.00																																																																																														
XQLC	21	20	152	1.00																																																																																														
XQLC	15	16	162	1.00																																																																																														
XQLC	22	21	164	1.00																																																																																														
XQLC	14	15	151	1.00																																																																																														
YQLC	12	23	180	1.00																																																																																														
YQLC	18	19	174	1.00																																																																																														
YQLC	17	18	189	1.00																																																																																														
YQLC	13	12	181	1.00																																																																																														
																																																																																																		
64	1168	64	WLRPCA U																																																																																															