












wght100	Σ 39.59	P 38.63	A 0.00	C 0.00	W 55.00
---------	---------	---------	--------	--------	---------




width125 Σ 6.53 P 3.69 A 0.00 C 0.00 W 52.00




opsz8	Σ 39.81	P 39.86	A 0.00	C 0.00	W 39.00				
									
parametric			reference		diff		tuning		


wght1000 Σ 52.24 P 47.88 A 0.00 C 0.00 W 122.00




parametric



reference











diff







tuning

opsz144 Σ 35.00 P 36.19 A 0.00 C 0.00 W 16.00







width50 Σ 13.99 P 13.99 A 0.00 C 0.00 W 14.00		
 parametric	 reference	
 diff	 tuning	


opsz8_width125 Σ 19.69 P 17.42 A 0.00 C 0.00 W 56.00




opsz144_wght1000 Σ 65.21 P 59.72 A 0.00 C 0.00 W 153.00




wght100_wdth50	Σ	48.15	P	48.60	A	0.00	C	0.00	W	41.00
----------------	---	-------	---	-------	---	------	---	------	---	-------




parametric



reference







diff




tuning


opsz8_wght1000 Σ 39.44 P 37.34 A 0.00 C 0.00 W 73.00




wght1000_wdth125 Σ 76.10 P 69.98 A 0.00 C 0.00 W 174.00




parametric





reference



diff







tuning





opsz8_wght100 Σ 85.92 P 83.29 A 0.00 C 0.00 W 128.00											
 parametric				 diff		 tuning					





opsz144_wdth125 Σ 59.34 P 54.93 A 0.00 C 0.00 W 130.00					
parametric	reference	diff	tuning		

opsz144_wght100 Σ 41.10 P 41.67 A 0.00 C 0.00 W 32.00







wght1000_wdth50	Σ	34.74	P	32.47	A	0.00	C	0.00	W	71.00
-----------------	---	-------	---	-------	---	------	---	------	---	-------








opsz8_width50	Σ 58.34	P 56.30	A 0.00	C 0.00	W 91.00														
 A cyan-colored digit '9' shape plotted on a coordinate system. The shape is defined by 16 points labeled 0 through 15. The points are connected by lines to form the outline of the digit.		 A magenta-colored digit '9' shape plotted on a coordinate system. The shape is defined by 16 points labeled 0 through 15. The points are connected by lines to form the outline of the digit.		 A plot showing the difference between the parametric and reference shapes. It features two overlapping outlines: a cyan one and a magenta one. The difference is highlighted by blue and purple line segments connecting corresponding points on the two shapes.	 A plot showing the tuning of the digit '9'. It features a gray digit '9' shape with red line segments extending from its boundary, indicating the direction and magnitude of the tuning adjustments.														
parametric		reference		diff	tuning														

wght100_wdth125	Σ	34.60	P	33.45	A	0.00	C	0.00	W	53.00
-----------------	---	-------	---	-------	---	------	---	------	---	-------











opsz144_wght1000_wdth50 Σ 47.86 P 48.66 A 0.00 C 0.00 W 35.00






opsz8_wght1000_wdth125 Σ 97.67 P 92.90 A 0.00 C 0.00 W 174.00




opsz8_wght100_width125 Σ 27.69 P 24.74 A 0.00 C 0.00 W 75.00													
 parametric													
 reference				 diff			 tuning						




opsz144_wght100_width125 Σ 75.78 P 75.08 A 0.00 C 0.00 W 87.00									


opsz144_wght1000_width125 Σ 83.68 P 76.54 A 0.00 C 0.00 W 198.00




parametric







reference



diff



tuning

opsz8_wght1000_wdth50	Σ 71.00	P 66.00	A 0.00	C 0.00	W 151.00									
 parametric	 reference	 diff	 tuning											