


–92


774

-12


WLRPCAUI





name	p1	p2	units	scale
XOLC	1	7	156	1.00
XOLC	22	15	202	1.00
YOLC	12	25	137	1.00
XTLD	6	14	482	1.00
YTLC	0	20	1049	1.00
XSHL	3	2	141	1.00
YSHL	3	4	97	1.00
XLCD	-1	2	224	1.96
XLCD	99	23	-150	1.14
YTOS	B	0	-8	1.00
YTOS	X	20	41	1.00
XTTW	9	10	10	1.00
YTTL	8	9	114	1.00
YTTL	10	11	125	1.00




name	p1	p2	units	scale
X0LC	1	7	528	3.38
X0LC	22	15	287	1.42
Y0LC	12	25	136	0.99
XTLD	6	14	473	0.98
YTLC	0	20	1049	1.00
XSHL	3	2	141	1.00
YSHL	3	4	97	1.00
XLCD	-1	2	114	1.00
XLCD	99	23	-132	1.00
YTOS	B	0	-8	1.00
YTOS	X	20	41	1.00
XTTW	9	10	10	1.00
YTTL	8	9	114	1.00
YTTL	10	11	125	1.00










-12

1501


102


WLRPCA U


-12


675


118


WLRPCA U






WLRPCA U





v	YSHL0	0076	name	p1	p2	units	scale
			XOLC	1	7	156	1.00
			XOLC	22	15	202	1.00
			YOLC	12	25	137	1.00
			XTLD	6	14	482	1.00
			YTLC	0	20	1049	1.00
			XSHL	3	2	126	0.89
			YSHL	3	4	0	0.00
			XLCD	-1	2	82	0.72
			XLCD	99	23	-132	1.00
			YTOS	B	0	-8	1.00
			YTOS	X	20	41	1.00
			XTTW	9	10	10	1.00
			YTTL	8	9	114	1.00
			YTTL	10	11	125	1.00




20

989

81

WLRPCA U





v	YT0S25	0076	name	p1	p2	units	scale
			XOLC	1	7	156	1.00
			XOLC	22	15	202	1.00
			YOLC	12	25	137	1.00
			XTLD	6	14	482	1.00
			YTLC	0	20	1085	1.03
			XSHL	3	2	141	1.00
			YSHL	3	4	97	1.00
			XLCD	-1	2	114	1.00
			XLCD	99	23	-132	1.00
			YT0S	B	0	-27	3.38
			YT0S	X	20	58	1.41
			XTTW	9	10	10	1.00
			YTTL	8	9	114	1.00
			YTTL	10	11	125	1.00




Figure 1: A plot showing the distribution of points (numbered 0 to 26) and a shaded region. The plot is overlaid on a grid with axes labeled 'v' (vertical) and 'h' (horizontal). The shaded region is a complex shape, possibly representing a specific area of interest. Points are numbered 0 to 26, with some points (0, 1, 2, 3, 4, 5, 6) highlighted in blue circles. Points 7 through 26 are marked with small black dots. A dashed line connects the points in a sequence, forming a boundary around the shaded region. The plot is titled 'YTOS-4'.

Figure 2: A table showing the results of a simulation or analysis. The table has columns: 'name', 'p1', 'p2', 'units', and 'scale'. The rows list various parameters and their corresponding values.

name	p1	p2	units	scale
XOLC	1	7	156	1.00
XOLC	22	15	202	1.00
YOLC	12	25	138	1.01
XTLD	6	14	482	1.00
YTLC	0	20	1000	0.95
XSHL	3	2	141	1.00
YSHL	3	4	97	1.00
XLCD	-1	2	114	1.00
XLCD	99	23	-132	1.00
YTOS	B	0	0	-0.00
YTOS	X	20	0	0.00
XTTW	9	10	10	1.00
YTTL	8	9	114	1.00
YTTL	10	11	125	1.00

Figure 3: A plot showing the distribution of points (numbered 0 to 26) and a shaded region. The plot is overlaid on a grid with axes labeled 'v' (vertical) and 'h' (horizontal). The shaded region is a complex shape, possibly representing a specific area of interest. Points are numbered 0 to 26, with some points (0, 1, 2, 3, 4, 5, 6) highlighted in blue circles. Points 7 through 26 are marked with small black dots. A dashed line connects the points in a sequence, forming a boundary around the shaded region. The plot is titled 'YTOS-4'.

Figure 4: A table showing the results of a simulation or analysis. The table has columns: 'name', 'p1', 'p2', 'units', and 'scale'. The rows list various parameters and their corresponding values.

name	p1	p2	units	scale
XOLC	1	7	156	1.00
XOLC	22	15	202	1.00
YOLC	12	25	138	1.01
XTLD	6	14	482	1.00
YTLC	0	20	1000	0.95
XSHL	3	2	141	1.00
YSHL	3	4	97	1.00
XLCD	-1	2	114	1.00
XLCD	99	23	-132	1.00
YTOS	B	0	0	-0.00
YTOS	X	20	0	0.00
XTTW	9	10	10	1.00
YTTL	8	9	114	1.00
YTTL	10	11	125	1.00

Figure 5: A plot showing the distribution of points (numbered 0 to 26) and a shaded region. The plot is overlaid on a grid with axes labeled 'v' (vertical) and 'h' (horizontal). The shaded region is a complex shape, possibly representing a specific area of interest. Points are numbered 0 to 26, with some points (0, 1, 2, 3, 4, 5, 6) highlighted in blue circles. Points 7 through 26 are marked with small black dots. A dashed line connects the points in a sequence, forming a boundary around the shaded region. The plot is titled 'YTOS-4'.

Figure 6: A table showing the results of a simulation or analysis. The table has columns: 'name', 'p1', 'p2', 'units', and 'scale'. The rows list various parameters and their corresponding values.

name	p1	p2	units	scale
XOLC	1	7	156	1.00
XOLC	22	15	202	1.00
YOLC	12	25	138	1.01
XTLD	6	14	482	1.00
YTLC	0	20	1000	0.95
XSHL	3	2	141	1.00
YSHL	3	4	97	1.00
XLCD	-1	2	114	1.00
XLCD	99	23	-132	1.00
YTOS	B	0	0	-0.00
YTOS	X	20	0	0.00
XTTW	9	10	10	1.00
YTTL	8	9	114	1.00
YTTL	10	11	125	1.00

