


de
XLCS14
0434


name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	-11	-0.28
XLCS	26	99	-17	-0.21

-21
1055
-27
WLRPCAU


name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	171	4.28
XLCS	26	99	213	2.66





name	p1	p2	units	scale
X0LC	10	5	11	0.06
Y0LC	0	11	123	1.00
Y0LC	10	3	105	1.00
Y0LC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00




name	p1	p2	units	scale
X0LC	10	5	586	3.45
Y0LC	0	11	123	1.00
Y0LC	10	3	105	1.00
Y0LC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00






de	XSHL0	0434	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>10</td><td>5</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>0</td><td>11</td><td>123</td><td>1.00</td></tr><tr><td>YOLC</td><td>10</td><td>3</td><td>105</td><td>1.00</td></tr><tr><td>YOLC</td><td>22</td><td>25</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>12</td><td>9</td><td>409</td><td>1.00</td></tr><tr><td>YTLC</td><td>22</td><td>2</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>2</td><td>0</td><td>0</td><td>0.00</td></tr><tr><td>XSHL</td><td>5</td><td>3</td><td>0</td><td>0.00</td></tr><tr><td>YSHL</td><td>1</td><td>2</td><td>80</td><td>1.00</td></tr><tr><td>YSHL</td><td>4</td><td>3</td><td>80</td><td>1.00</td></tr><tr><td>XSVL</td><td>24</td><td>23</td><td>92</td><td>1.00</td></tr><tr><td>XSVL</td><td>20</td><td>27</td><td>92</td><td>1.00</td></tr><tr><td>YSVL</td><td>25</td><td>23</td><td>-423</td><td>1.00</td></tr><tr><td>YSVL</td><td>26</td><td>20</td><td>-423</td><td>1.00</td></tr><tr><td>XVAL</td><td>21</td><td>20</td><td>89</td><td>1.00</td></tr><tr><td>XVAL</td><td>23</td><td>22</td><td>89</td><td>1.00</td></tr><tr><td>YHAL</td><td>0</td><td>1</td><td>35</td><td>1.00</td></tr><tr><td>YHAL</td><td>5</td><td>4</td><td>35</td><td>1.00</td></tr><tr><td>XLCS</td><td>-1</td><td>25</td><td>84</td><td>2.10</td></tr><tr><td>XLCS</td><td>26</td><td>99</td><td>179</td><td>2.24</td></tr></table>	name	p1	p2	units	scale	XOLC	10	5	170	1.00	YOLC	0	11	123	1.00	YOLC	10	3	105	1.00	YOLC	22	25	105	1.00	XTLC	12	9	409	1.00	YTLC	22	2	1000	1.00	XSHL	2	0	0	0.00	XSHL	5	3	0	0.00	YSHL	1	2	80	1.00	YSHL	4	3	80	1.00	XSVL	24	23	92	1.00	XSVL	20	27	92	1.00	YSVL	25	23	-423	1.00	YSVL	26	20	-423	1.00	XVAL	21	20	89	1.00	XVAL	23	22	89	1.00	YHAL	0	1	35	1.00	YHAL	5	4	35	1.00	XLCS	-1	25	84	2.10	XLCS	26	99	179	2.24
name	p1	p2	units	scale																																																																																																								
XOLC	10	5	170	1.00																																																																																																								
YOLC	0	11	123	1.00																																																																																																								
YOLC	10	3	105	1.00																																																																																																								
YOLC	22	25	105	1.00																																																																																																								
XTLC	12	9	409	1.00																																																																																																								
YTLC	22	2	1000	1.00																																																																																																								
XSHL	2	0	0	0.00																																																																																																								
XSHL	5	3	0	0.00																																																																																																								
YSHL	1	2	80	1.00																																																																																																								
YSHL	4	3	80	1.00																																																																																																								
XSVL	24	23	92	1.00																																																																																																								
XSVL	20	27	92	1.00																																																																																																								
YSVL	25	23	-423	1.00																																																																																																								
YSVL	26	20	-423	1.00																																																																																																								
XVAL	21	20	89	1.00																																																																																																								
XVAL	23	22	89	1.00																																																																																																								
YHAL	0	1	35	1.00																																																																																																								
YHAL	5	4	35	1.00																																																																																																								
XLCS	-1	25	84	2.10																																																																																																								
XLCS	26	99	179	2.24																																																																																																								
																																																																																																												
74	1203	169	WLRPCA U																																																																																																									


name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	294	3.20
XSVL	20	27	294	3.20
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	-22	-0.55
XLCS	26	99	18	0.23




name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	0	0.00
XSVL	20	27	0	0.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	70	1.75
XLCS	26	99	110	1.38




name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	103	0.25
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00



name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	316	2.57
YOLC	10	3	294	2.80
YOLC	22	25	319	3.04
XTLC	12	9	312	0.76
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-637	1.51
YSVL	26	20	-637	1.51
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00



name	p1	p2	units	scale
X0LC	10	5	170	1.00
Y0LC	0	11	13	0.11
Y0LC	10	3	7	0.07
Y0LC	22	25	7	0.07
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-325	0.77
YSVL	26	20	-325	0.77
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00



de

YSHL0

0434


name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	115	0.93
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	156	1.05
XSHL	5	3	148	1.00
YSHL	1	2	0	0.00
YSHL	4	3	0	0.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00


The diagram shows a floor plan with several shaded regions. A large central area is shaded light gray. To its left, a narrow vertical strip is shaded light gray. To its right, a narrow vertical strip is shaded light gray. At the bottom left, a small triangular area is shaded light gray. At the bottom right, a small triangular area is shaded light gray. The plan is marked with 27 numbered points (1-27) and 28 lines (1-28). Points 1-10 are located in the top left and top right corners. Points 11-20 are located in the central area. Points 21-27 are located in the bottom left and bottom right corners. Lines 1-10 are solid lines connecting points 1-10. Lines 11-20 are dashed lines connecting points 11-20. Lines 21-27 are solid lines connecting points 21-27. Lines 28 are dashed lines connecting points 1-10 to points 11-20. The plan is divided into four quadrants by a horizontal line and a vertical line. The top-left quadrant is labeled 'de'. The top-right quadrant is labeled '0434'. The bottom-left quadrant is labeled '30'. The bottom-right quadrant is labeled '70'.

1203


WLRPCAU


name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	142	1.15
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	129	0.87
XSHL	5	3	148	1.00
YSHL	1	2	280	3.50
YSHL	4	3	280	3.50
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	25	23	-423	1.00
YSVL	26	20	-423	1.00
XVAL	21	20	89	1.00
XVAL	23	22	89	1.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00





name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	2	0	148	1.00
XSHL	5	3	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	173	1.88
XSVL	20	27	173	1.88
YSVL	25	23	-105	0.25
YSVL	26	20	-105	0.25
XVAL	21	20	0	0.00
XVAL	23	22	0	0.00
YHAL	0	1	35	1.00
YHAL	5	4	35	1.00
XLCS	-1	25	40	1.00
XLCS	26	99	80	1.00





30

1203

70

WLRPCAU

de	YTLC436	0434	name	p1	p2	units	scale
			XOLC	10	5	170	1.00
			YOLC	0	11	123	1.00
			YOLC	10	3	105	1.00
			YOLC	22	25	105	1.00
			XTLC	12	9	399	0.98
			YTLC	22	2	852	0.85
			XSHL	2	0	148	1.00
			XSHL	5	3	148	1.00
			YSHL	1	2	80	1.00
			YSHL	4	3	80	1.00
			XSVL	24	23	92	1.00
			XSVL	20	27	92	1.00
			YSVL	25	23	-423	1.00
			YSVL	26	20	-423	1.00
			XVAL	21	20	89	1.00
			XVAL	23	22	89	1.00
			YHAL	0	1	35	1.00
			YHAL	5	4	35	1.00
			XLCS	-1	25	40	1.00
			XLCS	26	99	80	1.00

The diagram illustrates a mechanical assembly, likely a piston and crank mechanism, with various components labeled with numbers 1 through 27. The assembly is divided into three main sections: a top section with a horizontal bar and vertical supports, a middle section with a central vertical shaft, and a bottom section with a horizontal bar and vertical supports. The components are labeled with numbers 1 through 27. The diagram is color-coded: green for the top section, blue for the middle section, and red for the bottom section. The diagram is titled 'YTLC436' and '0434'.