



ieukran

XLCR98


0454

name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	197	3.08
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00



ieukran	XLCR-13	0454	name	p1	p2	units	scale
			XOLC	4	21	180	1.00
			YOLC	18	7	111	1.00
			YOLC	31	24	130	1.00
			YOLC	2	1	105	1.00
			YOLC	27	28	79	1.00
			XTLR	21	27	671	1.00
			XTLR	21	14	558	1.00
			YTLC	31	7	1044	1.00
			XSVL	14	13	97	1.00
			YSVL	13	15	61	1.00
			XLCR	-1	4	-26	-0.41
			XLCR	13	99	121	1.00
			YTOS	X	7	22	1.00
			YTOS	0	31	-22	1.00
			XQLC	19	18	139	1.00
			XQLC	23	24	159	1.00
			YQLC	21	20	214	1.00
			YQLC	22	21	202	1.00

ieukran	X0LC4	0454	name	p1	p2	units	scale
			X0LC	4	21	7	0.04
			Y0LC	18	7	111	1.00
			Y0LC	31	24	130	1.00
			Y0LC	2	1	105	1.00
			Y0LC	27	28	79	1.00
			XTLR	21	27	671	1.00
			XTLR	21	14	558	1.00
			YTLC	31	7	1044	1.00
			XSVL	14	13	97	1.00
			YSVL	13	15	61	1.00
			XLCR	-1	4	64	1.00
			XLCR	13	99	121	1.00
			YTOS	X	7	22	1.00
			YTOS	0	31	-22	1.00
			XQLC	19	18	139	1.00
			XQLC	23	24	159	1.00
			YQLC	21	20	214	1.00
			YQLC	22	21	202	1.00




ieukran


X0LC293

0454


name	p1	p2	units	scale
X0LC	4	21	605	3.36
Y0LC	18	7	111	1.00
Y0LC	31	24	130	1.00
Y0LC	2	1	105	1.00
Y0LC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00



name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	272	1.96
XQLC	23	24	292	1.84
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00




name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00




ieukran	XSVL150	0454				

name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	625	1.12
YTLC	31	7	1044	1.00
XSVL	14	13	0	0.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	151	1.25
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	151	1.09
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00



ieukran	XTLR45	0454	name	p1	p2	units	scale
			XOLC	4	21	180	1.00
			YOLC	18	7	111	1.00
			YOLC	31	24	130	1.00
			YOLC	2	1	105	1.00
			YOLC	27	28	79	1.00
			XTLR	21	27	72	0.11
			XTLR	21	14	60	0.11
			YTLC	31	7	1044	1.00
			XSVL	14	13	97	1.00
			YSVL	13	15	61	1.00
			XLCR	-1	4	64	1.00
			XLCR	13	99	20	0.17
			YTOS	X	7	22	1.00
			YTOS	0	31	-22	1.00
			XQLC	19	18	16	0.12
			XQLC	23	24	17	0.11
			YQLC	21	20	214	1.00
			YQLC	22	21	202	1.00




ieukran


XTLR629

0454

name	p1	p2	units	scale
X0LC	4	21	180	1.00
Y0LC	18	7	111	1.00
Y0LC	31	24	130	1.00
Y0LC	2	1	105	1.00
Y0LC	27	28	79	1.00
XTLR	21	27	1334	1.99
XTLR	21	14	1193	2.14
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	149	1.23
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	299	2.15
XQLC	23	24	316	1.99
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00



ieukran	Y0LC149	0454					
			name	p1	p2	units	scale
			X0LC	4	21	180	1.00
			Y0LC	18	7	230	2.07
			Y0LC	31	24	253	1.95
			Y0LC	2	1	105	1.00
			Y0LC	27	28	184	2.33
			XTLR	21	27	631	0.94
			XTLR	21	14	558	1.00
			YTLC	31	7	1044	1.00
			XSVL	14	13	97	1.00
			YSVL	13	15	61	1.00
			XLCR	-1	4	64	1.00
			XLCR	13	99	121	1.00
			YTOS	X	7	22	1.00
			YTOS	0	31	-22	1.00
			XQLC	19	18	139	1.00
			XQLC	23	24	159	1.00
			YQLC	21	20	151	0.71
			YQLC	22	21	140	0.69




ieukran


Y0LC4

0454


name	p1	p2	units	scale
X0LC	4	21	180	1.00
Y0LC	18	7	7	0.06
Y0LC	31	24	8	0.06
Y0LC	2	1	10	0.10
Y0LC	27	28	6	0.08
XTLR	21	27	717	1.07
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	114	1.87
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	275	1.29
YQLC	22	21	261	1.29



name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00




name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00



WLRPCAU

WLRPCAU

name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	122	1.16
YOLC	27	28	71	0.90
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1210	1.16
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	20	0.91
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	257	1.20
YQLC	22	21	245	1.21




ieukran


YTLC436

0454

name	p1	p2	units	scale
XOLC	4	21	180	1.00
YOLC	18	7	111	1.00
YOLC	31	24	130	1.00
YOLC	2	1	105	1.00
YOLC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	893	0.86
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	19	0.86
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	174	0.81
YQLC	22	21	164	0.81



ieukran	YT0S30	0454				
			name	p1	p2	units
		XOLC	4	21	180	1.00
		YOLC	18	7	111	1.00
		YOLC	31	24	130	1.00
		YOLC	2	1	105	1.00
		YOLC	27	28	79	1.00
		XTLR	21	27	671	1.00
		XTLR	21	14	558	1.00
		YTLC	31	7	1044	1.00
		XSVL	14	13	97	1.00
		YSVL	13	15	61	1.00
		XLCR	-1	4	64	1.00
		XLCR	13	99	121	1.00
		YTOS	X	7	22	1.00
		YTOS	0	31	-22	1.00
		XQLC	19	18	139	1.00
		XQLC	23	24	159	1.00
		YQLC	21	20	214	1.00
		YQLC	22	21	202	1.00



name	p1	p2	units	scale
X0LC	4	21	180	1.00
Y0LC	18	7	111	1.00
Y0LC	31	24	130	1.00
Y0LC	2	1	105	1.00
Y0LC	27	28	79	1.00
XTLR	21	27	671	1.00
XTLR	21	14	558	1.00
YTLC	31	7	1044	1.00
XSVL	14	13	97	1.00
YSVL	13	15	61	1.00
XLCR	-1	4	64	1.00
XLCR	13	99	121	1.00
YTOS	X	7	22	1.00
YTOS	0	31	-22	1.00
XQLC	19	18	139	1.00
XQLC	23	24	159	1.00
YQLC	21	20	214	1.00
YQLC	22	21	202	1.00

