
CATWORLD

THE WORLD MODEL

Creator & showrunner field guide



A planet to draw from. A geography to tell stories in.

Revision 5 / 31 October 2026

A separate southern continent and its eastern archipelago.

Northern autumn, southern spring, and an ancient crossing.

READING ROUTE

A guide to the model

Read the geography first, then use the reference plates. Established creator facts, draft-deck material and new cartographic proposals are distinguished throughout. Square-bracket source keys point to the reference notes.

What is established, and what is proposed 3

The planet at a glance 4

What changed in this pass 5

A collision system and a separate old continent 6

Gargantuan ranges, not a row of peaks 7

Panterra: the principal story landscape 8

Seattle flows into the lake 9

A continental lake needs a continental basin 10

The Great Panterran Dam 11

The northern impact and the red sea 12

The dry eastern core 13

The independent southern continent 14

The eastern archipelago and the old crossing 15

Two poles with different identities 16

Climate follows terrain and exposure 17

Living inside thousand-year seasons 18

The present seasonal distribution 19

The cat crossing: then and now 20

Resources create routes and conflicts 21

Cities and settlements need reasons 22

Migration, sacred trees and choke points 23

Use the globe as a drawing reference 24

Decisions for the creator to make next 25

Sources and reference notes 26

Landmark catalogue 28

Model specifications and camera index 31

Fourteen drawing-reference plates 32

What is established, and what is proposed

Confirmed world facts

Terra is approximately Earth-sized, with Earth-like tilt and a 4,000-Earth-year orbit. Panterra and the eastern continent remain joined by the enormous mountain belt. The smaller far-side continent is independent and lies in the SOUTH, with a substantial archipelago to its east. This supersedes the former three-connected-core and northern-far-side layouts.

Confirmed seasonal direction

Northern winter is approaching. The Blood Lake country is in late autumn or locally early winter; the southern hemisphere is in late spring, approaching summer. Earlier southern winter allowed the cats to cross from their old homeland toward Panterra. The model now reflects those opposing seasons.

Confirmed water order

Seattle is upstream: its major river flows INTO the super-lake near London and Rome. The dam controls the outlet, and the large trading city is downstream. City names remain development shorthand.


Proposed quantities and mechanisms

The model uses radius 6,100 km, tilt 23.4 degrees and a 24-hour day. Solar longitude 255 degrees, a former sea level 65 m lower, a crossing 1,100 years before the present, and identification of the new southern landmass as Old Panterra are explicit proposals. The creator has fixed the direction of the seasonal story, not those exact numbers.


Unresolved physics

A habitable heat source for the long orbit, grounded-ice mass balance, sea-level chronology and regional climate require further development. The map is an art-directed geographic hypothesis, not an ice-sheet or climate simulation.

The planet at a glance



PANTERRA / FRONT



FAR-SIDE HEMISPHERE

Two connected continents and one separate southern land

Panterra connects eastward through a short, broad mountainous neck to the eastern dry continent. That collision system ends before the separating ocean. There is no present-day land bridge from the eastern continent to the southern continent.

A smaller southern silhouette

The southern mainland lies roughly between 15 and 51 degrees south. It has a weathered dry interior, a divided northern coast, a wetter eastern escarpment, cool southern inlets and a long eastern archipelago. A small northern remnant island survives in an otherwise open far-side northern ocean.


Different kinds of connection

The mountain connection is permanent land. The eastern archipelago is separated by water today. A modeled shallow continental ribbon provides a proposed former lowstand crossing toward Panterra; it is not a third modern mountain bridge.

Orientation

Longitude is arbitrary. Front is 0 degrees, east +90, west -90, and far side 180. The far-side camera is tipped 12 degrees south to show the new mainland. Polar views complete the same globe.

What changed in this pass



The northern extension is removed

The former far-side northern mainland and its collision junction are replaced by ocean. The new independent mainland is smaller and south of the equator. Its geology and silhouette are rebuilt rather than simply rotating the old green strip.


Distinct mainland and island regions

The interior gains dry basins, stony uplands and salt pans. A less extreme eastern range supports wet coastal catchments. Large fault-aligned islands, outer fragments and drowned sounds make the eastern side an archipelago. Panterra retains its shortened mountain connection to the eastern continent. The residual island arc below the eastern continent is removed so it no longer suggests a second link.

One explicit seasonal snapshot

Northern highlands gain autumn snow and frost; the Blood Lake retains an open red centre and broken shore ice. Arctic pack expands while southern pack retreats. Southern grounded ice and mountain glaciers survive into spring. The primary Seattle waterway and dam remain intact.

A collision system and a separate old continent



Older continental crust

Panterra, the eastern dry interior and the southern mainland preserve older crustal blocks. The northern impact and its iron province predate the main collision. The southern shield has its own weathering, rifting and erosion history.

The main collision stops at the eastern margin

Panterra and the eastern block collide, thickening crust and supporting the gargantuan range. Broad folds, plateaus and valleys explain the mountain bridge. This belt does not need to continue across every continent. [S1]


Southern rifting and an old raised margin

The independent southern continent is interpreted as an older rifted block. Its eastern escarpment is a rejuvenated inherited mountain margin, lower than the main collision belt. Extension breaks the continental shelf into large islands, gulfs and straits. This supports an Australia-like role without copying Australia.

Two different seaways

Deep ocean separates the southern continent from the eastern dry core. The long eastern shelf ribbon toward Panterra is a distinct, shallow remnant of stretched continental crust. Its former emergence is a sea-level hypothesis, not a new mountain collision. Boundary lines are schematic and plate velocities are unspecified.

Gargantuan ranges, not a row of peaks



A broad elevated system

The high country includes parallel folded ridges, interior plateaus, dissected foothills and deep transverse valleys. Proposed peaks approach 10.8 km. The high belt is several hundred kilometres wide, with a broader surrounding mountain province. Those dimensions are deliberate fantasy-world choices.

Why the plateau sits below it

Thickened crust raises a wide region. Erosion then cuts the lower flank into valleys and terraces, creating the transition from the Northern Divide to the Panterran Plateau and reservoir basin. The lake occupies a depression within that landscape, rather than resting on an arbitrary flat shelf.

Why the terrain looks structured

A real Himalayan elevation analogue supplies ridge-and-valley texture, warped into the invented belt. The independent southern escarpment uses a lower, separately shaped relief field; it has no collision junction with the northern belt. The source elevations are modified reference data, not a claim that Terra copies Earth.

Reading the height correctly

The physical elevation field is in metres. The globe displays relief at TEN times its radial height so mountains remain readable from space. The cross-section is also schematic. Neither image should be used to infer literal cliff heights or structural dimensions.

Panterra: the principal story landscape



A connected sequence of places

The Northern Divide forms the high northern boundary. Below it lie a dissected plateau, wet western uplands, the Seattle river corridor, the great lake and cultivated southern lowlands. The downstream metropolis occupies the outlet trade system. These relationships matter more than any provisional name.

Forests, fields and industry

Wet upland valleys support giant old-growth forests and timber settlements. Lower gradients and water access support farming near the lake and river plains. Logging, milling, canals and electricity connect those resource zones to cities. The deck's giant-tree and industrial themes therefore occupy specific parts of the terrain. [D4, D41, D47]


Defence and access

The mountains and indented shores limit easy overland approaches. Gate valleys offer supply corridors through the range. Ports and river mouths provide alternatives, so the empire is difficult to enter with heavy freight without becoming implausibly sealed off from the world.

Seattle flows into the lake

THE WATERWAY HAS ONE CLEAR DIRECTION

Seattle is upstream of the lake. The large trading city is downstream of the dam.



Water, logs and cargo follow the corridor. Rapids, locks, canals and transshipment need local design before the whole route can be treated as navigable.

Upstream means upstream

Mountain tributaries gather above Seattle. The primary channel then descends through the western foreland into the reservoir. Its sampled water surface decreases toward 690 m. The lake does not drain west to Seattle. The outlet instead leaves through the dam toward the downstream trading city.

The river is deliberately visible

The main waterway is wider in the texture than the secondary drainage so it remains useful for drawing. At a 4K global texture, a few pixels represent many kilometres: this is a reference line-width exaggeration, not a literal river width. The main channel has a separately graded surface and a recorded downhill check.

Transport requires local decisions

Logs and cargo can follow this corridor, but an upstream mountain river is not automatically navigable end to end. Rapids, bypass canals, locks, portage or transshipment belong at abrupt gradients. Establish those local links before staging an uninterrupted boat journey.

Other drainage

The southern mainland and its islands have a new elevation-routed drainage network. Blue channels favour humid slopes; dry interior washes use subdued brown lines. Secondary rivers and desert wadis are schematic at this scale. The check on the primary Seattle route does not certify every tributary or predict floods.

A continental lake needs a continental basin

What the dam can actually do

The model reservoir covers about 1.54 million square kilometres. A dam can control a lake this large only if a naturally enclosed basin already exists, with one dominant bedrock outlet. The dam raises and stabilizes water in that basin; it does not create the depression itself.

How a small lake becomes a super-lake

A small predecessor lake can occupy the deepest part of a broad valley system. Raising its outlet floods extensive shallow land and connected tributary valleys. The model proposes that history, but does not yet contain a surveyed pre-dam terrain surface. Shoreline benches and drowned valleys are the visual evidence to carry into local maps.

Water budget, explicitly assumed

For an illustrative 6 million km2 catchment, 0.4 m of annual runoff supplies 2,400 km3/year. Net evaporation of 0.8 m/year across the super-lake removes roughly 1,235 km3/year. That leaves about 1,165 km3/year before other losses and uses. These are scenario inputs, not measured or climate-simulated facts.


The filling history matters

At an assumed 100 m mean depth, storage would be about 154,000 km3. Even a net filling flow of 25,000 m3/s would take roughly two centuries from empty. A credible history should allow existing water, staged impoundment and long filling periods, rather than an overnight transformation.

Why it remains fresh

A sustained controlled outlet exports dissolved salts. Large inflow and continued flushing support fresh water; a closed, evaporation-dominated basin would tend toward salinity. Sediment trapping, shoreline flooding and changes in downstream fertility are important consequences for settlements and politics.

The Great Panterran Dam



The designed object

The separate inset has a 4.8 km crest, approximately 470 m structural height, reservoir level at 690 m and crest near 715 m. It includes intake towers, bronze gates, spillways, turbine halls, tailraces, access roads, checkpoints and a fishing village. One inset unit equals one kilometre.

Power comes from head and flow

Using P = density x gravity x flow x head x efficiency, an assumed 10,000 m3/s, 350 m net head and 90% efficiency gives about 31 GW. A nominal 60 GW would require roughly 19,400 m3/s at that head. Lake size alone cannot guarantee that discharge. [S7]


Scale and limits

The concept is larger in structural height than Hoover (about 221 m) and Three Gorges (181 m). Its illustrative 31 GW exceeds Three Gorges' 22.5 GW installed capacity. These comparisons establish ambition, not engineering feasibility. The inset is a fictional design study, not a construction-ready dam. [S8, S9]

Global and local scales

The dam wall is below the globe texture resolution. The local study shows the abrupt drop; the global river grade is smoothed. The village terrace is resolved in the inset, not in its approximate global anchor. Do not measure the local gorge from the planetary mesh.

The northern impact and the red sea



An old scar incorporated into a continent

The basin has a central uplift, a broken rim and a broad apron that merges into the northern mainland. It is older than the collision belt. Erosion and subsequent tectonics modify its edges, so it reads as part of the crust rather than a circular object placed on top.

Why the red works

Rust-coloured soil and sediment suggest oxidized iron minerals such as hematite. Red water represents suspended mineral-rich material and staining, not liquid metal. Colour is a strong visual cue, but it does not prove that the iron came from a meteorite. [S3]

Ore and the story

The iron-rich northern province is a creator premise. Impact melting, fractured rock and later fluid circulation offer a proposed way to redistribute and concentrate resources. Real impact structures can host ore deposits, but rare earths and enriched uranium are not automatic products of an iron-rich impact. Keep those deck claims as separate fiction decisions. [S4; D5, D47]

Time to recover

A country-scale impact implies an ancient catastrophe. Its age must allow climate and ecosystems to recover before the current bird kingdoms. The exact age, original diameter and ore inventory remain unspecified.

The dry eastern core



The corrected dry side

This is the broad dry interior on the left of the creator's far-side view. High northern and eastern mountain barriers intercept proposed moisture-bearing air. Downwind descent and distance from the ocean reinforce aridity. A narrow wetter coastal margin can coexist with a huge inland desert.

More than one sand colour

The new pass distinguishes dune fields, gravel country, pale salt basins, mountain-fed channels and rocky rift margins. Permanent rivers can cross dry land when fed from snowy highlands, while smaller wadis flow episodically. The salt pans are proposed landscape details, not named canonical locations.


Why the coast has edges

Deep gulfs follow extensional weaknesses and old faults. Long peninsulas and offshore remnants preserve the direction of the older crust. The shortened western connection brings this core closer to Panterra without reducing the mountain system to a narrow footbridge.

Story use

The reference material associates eastern deserts with reptile polities. Terrain can guide caravan corridors, mountain crossings, water-dependent settlements and trading ports. Their borders and cultures are not fixed by biome alone. [D4, D42]

The independent southern continent



An old mainland with its own character

The mainland is now entirely south of the equator and substantially smaller than the joined northern land system. A split northern coast surrounds shallow embayments. Angular western capes, a southern bight and glacial inlets break up the outline. It is neither a tail of the eastern continent nor a link in a global mountain ring.

Dry interior, wet coast

The west and centre contain weathered shield uplands, gravel country, dune fields and closed salt basins. Moist onshore flow supports greener eastern slopes and coastal river plains. Farther south, westerly storm exposure makes the southwest cooler and wetter. These are latitude- and terrain-based proposals, not a simple east-green/west-yellow rule everywhere.


A hierarchy distinct from Panterra

The eastern escarpment and southern ranges are lower than the giant northern collision belt. Their peaks retain alpine snow while southern spring opens lower valleys. The old interior is lower and more eroded. Islands preserve fragments of the same structural trend.

Old homeland as a proposal

This is the proposed setting for the cats' old southern homeland. Its eastern shelf offers a route toward the new country during the former lowstand. That identification fits the latest brief but remains a naming and historical choice for the creator.

The eastern archipelago and the old crossing



Large islands, then a broken shelf route

The eastern margin breaks into several large continental islands and smaller fault-aligned fragments. Sheltered sounds, peninsulas and drowned valleys create a maritime region. Beyond it, the shallow ribbon curves northeast toward Panterra's western approach. This is the southern continent's EASTERN route toward the main continent. There is no island arc westward to the eastern dry continent; that intervening ocean is deliberately open.

A modeled lowstand connection

The present land mask keeps the southern mainland separate. In the stored physical height field, lowering sea level by 65 m connects it to Panterra along the designed shelf. The historical-view diagram shows that threshold directly. This is a tested geometric scenario; the former ice volume and timing are not independently established.


Why southern winter could expose it

Growing grounded ice stores water outside the ocean and can lower global sea level. The large southern polar continent supplies the proposed reservoir of ice. Later net land-ice loss floods the route. Floating sea ice is not the principal sea-level mechanism. Local subsidence and rebound could also change individual straits. [S11]


What still needs testing

Opposing hemispheric seasons do not automatically cause a global lowstand. Southern ice gain must exceed simultaneous northern ice loss, and later the reverse balance must permit flooding. The long shelf geometry is a deliberate worldbuilding accommodation, not a claim about normal ocean basins. A lower-resolution global bathymetry does not certify local crossing safety.

Two poles with different identities



NORTH / OCEAN + ISLANDS



SOUTH / ICE CONTINENT

North: autumn advance

The north is mainly ocean with islands and continental margins. Growing pack ice, frosting uplands and increasingly snowy passes show the approach of winter. Near the Blood Lake at about 65 degrees north, local winter weather can precede the astronomical winter boundary. An open red lake centre remains visible.


South: spring retreat, not an ice-free pole

The south retains a grounded polar ice sheet and outlet glaciers left by the former winter. Ocean pack has retreated toward the coast, exposing more open water. Large grounded ice sheets do not disappear at the start of spring. The southern inhabited continent lies well north of this polar ice mass.

Asymmetric ice storage matters

The southern hemisphere has extensive polar land on which thick ice can grow; the north has much more ocean. This asymmetry is the proposed reason southern winter could dominate the global ice budget. Actual ice volumes, accumulation rates and hysteresis require modeling. [S5, S11]

Climate follows terrain and exposure



Southern continent: wet eastern slopes, dry interior; southern westerlies moisten the southwest.

Rain shadows still follow wind

Moist air can cool and rain as it rises; descending lee air warms and dries. Mountain orientation, moisture source and latitude matter. The eastern dry continent keeps its large lee desert, while its maritime margins remain wetter. [S2]

Northern cooling is uneven

At the chosen late-autumn epoch, the far north has short days, spreading snow and coastal ice. Midlatitude uplands freeze first; lower sheltered valleys remain accessible longer. Subtropical Panterra and the low-latitude reservoir stay comparatively mild, making them plausible migration destinations.


Southern spring has several environments

The small southern continent is warming. Its subtropical north and interior can be dry despite spring; the eastern sea-facing slopes support forests and rivers. The southern coast is cooler and stormier, with alpine snow above habitable valleys. The eastern islands grade toward warmer maritime climates as the chain reaches lower latitudes.

Circulation and visual limits

The rain belt is proposed to shift south with seasonal heating. Moist onshore easterly or monsoonal flow supplies the northeast, while westerly exposure matters in the southern temperate belt. These are physically motivated assumptions, not a solved global circulation. Clouds are omitted and daylight is adjusted separately for each reference view.

Living inside thousand-year seasons



An explicit working date

Use solar longitude 255 degrees: about 833 years after the northern autumn equinox and 167 years before northern winter solstice in a circular 4,000-year orbit. The south is the same distance through spring, approaching summer. These precise numbers are proposed for continuity; the seasonal pairing follows the creator's direction. [S12]

Weather does not wait for the boundary

Northern high latitudes can already feel wintry during late autumn. Southern uplands and the polar ice sheet can remain cold during late spring. Latitude, elevation, oceans and inherited ice modify local conditions. A thousand-year season is a changing climate interval, not one daily weather pattern repeated unchanged.


Earlier crossing and current bird movement

A proposed crossing 1,100 years ago falls within the previous southern winter / northern summer. A lower ocean exposes the shelf while northern destinations are warmer. Today, net southern ice loss has drowned that corridor, while advancing northern cold pushes bird communities south. Exact ice history and migration dates remain to be agreed.

The heat source is still unresolved

A 4,000-year orbit around a one-solar-mass star has semimajor axis about 252 AU. A Sun-like star would not provide Earth-like warmth there. The setting needs a different stellar/orbital or additional-heating premise. The seasonal visuals assume that a habitable thermal solution exists. [S6]

The present seasonal distribution



Read latitude before colour

The northern impact district is entering winter conditions; lower Panterra stays milder. South of the equator, warmth is increasing. The detached continent spans subtropical to cool-temperate latitudes, so it contains desert, forest, grassland and residual alpine ice at the same moment.


Daylight makes the contrast tangible

At the proposed 255-degree epoch and assumed 24-hour rotation, the Blood Lake at 65 N receives about 3.6 hours of daylight; the reservoir at 11.5 N gets 11.4 hours; southern coastal country at 30 S gets 13.9 hours. The high Arctic has polar night while the south-polar site has continuous daylight. These are geometric estimates, excluding atmospheric refraction and mountain horizons, not temperature predictions.

A reference snapshot, not a forecast

The surface colours show one proposed epoch. Permanent terrain and seasonal snow are conceptually distinct. Ice margins and biome boundaries should shift in future seasonal editions. Render lighting is deliberately even enough to draw from; it does not depict polar darkness.

The cat crossing: then and now



Then: southern winter / northern summer

The lower panel lowers the ocean by 65 m in the stored elevation field. Exposed shelf links the old southern mainland to Panterra. The route can support generations of settlement and movement, rather than requiring one uninterrupted march. The 1,100-year date places it within the previous southern winter.


Now: southern spring / northern autumn

The same shelf is drowned and the southern mainland is separate. Islands retain traces of the former route. Northern birds now face cooling homelands and move toward milder Panterra. The present archipelago is a shipping landscape, not a modern dry crossing.

What the check proves

A periodic-grid connectivity test confirms the designed lowstand geometry. It does not establish the required global ice volume, exact water depth in each local channel, bridge longevity or the historical migration itself. Those remain stated worldbuilding assumptions.

Resources create routes and conflicts



The material contrast

The deck's Panterran economy relies on bronze/brass, scarce iron, waterways and electrical metallurgy. Northern birds bring access to an iron-rich province. The map supports that contrast through separate resource districts and costly passages between them. It does not require every useful metal to have the same geological origin. [D47]

The forest is contested infrastructure

Giant trees supply timber and support sacred avian sites. Rivers make those forests economically accessible to logging interests. Deforestation, damaged spawning streams and lost nesting places can therefore be local, visible causes of conflict rather than abstract background. [D4, D5]

The dam concentrates dependence

Power, lake level, downstream releases and transport all meet at one controlled outlet. Upstream fishing and farming communities, downstream merchants and industrial users depend on different aspects of its operation. The landscape supplies conflicting interests without prescribing who is right.

Limits of this atlas

Ore tonnages, forestry yields, crop output, electrical demand and transport capacity are not quantified. The map suggests where these systems interact; it is not a balanced economy simulation. Political ownership and final settlement names remain creator choices.

Cities and settlements need reasons

Seattle / upstream timber city

Place wharves, mills and storage beside accessible valley reaches, with forest roads above the floodplain. The city belongs to the primary river corridor. Its named global marker is a location anchor; buildings are not modeled on the globe.

London and Rome / lake country

London occupies southwestern lakeshore country and Rome a high eastern bank. Both can combine fisheries, lake shipping and agricultural hinterlands. Shorelines need harbours, terraces and seasonal operating levels before detailed city plans are drawn.

Amsterdam / downstream outlet

The large downstream city is a trade and processing center with canal links and alluvial land. Its wealth can come from controlling exchange and infrastructure rather than possessing rich local ore. This follows the deck's trade-outlet concept. [D41]

Milan / merchant island

The southern island is a useful site for maritime customs, resupply and finance. Its precise role in the inland supply chain still needs chosen routes. Do not assume the lake and sea share one uninterrupted navigable level.

Small places

Fishing villages belong in sheltered coves and on stable terraces. Crossing towns belong at ferries, bridges and junctions. Checkpoints belong at supply bottlenecks. Ancient ruins should predate the modern routes they overlook. The dam inset shows one village proposal; the planetary model does not contain a city-building kit.

Travel continuity

At 6,100 km radius, one degree of latitude is about 106 km. Several degrees between markers can mean weeks of travel, depending on transport and terrain. Route distances, seasonal pass closures and communication speeds must be set before simultaneous episode journeys are scripted.

Migration, sacred trees and choke points

A northern departure, not a featureless arrow

The bird homeland occupies the impact district and surrounding northern country in the draft. Cooling affects nesting sites, food supplies and accessible routes. Families, livestock, freight and institutions do not move like a single airborne flock. [D2, D5]

Why the passes matter to birds

Flying individuals can cross barriers that stop carts, but high altitude, weather, loads, feeding stops and ground-based supply still create preferred corridors. Western, Central and Eastern Gate are proposed lower passages. They are logistical choke points, not an absolute biological wall.

Where control becomes visible

Checkpoint stations can cluster at valley mouths, crossings, staging fields and supply depots. Beyond them, routes branch toward timber country, lakeshore towns and the downstream metropolis. The model locates candidate gates; it does not specify a border regime or a completed road network.

The forest preserves memory

Ancient avian carvings and cliff ruins sit above the western forest corridor. The old-growth refuge provides a setting where material evidence, oral history and present land claims meet. Logging can expose ruins while destroying the living landscape around them. Those are narrative proposals grounded in the deck's sacred-tree material. [D5, D9]

Historical continuity

The latest brief sets two distinct migrations: an older cat crossing enabled by southern winter, and current birds moving south as northern winter approaches. The 1,100-year crossing date is illustrative. Earlier deck dates, including roughly 700 years of northern occupation, need reconciliation with the chosen epoch; they are not silently treated as confirmed history. [D2, D5, D45]

Use the globe as a drawing reference

Choose the angle before drawing

Open the offline atlas and select the hemisphere or regional view. Orthographic cameras show the actual sphere without a map-projection stretch. Land near the limb is foreshortened; choose a closer-centered view when a region is the drawing subject. The annotated versions locate features on the same renders.

Open the editable model

CATWORLD_Terra.blend contains the terrain, packed textures, named landmark anchors and twelve atlas cameras. Frames 1-12 select their cameras and matching lights. The separate dam file uses kilometre units and two local views. Do not merge the files without converting their different scales.

Resolution and exaggeration

The global surface uses 4096 x 2048 textures: roughly 9.4 km per texel at the equator. The mesh has about 1.18 million vertices. Relief is displayed at 10x; the primary river is deliberately widened. Houses, individual trees, narrow channels and the dam wall need local models.

What can be edited

Feature names and coordinates are in features.json. Primary flow paths are in hydrology_paths.json. The reconstruction stages are build_terrain.py, reshape_geography.py and revise_southern.py. Camera definitions are in build_blender.py. The source scripts allow reproducible revision; the packed blend is usable without rebuilding.

Light and atmosphere

Clouds are omitted to expose the terrain. Each camera has broad daylight from a useful drawing angle, not one simultaneous astronomical illumination state. The blue limb is a restrained visual atmosphere; it is not an atmospheric scattering simulation.

Decisions for the creator to make next

1 / Heat source and exact epoch

Keep the confirmed northern late-autumn / southern late-spring direction. Approve or adjust the proposed 255-degree solar longitude and develop the habitable heat source for the long orbit.

2 / Homeland and coastline approval

Review the separate southern mainland and eastern archipelago, and decide whether this is officially Old Panterra. Panterra and the eastern continent remain mountain-connected. Final names, factions and political borders remain open.

3 / Reservoir history

Choose the pre-dam lake extent, dam construction sequence, filling timescale, operating level and downstream obligations. Decide whether the super-lake's extreme scale is literal or should be reduced before local maps are commissioned.

4 / Energy and material limits

Choose reliable rather than nominal power output, catchment assumptions, industrial demand and the role of scarce iron. Treat naturally enriched uranium and any unusual cooling mechanism as separate fictional premises requiring decisions.

5 / Ice budget, crossing and travel

Approve or revise the proposed 65 m lowstand and 1,100-year crossing date. Test net grounded-ice storage, relative sea level and local shelf elevations before declaring a safe historic route. Fix journey distances and seasonal pass accessibility for scripts.

6 / Next level of production detail

After those choices, commission local maps of the Seattle corridor, lake shores, dam district and selected gate valleys. They should inherit this globe's direction and scale, while replacing its exaggerated river widths and simplified settlement markers.

Sources and reference notes

D / Project references

CATWORLD PITCH DECK.pdf, 50-page development draft, and map sketches 3-5. D2 = overview/migration; D4 = Panterra; D5 = Flock; D9 = Cyrus context; D12 = Pieter/dam village; D38-42 = map concepts; D45 = chronology; D47 = materials and dam. Page numbers refer to PDF pages. The latest creator corrections take precedence. Private message screenshots and the deck itself are not redistributed in this package.

S1 / Collision mountains

USGS, The Himalayas, https://pubs.usgs.gov/gip/dynamic/himalaya.html ; National Park Service, Collisional Mountain Ranges, https://www.nps.gov/subjects/geology/plate-tectonics-collisional-mountain-ranges.htm

S2 / Rain shadows

NOAA, Teek and Tom educator guide, lesson 2, https://oceantoday.noaa.gov/teekandtom/educators-guide/lesson-2.pdf

S3 / Red iron oxides

USGS, Find-A-Feature: Red Rocks, https://www.usgs.gov/educational-resources/find-feature-red-rocks

S4 / Impact-related resources

Reimold and colleagues, Economic mineral deposits in impact structures: A review (2005), abstract record at https://hero.epa.gov/reference/1435484/ . The resource mechanisms are analogues, not a measured ore model for Terra.

S5 / Polar analogues

National Snow and Ice Data Center: https://nsidc.org/learn/parts-cryosphere/sea-ice and https://nsidc.org/learn/parts-cryosphere/ice-sheets

S6 / Orbital period

NASA, Orbits and Kepler's Laws, https://science.nasa.gov/solar-system/orbits-and-keplers-laws/ . The 252 AU figure is this guide's calculation for a one-solar-mass primary.

Sources and reference notes / continued

S7 / Hydropower

US Department of Energy, How Hydropower Works, https://www.energy.gov/cmei/water/how-hydropower-works . All Terra discharge, head, efficiency and power values are explicitly assumed examples.

S8-S9 / Dam scale comparisons

US Bureau of Reclamation, Hoover Dam, https://www.usbr.gov/projects/index.php?id=122 ; China Energy Engineering Corporation project profile, Three Gorges maximum height and capacity, https://en.ceec.net.cn/attach/0/1903261138048558920.pdf

S10 / Warming and aerosols

NASA, Causes of Climate Change, https://science.nasa.gov/climate-change/causes/ ; NASA, Aerosols: Small Particles with Big Climate Effects, https://science.nasa.gov/science-research/earth-science/climate-science/aerosols-small-particles-with-big-climate-effects/

T / Terrain provenance

Mapzen Terrain Tiles on AWS, with USGS SRTM/GMTED elevation sources. A Himalayan mosaic was warped, rescaled and combined with fictional terrain. https://registry.opendata.aws/terrain-tiles/ . Full provider attribution is bundled in source/TERRAIN_ATTRIBUTION.md. No provider endorses this fictional model.

S11 / Ice and sea level

NASA, Melting sea ice versus land ice: https://sealevel.nasa.gov/faq/23/whats-the-difference-between-melting-sea-ice-and-melting-land-ice-on-sea-levels/ ; NOAA, Local versus global sea level: https://oceanservice.noaa.gov/facts/sealevel-global-local.html . These support the mechanisms, not the fictional 65 m or 1,100-year values.

S12 / Opposite seasons

NOAA / National Weather Service, Why Do We Have The Seasons? https://www.weather.gov/fgz/Seasons . The 255-degree epoch and dates are this guide's calculations for a circular 4,000-year orbit.

Landmark catalogue / 1 of 3

01 / Ferric Sea / impact basin

64.987 latitude, 1.817 longitude. Ancient impact; iron-rich sediment and central uplift

02 / Northern Divide

36.819 latitude, -6.658 longitude. Enormous folded belt; multiple spines and high plateaus

03 / Panterran Plateau

21.091 latitude, 3.863 longitude. Dissected upland below the mountain wall

04 / Great Reservoir

11.504 latitude, -10.830 longitude. Flooded continental basin, maintained by the dam

05 / Great Panterran Dam

5.133 latitude, -2.476 longitude. Reservoir outlet at a bedrock gorge

06 / Alluvial trade outlet

-4.402 latitude, 10.242 longitude. Amsterdam shorthand; delta, canals and commerce

07 / Old-growth refuge

21.091 latitude, -38.013 longitude. Wet uplands, giant trees and logging frontier

08 / Western Gate

30.249 latitude, -46.788 longitude. Lower mountain saddle; migration checkpoint

09 / Central Gate

35.517 latitude, 22.508 longitude. Second low passage through Northern Divide

10 / Eastern Gate

38.115 latitude, 64.587 longitude. Eastern coastal and ridge crossing

Landmark catalogue / 2 of 3

11 / Southern coastal river country

-30.000 latitude, -140.000 longitude. Warm eastern coastal catchments; southern late spring

12 / Eastern escarpment

-34.000 latitude, -139.000 longitude. Rejuvenated old margin; distinct from the northern collision belt

13 / Panterran shelf approach

-1.000 latitude, -57.000 longitude. Flooded final approach of the proposed cat migration route

14 / Pieter’s fishing village

5.147 latitude, -2.443 longitude. Local dam inset site; terrace location is below global texture resolution

15 / Ancient avian cliff ruins

23.627 latitude, -47.014 longitude. Ruins above the western forest corridor

16 / London / lakeshore country

8.306 latitude, -13.931 longitude. Proposed city on the southwestern lake shore; elevated above the reservoir

17 / Merchant island

-31.190 latitude, 7.219 longitude. Milan shorthand; trade controls in southern strait

18 / Great leeward desert

-0.314 latitude, 120.722 longitude. Dry interior on the left of the marked far-side view

19 / Eastern rift gulf

11.737 latitude, 92.865 longitude. Fault-bounded gulf opening into the southern sea

20 / Eastern shelf archipelago

-24.000 latitude, -125.000 longitude. Large continental fragments, drowned valleys and narrow sounds

Landmark catalogue / 3 of 3

21 / Old southern shield

-28.000 latitude, -163.000 longitude. Dry sandstone basins, weathered uplands and salt pans

22 / Eastern collision knot

32.896 latitude, 70.405 longitude. Broad transpressional uplands joining eastern terranes

23 / Northern remnant island

55.000 latitude, -161.000 longitude. Small isolated glacial remnant; cooling into winter

24 / Seattle / upstream timber city

20.409 latitude, -33.549 longitude. Primary river flows from here INTO the super-lake

25 / Rome / eastern lake shore

10.679 latitude, -2.593 longitude. Proposed high-bank city overlooking the lake; distinct from the downstream metropolis

26 / Deep separating ocean

-5.000 latitude, 169.000 longitude. Open water separates the eastern core from the southern continent

27 / Drowned migration shelf

-18.000 latitude, -100.000 longitude. Former dry crossing at illustrative sea level 65 m lower

28 / Arctic crown islands

80.000 latitude, -80.000 longitude. Glaciated bedrock islands and straits amid broken pack ice

29 / South polar ice continent

-77.000 latitude, 105.000 longitude. Asymmetric land ice, coastal mountains and outlet glaciers

30 / Southern embayment

-76.000 latitude, -25.000 longitude. Deep marine inlet interrupts the south polar ice sheet

Specifications and camera index

Model scale

Radius 6,100 km; axial tilt 23.4 degrees; orbital period 4,000 Earth years; assumed rotation 24 hours. Globe radius in Blender is 10 units. Physical elevation is separate from 10x display relief. The dam model uses 1 unit = 1 km.

Resolution

1,181,953 globe vertices and 1,179,648 quads. Four packed 4096 x 2048 maps. Twelve 2048 x 2048 globe renders and two 2400 x 1600 dam renders. Thirty named geographic anchors. Reservoir footprint: 1,535,016 km2. Peak physical elevation: 10.74 km.


Validation

Panterra and the east are connected; the southern core is separate. The designed shelf connects at -65 m sea level; polar land remains separate. Sampled primary river and outlet grades descend. Named city sites are checked against land and reservoir masks. Source scripts, image sizes, gallery links and packed textures are checked. These checks do not replace tectonic, climate, erosion or hydraulic simulation.

Frame 01 - 01_panterra - center 22 lat / 0 lon
Frame 02 - 02_eastern - center 0 lat / 90 lon
Frame 03 - 03_western - center 0 lat / -90 lon
Frame 04 - 04_far_side - center -12 lat / 180 lon
Frame 05 - 05_north_pole - center 90 lat / 0 lon
Frame 06 - 06_south_pole - center -90 lat / 0 lon
Frame 07 - 07_panterra_close - center 15 lat / -8 lon
Frame 08 - 08_impact_close - center 65 lat / 2 lon
Frame 09 - 11_maritime_continent - center -32 lat / -153 lon
Frame 10 - 12_eastern_continent - center 5 lat / 135 lon
Frame 11 - 13_seattle_waterway - center 16 lat / -25 lon
Frame 12 - 14_archipelago - center -18 lat / -108 lon

Dam file: frame 1 = valley context; frame 2 = structural detail. Clean PNGs, annotated PNGs, editable models, textures, source scripts, CSV landmarks and this guide are included in the full archive.

Panterra / front hemisphere



Center 22 latitude / 0 longitude. Orthographic view; relief displayed at 10x.

01 / Ferric Sea / impact basin
Ancient impact; iron-rich sediment and central uplift

02 / Northern Divide
Enormous folded belt; multiple spines and high plateaus

03 / Panterran Plateau
Dissected upland below the mountain wall

04 / Great Reservoir
Flooded continental basin, maintained by the dam

05 / Great Panterran Dam
Reservoir outlet at a bedrock gorge

06 / Alluvial trade outlet
Amsterdam shorthand; delta, canals and commerce

07 / Old-growth refuge
Wet uplands, giant trees and logging frontier

16 / London / lakeshore country
Proposed city on the southwestern lake shore; elevated above the reservoir

24 / Seattle / upstream timber city
Primary river flows from here INTO the super-lake

25 / Rome / eastern lake shore
Proposed high-bank city overlooking the lake; distinct from the downstream metropolis

Eastern hemisphere



Center 0 latitude / 90 longitude. Orthographic view; relief displayed at 10x.

10 / Eastern Gate
Eastern coastal and ridge crossing

19 / Eastern rift gulf
Fault-bounded gulf opening into the southern sea

26 / Deep separating ocean
Open water separates the eastern core from the southern continent

18 / Great leeward desert
Dry interior on the left of the marked far-side view

22 / Eastern collision knot
Broad transpressional uplands joining eastern terranes

Western hemisphere



Center 0 latitude / -90 longitude. Orthographic view; relief displayed at 10x.

07 / Old-growth refuge
Wet uplands, giant trees and logging frontier

08 / Western Gate
Lower mountain saddle; migration checkpoint

11 / Southern coastal river country
Warm eastern coastal catchments; southern late spring

12 / Eastern escarpment
Rejuvenated old margin; distinct from the northern collision belt

13 / Panterran shelf approach
Flooded final approach of the proposed cat migration route

20 / Eastern shelf archipelago
Large continental fragments, drowned valleys and narrow sounds

21 / Old southern shield
Dry sandstone basins, weathered uplands and salt pans

24 / Seattle / upstream timber city
Primary river flows from here INTO the super-lake

27 / Drowned migration shelf
Former dry crossing at illustrative sea level 65 m lower

Far-side hemisphere



Center -12 latitude / 180 longitude. Orthographic view; relief displayed at 10x.

11 / Southern coastal river country
Warm eastern coastal catchments; southern late spring

12 / Eastern escarpment
Rejuvenated old margin; distinct from the northern collision belt

18 / Great leeward desert
Dry interior on the left of the marked far-side view


21 / Old southern shield
Dry sandstone basins, weathered uplands and salt pans

23 / Northern remnant island
Small isolated glacial remnant; cooling into winter

26 / Deep separating ocean
Open water separates the eastern core from the southern continent

27 / Drowned migration shelf
Former dry crossing at illustrative sea level 65 m lower

North polar view



Center 90 latitude / 0 longitude. Orthographic view; relief displayed at 10x.

01 / Ferric Sea / impact basin
Ancient impact; iron-rich sediment and central uplift

02 / Northern Divide
Enormous folded belt; multiple spines and high plateaus

09 / Central Gate
Second low passage through Northern Divide

10 / Eastern Gate
Eastern coastal and ridge crossing

23 / Northern remnant island
Small isolated glacial remnant; cooling into winter

28 / Arctic crown islands
Glaciated bedrock islands and straits amid broken pack ice

South polar view



Center -90 latitude / 0 longitude. Orthographic view; relief displayed at 10x.

11 / Southern coastal river country
Warm eastern coastal catchments; southern late spring


12 / Eastern escarpment
Rejuvenated old margin; distinct from the northern collision belt

17 / Merchant island
Milan shorthand; trade controls in southern strait

29 / South polar ice continent
Asymmetric land ice, coastal mountains and outlet glaciers

30 / Southern embayment
Deep marine inlet interrupts the south polar ice sheet

Panterra / regional study



Center 15 latitude / -8 longitude. Orthographic view; relief displayed at 10x.

FLOW: Seattle -> super-lake -> dam -> downstream city

02 / Northern Divide
Enormous folded belt; multiple spines and high plateaus

03 / Panterran Plateau
Dissected upland below the mountain wall

04 / Great Reservoir
Flooded continental basin, maintained by the dam

05 / Great Panterran Dam
Reservoir outlet at a bedrock gorge

06 / Alluvial trade outlet
Amsterdam shorthand; delta, canals and commerce

07 / Old-growth refuge
Wet uplands, giant trees and logging frontier


16 / London / lakeshore country
Proposed city on the southwestern lake shore; elevated above the reservoir

24 / Seattle / upstream timber city
Primary river flows from here INTO the super-lake

25 / Rome / eastern lake shore
Proposed high-bank city overlooking the lake; distinct from the downstream metropolis

REFERENCE PLATE 08

Northern impact basin



Center 65 latitude / 2 longitude. Orthographic view; relief displayed at 10x.

01 / Ferric Sea / impact basin
Ancient impact; iron-rich sediment and central uplift

02 / Northern Divide
Enormous folded belt; multiple spines and high plateaus

09 / Central Gate
Second low passage through Northern Divide

28 / Arctic crown islands
Glaciated bedrock islands and straits amid broken pack ice

Great dam / valley context



Local engineering concept. Scale: 1 unit = 1 km.

A / Great Reservoir

B / Gravity dam / service crest

C / Gated spillway


D / Turbine galleries

E / Tailwater / river

F / Abutment checkpoint

G / Fishing village

Great dam / structural study



Local engineering concept. Scale: 1 unit = 1 km.

B / Gravity dam / service crest

C / Gated spillway

D / Turbine galleries

E / Tailwater / river

F / Abutment checkpoint

Southern continent



Center -32 latitude / -153 longitude. Orthographic view; relief displayed at 10x.

11 / Southern coastal river country
Warm eastern coastal catchments; southern late spring

12 / Eastern escarpment
Rejuvenated old margin; distinct from the northern collision belt

20 / Eastern shelf archipelago
Large continental fragments, drowned valleys and narrow sounds

21 / Old southern shield
Dry sandstone basins, weathered uplands and salt pans

26 / Deep separating ocean
Open water separates the eastern core from the southern continent

Eastern continent



Center 5 latitude / 135 longitude. Orthographic view; relief displayed at 10x.

10 / Eastern Gate
Eastern coastal and ridge crossing

19 / Eastern rift gulf
Fault-bounded gulf opening into the southern sea

18 / Great leeward desert
Dry interior on the left of the marked far-side view

26 / Deep separating ocean
Open water separates the eastern core from the southern continent

Seattle / primary waterway



Center 16 latitude / -25 longitude. Orthographic view; relief displayed at 10x.

FLOW: Seattle -> super-lake -> dam -> downstream city

04 / Great Reservoir
Flooded continental basin, maintained by the dam

16 / London / lakeshore country
Proposed city on the southwestern lake shore; elevated above the reservoir

07 / Old-growth refuge
Wet uplands, giant trees and logging frontier

24 / Seattle / upstream timber city
Primary river flows from here INTO the super-lake

Eastern archipelago



Center -18 latitude / -108 longitude. Orthographic view; relief displayed at 10x.

11 / Southern coastal river country
Warm eastern coastal catchments; southern late spring

12 / Eastern escarpment
Rejuvenated old margin; distinct from the northern collision belt

13 / Panterran shelf approach
Flooded final approach of the proposed cat migration route

20 / Eastern shelf archipelago
Large continental fragments, drowned valleys and narrow sounds

27 / Drowned migration shelf
Former dry crossing at illustrative sea level 65 m lower