



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x112 y 205

PC0-PT PC0

2960-24TT Switch0

Device Name: Switch0
Custom Device Model: 2960 D0S15
Realtime Switch

Port	Link	VLAN	IP Address	MAC Address
FastEthernet0/1	Up	1	---	0006.2A60.2401
FastEthernet0/2	Down	1	---	0006.2A60.2402
FastEthernet0/3	Down	1	---	0006.2A60.2403
FastEthernet0/4	Down	1	---	0006.2A60.2404
FastEthernet0/5	Down	1	---	0006.2A60.2405
FastEthernet0/6	Down	1	---	0006.2A60.2406
FastEthernet0/7	Down	1	---	0006.2A60.2407
FastEthernet0/8	Down	1	---	0006.2A60.2408
FastEthernet0/9	Down	1	---	0006.2A60.2409
FastEthernet0/10	Down	1	---	0006.2A60.240A
FastEthernet0/11	Down	1	---	0006.2A60.240B
FastEthernet0/12	Down	1	---	0006.2A60.240C
FastEthernet0/13	Down	1	---	0006.2A60.240D
FastEthernet0/14	Down	1	---	0006.2A60.240E
FastEthernet0/15	Down	1	---	0006.2A60.240F
FastEthernet0/16	Down	1	---	0006.2A60.2410
FastEthernet0/17	Down	1	---	0006.2A60.2411
FastEthernet0/18	Down	1	---	0006.2A60.2412
FastEthernet0/19	Down	1	---	0006.2A60.2413
FastEthernet0/20	Down	1	---	0006.2A60.2414
FastEthernet0/21	Down	1	---	0006.2A60.2415
FastEthernet0/22	Down	1	---	0006.2A60.2416
FastEthernet0/23	Down	1	---	0006.2A60.2417
FastEthernet0/24	Down	1	---	0006.2A60.2418
GigabitEthernet0/1	Down	1	---	0006.2A60.2419
GigabitEthernet0/2	Down	1	---	0006.2A60.241A
VLAN1	Up	1	192.168.0.2/24	0001.63C3.5982

Physical Location: Intercity > Home City > Corporate Office > Main Wiring Closet > Rack > Switch0

Time: 00:05:36

Scenario 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".

Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x111 y 11

PC0-PT PC0

2960-24TT Switch0

PC0

Physical Config Desktop Programming Attributes

Command Prompt

```

Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.0.2

Pinging 192.168.0.2 with 32 bytes of data:
Request timed out.
Reply from 192.168.0.2: bytes=32 time=1ms TTL=64
Reply from 192.168.0.2: bytes=32 time=1ms TTL=64
Reply from 192.168.0.2: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.0.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>telnet 192.168.0.2
Trying 192.168.0.2 ... Open
[Connection to 192.168.0.2 closed by foreign host]
C:\>

```

Time: 00:06:36

Scenario 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".

Realtime Simulation

