



Bid Document

Bid Dataile				
Bid Details				
Bid End Date/Time	06-08-2021 15:00:00			
Bid Opening Date/Time	06-08-2021 15:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Uttar Pradesh			
Department Name	Urban Development Department Uttar Pradesh			
Organisation Name	N/a			
Office Name	Nagar Panchayat Bhojpurdharmpur			
Total Quantity	100			
Item Category	Octagonal Pole with Single Arm or Double Arm Brackets , Led Luminaire (For Road And Street Lights)-IS:10322, IS: 16107, IS:16108,IS: 16103,IS:10322			
Minimum Average Annual Turnover of the Bidder 5 Lakh (s)				
OEM Average Turnover (Last 3 Years)	10 Lakh (s)			
Years of Past Experience required 3 Year (s)				
MSE Exemption for Years Of Experience and Turnover	Yes			
Startup Exemption for Years Of Experience and Turnover	Yes			
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience /			
	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Past Performance	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by			
Past Performance Bid to RA enabled	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer 80 %			
Bid to RA enabled	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer 80 % Yes			
Bid to RA enabled Annual Maintenance Charges Required	Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer 80 % Yes Led Luminaire (For Road And Street Lights)-IS:10322, IS:			

EMD Detail

Advisory Bank	State Bank of India	
EMD Percentage(%)	5.00	
EMD Amount	100000	

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	24

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

EXECUTIVE OFFICER NAGAR PANCHAYAT BHOJPURDHARMPUR, MORADABAD Nagar Panchayat Bhojpurdharmpur, Urban Development Department Uttar Pradesh, N/A, (Firasat Husain)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference No	Purchase Preference	
----------------------------	---------------------	--

MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Octagonal Pole With Single Arm Or Double Arm Brackets (50 set)

Brand Type	Unbranded
, ,	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	The Octogonal pole Designing, Engineering, Fabrication and testing before despath with required height and required no. of light fittings with luminaire carriage etc., for illumination of open areas	Yes
	Height of Octogonal pole (in Meters)	7
	Type of bracket for suitable fitment of luminare on the Octagonal pole	Single Arm
	Each bracket length (in mm)	1000
	No. of LED Luminaires can be fitted in the bracket of each octagonal pole (in Nos.)	1
	Installation, testing and demonstration	Including Civil work at site
	On site warranty (in Months)	12
OCTAGONAL POLE	Material of Octagonal pole	Grade 355 as per IS:5986:2011 latest
CONSTRUCTION	No.of section (in Nos.)	1

Specification	Specification Name	Bid Requirement (Allowed Values)	
	Cross section of Octagonal pole (no of sides)	8 sided polygon	
	Internal distance between parallel faces at the base of pole	130	
	Internal distance between parallel faces at the top of pole	70	
	Octagonal pole sheet thickness	3	
	Type of welding	Seamless Single longitutinal Saw weld (No circumference weld allowed)	
	No of longitudinal welds (in Nos)	1	
	No. of stiffners per pole	No	
	Metal protection treatment of fabircated mast section	Hot dip Galvanised, as per IS:4759 latest: 610 g/m2, Hot dip Galvanised, as per IS:4759 latest: 460 g/m2, Hot dip Galvanised, as per NTPC Specn. 860 g/m2	
	Door opening on base of the pole (opening permits clear access to equipment like MCB, Switches, cables, etc.,)	Door opening: 500 mm height from base plate, Size: 100 mm x 500 mm with Gasket, Without door opening	
	Type of locking arrangement for door	Pad lock with key, Without door opening	
BASE PLATE	Base plate material	Grade: E250, Quality:BR (as per IS:2062:2011 latest), Grade: E275, Quality:BR (as per IS:2062:2011 latest), Grade:E300, Quality:BR (as per IS:2062:201 1 latest), Grade:E350, Quality:BR (as per IS:2062:201 1 latest), Grade:E450, Quality:BR (as per IS:2062:201 1 latest), Grade:E550, Quality:BR (as per IS:2062:201 1 latest), Grade:E600, Quality:BR (as per IS:2062:201 1 latest)	
	Base plate size - (Length in mm x Width in mm x Thickness in mm)	200x200x12, 225x225x16, 250X250X16, 275/275/16 300X300X16, 300x300x20	
	Necessary accessories on each pole	Suitable foundation Bolts, Nuts and Washers and instruction manual	
	Each pole shall be supply with suitable foundation bolts, nuts and washers, Instruction manuals	Yes, Yes. including Anchor Plate 300 mm (L) x 300 mm (W) x 3 mm thick and with 4 Nos. of terminal block (each 32 A rating)	
	Foundation Bolt type	J-Type	
	No. of Bolts x No. of Nuts per Bolt x No.of Washers per Bolt for each pole (in Nos.)	4x3x3	
	Bolt size	M16x500, M16x600, M20x600, M20x700, M24x750	

Specification	Specification Name	Bid Requirement (Allowed Values)	
	Conformity of specification for Bolts and Nuts	as per IS:1367 (Part 2) , Grade A, as per IS:1367 (Part 2) , Grade B, as per IS:1367 (Part 2) , Grade C	
	Galvanization of foundation bolts and nuts and octagonal pole shall be Galvanized	As per IS:4759 latest	
	Earthing terminals on the base of the pole, for lightning and electrical protection	Using 12 mm dia SS Bolts of suitable length	
WIND LOAD	Compliance to wind velocity test for the pole structure	IS 875:1987 part 3 latest	
	Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s)	33, 39, 44, 47, 50, 55	
	Gust Factor	1.15	
	The designed Life of the Pole shall be (in Years)	25	
ADD ON ITEMS	Galvanized lightning finial for each pole (in Nos)	1 No. with 1.2 m length with Bolt and Nuts, Without Lightning Finial	
	Aviation obstruction lights on top of each pole with vertical stand and with LED/GLS (in Nos)	1 No. LED, 2 Nos. LED, Without Aviation Light	
	Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light fixtures on the carriages	Yes, No	
	Material of Junction Box	Cast aluminium, Mild steel, Galvanized iron, Without Junction Box	
	Ingress protection class of Junction Box	IP 65 (as per IS/IEC60529:2001 latest), IP 66 (as per IS/IEC60529:2001 latest), IP 67 (as per IS/IEC60529:2001 latest), Without Junction Box	
	Cable (ISI Marked Cable) connections from the top junction box to the individual luminaries of each pole	2 C x 1.5 Sq.mm, Copper cable, FR Category as per IS:694, 2 C x 2.5 Sq.mm, Copper cable, FR Category as per IS:694, 2 C x 4 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 1.5 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 2.5 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 4 Sq.mm, Copper cable, FR Category as per IS:694, Without Cable Connection	

Specification	Specification Name	Bid Requirement (Allowed Values)		
	Cable (ISI Marked Cable) connections from the Bottom of the pole i.e. from pole's door opening (Base compartment) to top junction box of each pole	2 C x 4 Sq.mm, Copper cable, FR Category as per IS:694, 2 C x 6 Sq.mm, Copper cable, FR Category as per IS:694, 2 C x 10 Sq.mm, Copper cable, FR Category as per IS:694, 2 C x 16 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 4 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 6 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 10 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 16 Sq.mm, Copper cable, FR Category as per IS:694, 3 C x 16 Sq.mm, Copper cable, FR Category as per IS:694, Without Cable Connection		
	Terminal Box with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole	MCB, 5A, 1P, 240V, AC, MCB, 6A, 1P, 240V, AC, MCB, 10A, 1P, 240V, AC, MCB, 16A, 1P, 240V, AC, Without MCBs		
	No.of MCB per Junction Box (in Nos.)	1, 2, 3, 4, Without MCBs		
	Suitable winch mechanism (raising and lowering mechanism) according to pole height and according to no.of LED luminaires with necessary interlocking, wires and ropes for maintenance	Manual Operated. Load carrying capacity: Min.750 Kg, Without Winch Mechanism		
CERTIFICATIONS	Availability of type test reports for the entire system including for Pole construction, wind load (velocity) tests, Winch Mechanism, from Central Govt., Lab/NABL.ILAC acreediated lab to prove conformity of the specification	Yes		

Annual Maintenance	
Warranty of required product	5 Year
Annual Maintenance Charges Duration (Post Warranty)	5 Year
Annual Maintenance Charges Frequenecy	Quarterly

Consignees/Reporting Officer and Quantity

^{*}Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Firasat Husain	244402,Nagar Panchayat Bhojpur Dharmpur	50	15

Led Luminaire (For Road And Street Lights)-IS:10322, IS: 16107, IS:16108,IS: 16103,IS:10322 (50 pieces)

Drand Type	Designation of Drawd
Brand Type	Registered Brand

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)	
STANDARDS	LED Rating (in Watts)/System Wattage/Rated Power	45W	
	Luminaire System Efficacy (Lumen/watt)	>/= 100 Lm/Watt, 130 Lm/Watt	
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest	IP66	
	Warranty for free replacement (in years)	5	
ELECTRICAL EFFICIENCY	Input operating Voltage range and frequency	90 to 300 Volts AC at 50 Hz+/-2	
OPTICAL	LED chip Efficacy	≥130 Lm/Watt	
THERMAL MANAGEMENT	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively	Yes	
	Operating temperature range	-10 deg C to +50 deg C	
PROTECTION	Short circuit Protection	Yes	
	Over load protecton	Yes	
	Over Voltage protection	Yes	
	Reverse polarity	Yes	
	The luminaire shall be protected against surges and transients (Internal)	>/=4KV, 4KV	
CONSTRUCTIONAL	Protection of the entire housing (both LED section and driver section) as per IS:10322 (Part 1):1982 latest	IP66	
	Number of electronic control gear (power supplies)	1 No., 2 Nos., 3 Nos., 4 Nos.	

Specification	Specification Name	Bid Requirement (Allowed Values)	
	Light Source	SMD LED Chip as per LM 80/IS16106	
	Length of ISI marked three core wire (shall be provided along with supply of material)	50 cm, 100 cm	
MARKING	"Manufactures Name and and brand on the aluminium die cast body "	Engraved/Embossed	
Reports And Certifications	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND	
	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government Lab /NABL/ILAC accrediated lab. Reports shall be furnish to the buyer / consignee on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc.,	Yes	
	LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accrediated lab. Reports shall be furnish to the buyer / consignee on demand (LM-80 report shall have the Pohoto Biological re	Yes	
	Availability of test Report from Central Government Lab /NABL/ILAC accrediated lab to Indian Standrad IS:10322/part 5/sec-3/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes	
	Seller shall furnish the Type test reports to the buyer / consignee on demand	Yes	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Firasat Husain	244402,Nagar Panchayat Bhojpur Dharmpur	50	15

Buyer Added Bid Specific Additional Terms and Conditions

- 1. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6. Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
- 7. Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 5 years for the offered products at the rate not more than 5 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement (covering preventive maintenance and servicing) with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Quarterly after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 5% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).
- 8. Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 5 % of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would be made Quarterly after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of 50 (Upload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 5% of total CMC value valid up to CMC period plus 2 months (if there is no other

claim).

- 9. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 10. ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.
- 11. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 12. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 13. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): LM79,LM80,TDS REPORT,CRS,TRADE MARK,MANUFACTURING LICENCE, INCORPORATION CERTIFICATE, IN HOUSE NABL LAB BY OEM CERTIFY CERTIFICATE, AAA PWD CERTIFICATE FOR STREET LIGHT, LIGHT SHOULD BE IP66 WITH PORTED DRIVER, OEM DETAILS SHOULD BE LED LIGHT, BIDDER AND OEM ISO, 5 YEARS CERTIFICATE BIS CERTIFICATE.
- 14. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

Additional Clause For Annual Maintenance Charges

- **1.**AMC charges to be indicated as percentage of cost of Product/Equipment quoted for each year after the warranty period.
- 2. GST shall be included in the AMC Charges guoted.
- **3.** The AMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to RA decrement rules shall be applicable on total price inclusive of AMC charges.
- **3.1** Buyer shall indicate number of years of warranty by selecting option of 1- 10 Years available in the field depending on warranty parameter applicable in category parameters for the equipment. The Seller while participating in Bid/RA will get fields to indicate AMC charges as percentage depending on number of years of AMC selected by Buyer. The following shall be applicable If 5 year AMC selected.
- 3.1.1 AMC charges for first year after warranty period Percentage to be indicated- A1.
- **3.1.2** AMC charges for second year after warranty period Percentage to be indicated A2.
- **3.1.3** AMC charges for third year after warranty period Percentage to be indicated A3.
- 3.1.4 AMC charges for fourth year after warranty period Percentage to be indicated A4.
- **3.1.5** AMC charges for 5th year after warranty period Percentage to be indicated A5.
- **3.2** The calculation of AMC Charges shall take in to account of number of years of warranty and duration of AMC as specified while creating bid.

- **3.3** AMC charges to be indicated for each subsequent year should be same or higher than preceding year.
- **3.4** The AMC charges shall be offered within range of 3 to 10% of cost of equipment.
- **4.**Since AMC charges are to be paid only later for each year during AMC period, applicable performance guarantee amount after placement of contract shall be based on the cost of product/equipment and not on basis of cost of equipment along with AMC Charges.
- **5.** Performance bank guarantee applicable for AMC is to be submitted at start of the AMC and shall be applicable as 2.5% on the total contract value including AMC Charges The PBG submitted after award of contract shall be released only after new PBG for the AMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for AMC is to remain valid till completion of AMC period plus one year .The bank guarantee for AMC shall be submitted to buyer directly.
- **6.** In case of splitting of quantity product/equipment cost and AMC charges offered by L-1 in the evaluated cost shall be matched by higher quoting eligible bidders on one to one basis .The equipment cost shall be matched and AMC charges shall be matched year to year.
- **7.** The AMC Contract shall be an offline contract to be handled by buyer. The payment of AMC will be made on AMC frequency (as indicated above) basis after satisfactory completion of said period, duly certified by end user and scope of AMC will be as per para 1 above.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---