

## Bid Document

Bid Details	
<b>Bid End Date/Time</b>	07-08-2021 12:00:00
<b>Bid Opening Date/Time</b>	07-08-2021 12:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	30 (Days)
<b>Ministry/State Name</b>	Andaman & Nicobar
<b>Department Name</b>	Revenue Department Andaman & Nicobar
<b>Organisation Name</b>	N/a
<b>Office Name</b>	South Andaman
<b>Total Quantity</b>	8
<b>Item Category</b>	Almirah Steel-IS:3312 , Steel Tables-IS: 8126 , Chairs-Office-IS 3499
<b>MSE Exemption for Years of Experience and Turnover</b>	No
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Bid to RA enabled</b>	No
<b>Primary product category</b>	Almirah Steel-IS:3312
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Evaluation Method</b>	Total value wise evaluation

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### MSE Purchase Preference

MSE Purchase Preference	No
-------------------------	----

**MII Purchase Preference**

MII Purchase Preference	No
-------------------------	----

**Almirah Steel-IS:3312 ( 2 pieces )**

Brand Type	Unbranded
------------	-----------

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet ±10 (mm)</b>	N.A
	<b>Width of Glass Sheet ±10 (mm)</b>	N.A
	<b>Sheet Thickness of door in mm</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of Shelves</b>	0.8 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.8 mm (Minimum)
	<b>Material of Lock</b>	steel
	<b>Material of Keys</b>	steel
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No
	<b>No of shelves (Nos)</b>	5
	<b>Type of Shelves</b>	Fixed
	<b>Locker Provided</b>	No
	<b>Locking System with the locker</b>	NA
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1800
	Width in mm ( $\pm 7$ mm)	910.0
	Depth in mm ( $\pm 5$ mm)	480.0
	Inside Height of Locker in mm ( $\pm 5$ mm)	N.A
	Inside Width of Locker in mm ( $\pm 5$ mm)	N.A
	Inside Depth of Locker in mm ( $\pm 5$ mm)	N.A
	Width of Stiffner in mm ( $\pm 5$ mm)	125 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.8 mm
	Stiffened Pedestal height in mm ( $\pm 2$ mm)	125
	Pedestal Width in mm ( $\pm 2$ mm)	75
COLOUR & FINISH	Finish	Synthetic enamel
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Tarak Roy	744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands	2	45

**Almirah Steel-IS:3312 ( 1 pieces )**

Brand Type	Unbranded
------------	-----------

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet ±10 (mm)</b>	N.A
	<b>Width of Glass Sheet ±10 (mm)</b>	N.A
	<b>Sheet Thickness of door in mm</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of Shelves</b>	0.8 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.8 mm (Minimum)
	<b>Material of Lock</b>	steel
	<b>Material of Keys</b>	steel
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	Yes
	<b>No of shelves (Nos)</b>	3
	<b>Type of Shelves</b>	Adjustable
	<b>Locker Provided</b>	Yes
	<b>Locking System with the locker</b>	NO
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	2
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A
	<b>Construction</b>	Welded
	<b>Lock</b>	Three Way bolting device controlled by lock

Specification	Specification Name	Bid Requirement (Allowed Values)
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1155
	Width in mm ( $\pm 7$ mm)	760.0
	Depth in mm ( $\pm 5$ mm)	430.0
	Inside Height of Locker in mm ( $\pm 5$ mm)	N.A
	Inside Width of Locker in mm ( $\pm 5$ mm)	N.A
	Inside Depth of Locker in mm ( $\pm 5$ mm)	N.A
	Width of Stiffner in mm ( $\pm 5$ mm)	N.A
	Thickness of MS Sheet of Stiffner (in mm)	0.8 mm
	Stiffened Pedestal height in mm ( $\pm 2$ mm)	120
	Pedestal Width in mm ( $\pm 2$ mm)	75
COLOUR & FINISH	Finish	Synthetic enamel
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Tarak Roy	744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands	1	45

#### Steel Tables-IS: 8126 ( 2 pieces )

Brand Type	Unbranded
------------	-----------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Storage	one side

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Total Number of Storage Units</b>	triple storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	<b>Table Top Length +/- 10(mm)</b>	1205.0
	<b>Table Top Width +/-10(mm)</b>	600.0
	<b>Table Height +/-5(mm)</b>	760.0
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.8 mm M S sheet
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	575.0
	<b>Width of Locker / Cupboard type Storage unit</b>	355 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	550 mm
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	NO
	<b>BIFMA certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Green guard certification</b>	NO
WARANTEE	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Tarak Roy	744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands	2	45

**Chairs-Office- IS 3499 ( 3 pieces )**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Type of material (other than wood) used in Polythene cane Chair</b>	Polypropylene Copolymer (PPCP) - Moulded single piece
	<b>Material of Fabric Back Cover</b>	leather
	<b>Frame Material</b>	wood
	<b>Material of Fabric of Seat Cover</b>	fabric
	<b>Thickness of Plywood used in Seat <math>\pm 1</math>(mm)</b>	18 mm
	<b>GSM/Thickness of Fabric <math>\pm 5</math> (Gram per Sq Meter)</b>	80 Gram per Sq Meter
	<b>Arm Material</b>	virgin plastic
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)</b>	25 mm
	<b>Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)</b>	15 mm
GENERIC	<b>Chair Type</b>	With Arms
	<b>Type of Seat and Backrest</b>	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene
	<b>Frame Type</b>	4 Legs
	<b>Castors</b>	Without
DIMENSION	<b>Size of Material (mm)</b>	14 SWG 25 mm round pipe
	<b>Chair Height <math>\pm 15</math>(mm)</b>	700 mm
	<b>Seat Depth <math>\pm 10</math>(mm)</b>	400 mm
	<b>Seat Width <math>\pm 10</math> (mm)</b>	400 mm
	<b>Seat Height IN MM <math>\pm 5</math>(mm)</b>	430
	<b>Backrest Width <math>\pm 10</math>(mm)</b>	400 mm
	<b>Backrest Height <math>\pm 10</math>(mm)</b>	350 mm
	<b>Arm Length <math>\pm 5</math>(mm)</b>	350 mm
	<b>Arm Width <math>\pm 2</math>(mm)</b>	40 mm
COLOUR & FINISH	<b>Paint Type</b>	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007 certified	NO
WARRANTY	Warranty period in number of years	1

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Tarak Roy	744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands	3	45

### Buyer Added Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

### Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)



In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**