

Bid Document

Bid Details	
Bid End Date/Time	06-08-2021 14:00:00
Bid Opening Date/Time	06-08-2021 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10120029-herp, Varanasi
Total Quantity	92
Item Category	Miniature Circuit Breakers-IS 60898-1:2002 , distribution or control board enclosures (Distribution board for MCBs)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Miniature Circuit Breakers-IS 60898-1:2002
Time allowed for Technical Clarifications during technical evaluation	2 Days
Estimated Bid Value	52427.7
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	3400	Miniature Circuit Breakers-is 60898-1:2002	4

Schedule 2	3740	Miniature Circuit Breakers-is 60898-1:2002	4
Schedule 3	3740	Miniature Circuit Breakers-is 60898-1:2002	4
Schedule 4	2050	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 5	2900	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 6	2340	Miniature Circuit Breakers-is 60898-1:2002	3
Schedule 7	850	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 8	850	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 9	850	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 10	1176	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 11	294	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 12	320	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 13	1450	Miniature Circuit Breakers-is 60898-1:2002	10
Schedule 14	1435	Miniature Circuit Breakers-is 60898-1:2002	10
Schedule 15	620	Miniature Circuit Breakers-is 60898-1:2002	5
Schedule 16	560	Miniature Circuit Breakers-is 60898-1:2002	4
Schedule 17	1900	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 18	1420	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 19	1420	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 20	1420	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 21	1420	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 22	1420	Miniature Circuit Breakers-is 60898-1:2002	2
Schedule 23	760	Distribution Or Control Board Enclosures (Distribution Board For Mcbs)	4
Schedule 24	12720	Distribution Or Control Board Enclosures (Distribution Board For Mcbs)	6
Schedule 25	2020	Distribution Or Control Board Enclosures (Distribution Board For Mcbs)	2
Schedule 26	680	Miniature Circuit Breakers-is 60898-1:2002	4
Schedule 27	673	Miniature Circuit Breakers-is 60898-1:2002	4

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
---------------	--------------------	----------------------------------

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	10 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	4 pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	4 pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	20 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	4 pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	40 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT

Specification	Specification Name	Bid Requirement (Allowed Values)
	No of poles/Protected poles(PP)	4 pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	63 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	4 pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (3 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	4.0
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	2 pole with 2 PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	3	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	2 pole with 2 PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	20 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	2 pole with 2 PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	25 A
	Instantaneous Tripping Range	C

Specification	Specification Name	Bid Requirement (Allowed Values)
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	2 pole with 2 PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	B
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	2 pole with 2 PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	6 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (10 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	6 A
	Instantaneous Tripping Range	B
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	10	60

Miniature Circuit Breakers-IS 60898-1:2002 (10 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	10 A

Specification	Specification Name	Bid Requirement (Allowed Values)
	Instantaneous Tripping Range	B
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	10	60

Miniature Circuit Breakers-IS 60898-1:2002 (5 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	B
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	5	60

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	25 A
	Instantaneous Tripping Range	B
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	2.0 a
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	6 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	10 A

Specification	Specification Name	Bid Requirement (Allowed Values)
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	16 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	20 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	25 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	3pole with 3PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Distribution Or Control Board Enclosures (Distribution Board For MCBs) (4 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Suitable to accommodates specified Number of poles (number)	Single Pole MCBs as outgoing and Double pole MCB as incoming
	No. of Ways (in Number)	4
	Metalic cover Type	MCBs are operable manually without opening of cover (Single door)
	Enclosure category (Degree of Protection)	IP-20
CONSTRUCTIONAL	Copper Bus bar Rating (ampere)	100 Amp.
	Minimum Sheet Thickness properly pretreated and stove enameled/Powder Coated (mm)	1.6 mm

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Distribution Or Control Board Enclosures (Distribution Board For MCBs) (6 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Suitable to accommodates specified Number of poles (number)	Single Pole MCBs as out going and FP MCB with 3 Protected pole as incoming
	No. of Ways (in Number)	18
	Metalic cover Type	MCBs are operable manually without opening of cover (Single door)
	Enclosure category (Degree of Protection)	IP-20
CONSTRUCTIONAL	Copper Bus bar Rating (ampere)	100 Amp.
	Minimum Sheet Thickness properly pretreated and stove enameled/Powder Coated (mm)	1.6 mm

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	6	60

Distribution Or Control Board Enclosures (Distribution Board For MCBs) (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Suitable to accommodates specified Number of poles (number)	Single Pole MCBs as outgoing and Double pole MCB as incoming
	No. of Ways (in Number)	6
	Metalic cover Type	MCBs are operable manually without opening of cover (Single door)

Specification	Specification Name	Bid Requirement (Allowed Values)
CONSTRUCTIONAL	Enclosure category (Degree of Protection)	IP-20
	Copper Bus bar Rating (ampere)	100 Amp.
	Minimum Sheet Thickness properly pretreated and stove enameled/Powder Coated (mm)	1.6 mm

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	2	60

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	20 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Miniature Circuit Breakers-IS 60898-1:2002 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rated Current (Ampere)	25 A
	Instantaneous Tripping Range	C
	Rated Voltage (Volt)	415 VOLT
	No of poles/Protected poles(PP)	1pole with 1PP

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ramesh Prasad	221003,BHEL HERP, Tarna, Shivpur	4	60

Buyer Added Bid Specific Additional Terms and Conditions

- Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid.

Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions.](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---