

## Bid Document

Bid Details	
<b>Bid End Date/Time</b>	17-08-2021 15:00:00
<b>Bid Opening Date/Time</b>	17-08-2021 15:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	65 (Days)
<b>Ministry/State Name</b>	Madhya Pradesh
<b>Department Name</b>	Energy Department Madhya Pradesh
<b>Organisation Name</b>	Madhya Pradesh Power Generating Company Limited (mppgenco) Jabalpur
<b>Office Name</b>	Jabalpur
<b>Total Quantity</b>	69
<b>Item Category</b>	Executive Computer Table , Revolving Chair , propeller type ac ventilating fan-exhaust - as per 2312 , Chairs-Office- IS 3499 , STEEL BODY EVAPORATIVE COOLERS- DESERT COOLER , Steel Folding Cot (As per Drawing)
<b>MSE Exemption for Years of Experience and Turnover</b>	No
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Document required from seller</b>	OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled</b>	No
<b>Primary product category</b>	Steel Folding Cot (As per Drawing)
<b>Time allowed for Technical Clarifications during technical evaluation</b>	7 Days
<b>Estimated Bid Value</b>	241919
<b>Evaluation Method</b>	Item wise evaluation

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

### Splitting

Bid splitting not applied.

### MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

### MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 50 % of total quantity as defined/ decided in relevant policy.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	4000	Executive Computer Table	1
Schedule 2	10742	Revolving Chair	2
Schedule 3	3240	Propeller Type Ac Ventilating Fan-exhaust - As Per 2312	2
Schedule 4	49960	Chairs-office- Is 3499	20
Schedule 5	36800	Steel Body Evaporative Coolers- Desert Cooler	4
Schedule 6	137177	Steel Folding Cot (as Per Drawing)	40

### Executive Computer Table ( 1 pieces )

Brand Type	Registered Brand
------------	------------------

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material of table top,keyboard and drawer</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and Modesty panel material</b>	Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood
	<b>Leg Material</b>	Other wood
DIMENSION	<b>Length of table in mm (±15 mm)</b>	915.0
	<b>Depth of table in mm (±10mm)</b>	610.0
	<b>Height of table in mm (±10mm)</b>	685.0
KEYBOARD TRAY	<b>Type of keyboard tray</b>	Prelaminated particle board keyboard tray
FOOTREST	<b>Material of footrest</b>	Three layer prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest
	<b>Material thickness of footrest ±2mm</b>	5mm, 9mm, 12mm, 15mm, 19mm, 25mm, 38mm, No footrest
WARRANTY	<b>Warrantee period in number of years</b>	1, 2, 3, 4, 5 Or higher
CERTIFICATION	<b>Product having BIFMA certification</b>	YES, NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES, NO

**Additional Specification Parameters - Executive Computer Table ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Type	Assembled ready to use type
keyboard adjustability	underdesk keyboard arm
fixing of supporting bracket	with telescopic

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	1	30

#### Revolving Chair ( 2 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	<b>Arm Material</b>	Steel covered with polypropylene
	<b>seat material</b>	pressed and moulded plywood with polypropylene cover
	<b>Material of Fabric Back Cover / Material for Backrest</b>	mesh fabric, Inner frame Upholstered with Mesh fabric and mounted on main assembly, pure leather, 100% polyester fabric, nylon with poly olefin elastomer, Leatherite, N.A, Polyester mesh with fibreglass plastic frame
	<b>Material of Fabric of Seat Cover</b>	leatherite
GENERAL	<b>Chair Type</b>	push back
	<b>Height Adjustment <math>\pm</math> 5(mm)</b>	up to 120 mm
	<b>Arm</b>	With
	<b>Type of backrest support</b>	Backrest With Adjustable Lumber Support
	<b>Arm Type</b>	Adjustable, Fixed, NA
	<b>Ergonomic Seat Design</b>	Yes, No
	<b>Back type</b>	push back
	<b>backrest has separate adjustable headrest</b>	Yes, No
	<b>Seat type</b>	fixed, sliding

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Number of arm movement</b>	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A, 6 (UP and down, front and back, swivel), 4 (UP and down, front and back)
	<b>Lumber support</b>	integrated, external & fixed, external & adjustable, N.A, Cushioned and upholstered Lumbar Support
DIMENSION	<b>Overall Chair Height ±15mm</b>	670
	<b>Backrest Height ±15mm</b>	460.0
	<b>Backrest Width ±10mm</b>	440.0
	<b>Seat Height ±15 mm</b>	420
	<b>Seat Width ±10 mm</b>	440
	<b>Seat Depth ±10 mm</b>	400.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1, 1.2, 1.4, 1.6, 1.8, 2, 2.2, 0, 2.5, 3, 3.15, 4, 5
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	12 mm, 15 mm, 18 mm, N.A, 65 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	12 mm, 15 mm, 18 mm, N.A
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	25 mm, 30 mm, 35 mm, 45 mm, 50 mm, 55 mm, N.A, 60, 70, 120, 40 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	25 mm, 30 mm, 35 mm, 45 mm, 50 mm, 55 mm, N.A, 60, 70, 120, 40 mm
WARANTEE	<b>Warrantee period in number of years</b>	1-year, 2-year, 3-year, 4-year, 5-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES, NO
	<b>BIFMA Certification</b>	YES, NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES, NO
	<b>Green guard certification</b>	YES, NO
	<b>Aiota</b>	YES, NO

**Additional Specification Parameters - Revolving Chair ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
material of fabric back cover/material for backrest	Leatherite/Fabric
tilt tension adjustment	Yes
color of fabric	Black/Red/Blue
Pedestal Size(in diameter in mm)	600 mm( +/- 10 mm)

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	2	30

**Propeller Type Ac Ventilating Fan-exhaust - As Per 2312 ( 2 pieces )**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
SIZE-TYPE-PERFORMANCE	Sweep Size (mm)	600.0
	No. of Poles	2, 4, 6, 8, 10, 12, 16
	Type of Fan	Non-Capacitor Type
	Insulation Material Class	Class B

**Additional Specification Parameters - Propeller Type Ac Ventilating Fan-exhaust - As Per 2312 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
minimum air delivery(m3/h)	As per IS :2312(Latest)

Specification Parameter Name	Bid Requirement (Allowed Values)
Maximum watt input	As per IS :2312(Latest)
power factor	As per IS :2312(Latest)
colour	grey/black

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	2	30

#### Chairs-Office- IS 3499 ( 20 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	solid wood
	Material of Fabric Back Cover	knitted with cane
	Frame Material	Crca ERW round pipe
	Material of Fabric of Seat Cover	knitted with cane
	Thickness of Plywood used in Seat $\pm 1$ (mm)	12 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A
	GSM/Thickness of Fabric $\pm 5$ (Gram per Sq Meter)	80 Gram per Sq Meter, 220 Gram per Sq Meter, 250 Gram per Sq Meter, 290 Gram per Sq Meter, N.A
	Arm Material	Polypropelene on metal
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	25 mm, 50 mm, 62 mm, 65 mm, 70 mm, N.A, 40 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	15 mm, 20 mm, 25 mm, 30 mm, 40 mm, 50 mm, 60 mm, 70 mm, 75 mm, 80 mm, N.A
GENERIC	Chair Type	With Arms

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Type of Seat and Backrest</b>	Made of Polythene cane, Padded with Polyurethane Foam, moulded plywood, injection moulded Polypropylene, Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene, Supported by two MS chrome plate strip (30 mm X 10 mm), By Back patti as supporting bracket, Knitted with cane
	<b>Frame Type</b>	Cantilever
	<b>Castors</b>	With, Without
DIMENSION	<b>Size of Material (mm)</b>	16 SWG 30 mm round pipe
	<b>Chair Height ±15(mm)</b>	890 mm
	<b>Seat Depth ±10(mm)</b>	430 mm
	<b>Seat Width ±10 (mm)</b>	380 mm
	<b>Seat Height IN MM ±5(mm)</b>	460
	<b>Backrest Width ±10(mm)</b>	380 mm
	<b>Backrest Height ±10(mm)</b>	400 mm
	<b>Arm Length ±5(mm)</b>	450 mm
	<b>Arm Width ±2(mm)</b>	25 mm, 30 mm, 40 mm, 50 mm, 60 mm, 70 mm, 75 mm, N.A, 30mm-35mm, 35mm-40mm, 40mm-45mm, 45mm-50mm, 50mm-55mm, 55mm-60mm, NA
COLOUR & FINISH	<b>Paint Type</b>	powder coated on MS
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES, NO
	<b>BIFMA certification</b>	YES, NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES, NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES, NO
WARRANTY	<b>Warranty period in number of years</b>	1, 5

#### Additional Specification Parameters - Chairs-Office- IS 3499 ( 20 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
color of paint	black/grey



\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	20	30

#### STEEL BODY EVAPORATIVE COOLERS- DESERT COOLER ( 4 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
CAPACITY / TYPE	Nominal Air Delivery / Capacity (Cubic meter per hour)	4000
	Type of Mounting	Floor Standing without caster wheels
GENERIC	Blade Material	Aluminum (for 1800 nominal capacity)
	Filter Pads	Wood wool pads, Synthetic Honeycomb pads Or higher
	Float Valve at inlet	Yes, No
CERTIFICATION	Availability of the Fan Motor test report from Central Gov/ NABL/ ILAC accredited lab	Yes, No
WARRANTY	WARRANTY	1.0

#### Additional Specification Parameters - STEEL BODY EVAPORATIVE COOLERS- DESERT COOLER ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Power consumption at zero static pressure	210-280 watts
sump tank capacity , sump tank sheet thickness, filter pads	80 liters for 4000 nominal capacity, 1.0 mm, Wood wool pads with thickness 15 mm or above

Specification Parameter Name	Bid Requirement (Allowed Values)
material of filter panel grill, top of cooler body, cabinet, sump tank , internal surfaces of steel body paint	galvanized steel sheet (ISI marked to IS 277 latest) with sheet thickness of 0.8 mm All internal surfaces of steel body painted with water resistant paint to IS 9862 latest
Fan size, fan motor, power factor	450 mm for 3000 nominal capacity, ISI marked to IS: 996 Latest, 0.9 or better
minimum no. of steps for fan speed control	3

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	4	30

#### Steel Folding Cot (As Per Drawing) ( 40 the number pi )

Brand Type	Unbranded
------------	-----------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type	Folding Cot Steel Frame
MATERIAL	Grade of Plywood	11 ply, Grade BWR, Type AA of IS 303-1989
	Plywood Top shall have Aluminium C channel beeding 23x11x2 mm	YES, NA
	Grade of MDF Board	Grade-I(SBG-I)of IS 12406-2003, N.A, No
	MDF Board Top shall have Aluminium C channel beeding 21x11x2 mm	YES, NA, No
	Steel Frame Pipe	ISI Marked ERW Tube of 25 mm Nominal Bore, Black (Medium) conforming to Grade YST-210 of IS 1161-2014, NA
DIMENSION	Width of Frame +/- 5(mm)	762 mm
	Length of Frame +/- 5(mm)	1980 mm
	Size of MDF Board	2100X900X17 mm, NA, 1828X1066X609 mm
	Size of Plywood	2100X900X19 mm
WEIGHT	Minimum Weight of steel of Cot without top (kg)	19.6

Specification	Specification Name	Bid Requirement (Allowed Values)
CERTIFICATION	<b>Plywood ISI Marked</b>	YES
	<b>MDF Board ISI marked</b>	YES, NA
FINISH	<b>Finish of Frame</b>	Olive Green Colour
WARRANTY	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1, 3

#### Additional Specification Parameters - Steel Folding Cot (As Per Drawing) ( 40 the number pi )

Specification Parameter Name	Bid Requirement (Allowed Values)
Material of shoes	Rubber
Plywood	ISI marked
Finish of frame	Olive green/ Blue color

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shailendra Mohod	450112,O/o ED (GEN), SSTPP, MPPGCL Dongalia Distt. Khandwa- 450112	40	30

### Buyer Added Bid Specific Additional Terms and Conditions

1. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
2. Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.
3. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
4. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
5. Buyer Added text based ATC clauses

All the supplied material shall be delivered in assembled condition.

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**