

Bid Document

Bid Details	
Bid End Date/Time	05-08-2021 15:00:00
Bid Opening Date/Time	05-08-2021 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Military Affairs
Organisation Name	Indian Air Force
Office Name	*****
Total Quantity	60
Item Category	Sunglasses , Bicycle-IS 2039:1991 , Cycle Helmet
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	Yes
Primary product category	Bicycle-IS 2039:1991
Time allowed for Technical Clarifications during technical evaluation	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value	451180
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	No
------------------------	----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Sunglasses (20 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
General Features	Category	Power Sunglasses, Polarized, High Fashion, Sports Collection, Designers Collection, Retro Collection, Others
	Gender	Men, Women, Boys, Girls, Boys & Girls, Men & Women
	Lens Feature	100% UV Protection (UV 400), UVB, Photochromic, Gradient, Polarised, Infrared, Mirrored, Night Vision, Others
Material	Temple Material	Stainless Steel, Acetate
	If any other material, please mention the name else write NA	Any applicable text(s)
	Frame Material	Metal, Nylon, Stainless Steel, Acetate, Polycarbonate, Titanium, TR 90, Wooden, Alloy, Aluminium, Others
	Lens Material	Acetate, Polycarbonate, CR39, Fibre, Glass, Acrylic, Plastic, Polyamide, TAC Resin, Mineral Glass

Additional Specification Parameters - Sunglasses (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Size-Free, Nose-Bridge,Lens-poly carbonate,Polarized sunglasses Ideal for-men/women	Size-Free, Nose-Bridge,Lens-poly carbonate,Polarized sunglasses Ideal for-men/women

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****BARDHAMAN	20	15

Bicycle-IS 2039:1991 (20 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic parameters	Type	Two Wheeled Cycles for Men, Two Wheeled Cycles for Women
	Weight of Bicycle (kg)	Any applicable numeric value
	Applicable Indian Standard	IS 10613:2004 With Latest Amdmnt.
	Size of Frame (cm)	45, 50, 54, 55, 56, 58, 60
	Reflector	Yes
Accessories parameters	Bell	Yes
	Lock	Yes
	Stand	Yes
	Basket	Yes, No
	B.B. Lock Ring as per IS 1131: 2004	Yes
	Saree Gurad	Yes, No
Constructional parameters	Thickness of Crank at Axle Hole (mm)	Any applicable numeric value
	Type of Rim	Beaded Edge(BE), Straight Side(SS), Hooked Bead(HB), Crotchet (C)

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Rim	Steel, Aluminium
	Size Designation of Rim	Any applicable text(s)
	Thickness of tube (mm)	Any applicable numeric value
	Top Tube Diameter (mm)	Any applicable numeric value
	No. of Holes in Rear Wheel	0 - 9999999
	Front Axle Length (mm)	Any applicable numeric value
	Hub Axle Diameter for Front Wheel (mm)	Any applicable numeric value
	Material of Nipple	Brass Conforming to IS 2704
	Material of Spokes	Steel Wire Conforming to IS 6902
	ISO Chain Number (B)	5B, 6B, 8B, 10B, 12B, 16B, 20B, 24B, 28B, 32B, 40B, 48B, 56B, 64B, 72B, NA
	Type of Chain	Simple, Duplex, Triplex
	Rear Axle Length (mm)	Any applicable numeric value
	No. of Holes in Front Wheel	0 - 9999999
	Spoke Diameter (mm)	Any applicable numeric value
	Pitch of Chain (mm)	Any applicable numeric value
	Pitch of Spokes (mm)	Any applicable numeric value
	Thickness of Crank at Pedal Axle Hole (mm)	Any applicable numeric value
	Type of Steel Tube	Electric Resistance Welded and Induction Welded Tubes(ERW), Cold Finished Electric Resistance Welded and Induction Welded Tubes(ERW)
	Cone to Cone Distance (mm)	Any applicable numeric value
	Chain Cover	Half Chain Cover, Full Chain Cover
	Width of Mudguard (mm)	Any applicable numeric value
	Sprocket Tooth thickness of Free wheel (mm)	Any applicable numeric value
	Thickness of Mudguard (mm)	Any applicable numeric value
	Thickness of Head Tube (mm)	Any applicable numeric value
	Material of Washers	Steel Wire Conforming to IS 513
	Depth of Mudguard (mm)	Any applicable numeric value
	Mounded Rubber Brake Shoe for enhanced Life as per IS 10613:2004 with latest amndmnt.	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	Hub Axle Diameter for Rear Wheel (mm)	Any applicable numeric value
	Type of Pneumatic Tube	Any applicable text(s)
	Type of Handle Bar as per IS 625:2006 with latest amdmnt.	Drop Handle Bar, Flat Handle Bar, Upright Handle Bar, High Rise Handle Bar, Handle Bar for Young Children, Integral Type, Brake Lever Combined Handle Bar, Handle Bar Stem, Swaged Type Handle Bar, Others
	Bottom Tube Diameter (mm)	Any applicable numeric value
	Type of Tyre	Type A, Type B
	Type of Hub Assembly	R-Type as per IS 629:1988, Ph-Type as per IS 12205:1988, Others
	Bottom Bracket and Fixed Cup as per IS 1131: 2005	Yes
	Anti Skid Designed Rubber Blocks Conforming to IS 628:1193 with latest amndmts.	Yes
	Heavy Duty Wide Rubber Block Pedal with Steel Side plates for Reinforcement Conforming to IS 628:1193 with latest amndmts.	Yes
	Nature of Operation	Heavy Duty, Standard Duty
	Seat Tube Diameter (mm)	Any applicable numeric value
	Bottom Bracket Axle as per IS 1131: 2006	Yes
	No.of Sprocket Tooth of Free wheel	0 - 9999999
	Shape of Mudgurads (Front and Rear)	Any applicable text(s)
	Head Tube Diameter (mm)	Any applicable numeric value
	Roller Diameter of Chain (mm)	Any applicable numeric value
	Material of Mudgurad	Steel
	Finishing Material	Steel, Stainless Steel (SS)
	Cottor Pin Hole Diameter (mm)	Any applicable numeric value
	Extra Long Soft Synthetic Resin Handle Grip	Yes
	Tyre Designation	Any applicable text(s)
	Thickness of Seat Fitting Tube (mm)	Any applicable numeric value

Specification	Specification Name	Bid Requirement (Allowed Values)
	Type of Seat Pillers as per IS 626:2009 with latest amdmnt.	Straight Seat Pillers, Lay Back Seat Pillers, Seat Pillers with Back Rest
	Circular Pitch (mm)	Any applicable numeric value
	Seat Fitting Tube Diameter as per IS 626:2009 with latest amdmnt. (mm)	Any applicable numeric value
	Saddle as per IS 10613: 2004 with latest amdmnt.	Saddle with Adjustment Clamp, Saddle without Adjustment Clamp
	Fork Columun and Fork Blades Material of Tube &quot;	ERW-CI of IS 2039/1991, ERW-C3 of IS 2039/1991
Certification parameters	Warranty	12, 24, 36
	ISI Marked Bicycle Fork and Tubeto IS 2039:1991with latest amdmnt.	Yes
	ISI Marked Bicycle Frame to IS 623:2008 with latest amdmnt.	Yes
	ISI Marked Chain to IS 2403:1991 with latest amdmnt.	Yes
	ISI Marked Bicycle Tyre and Tubeto IS 2414:2005 with latest amdmnt.	Yes
	ISI Marked Bicycle Rim to IS 624:2003 with latest amdmnt.	Yes
	ISI Marked Steel Tubes to IS 2039/1991 with latest amdmnt.	Yes
	Availability of Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report No.	Any applicable text(s)
	Test Report Date	Any applicable text(s)
	Name of the Lab	Any applicable text(s)
	Address of the Lab	Any applicable text(s)

Additional Specification Parameters - Bicycle-IS 2039:1991 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Frameset-19" Alloy , Wheel - Alloy wheel 36 holes double wall Rim, Front suspension, Shifters - shimano 3X7 speed, Derailleur - Shimano	Frameset-19" Alloy Frame, Wheel - Alloy wheel 36 holes double wall Rim, Front suspension, Shifters - shimano 3X7 speed, Derailleur - Shimano, Break set - Front & Rear mechanical Disc Break
Seat Post - Alloy, Handle bar - Zoom Alloy/ Flat Bar, Back sweep - 10D Break set - Front & Rear mechanical Disc Break, Warranty - One Year on site	Seat Post - Alloy, Handle bar - Zoom Alloy/ Flat Bar, Back sweep - 10D Warranty - One Year on site

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****BARDHAMAN	20	15

Cycle Helmet (20 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type	Small, Medium, Large, Extra Large
Construction	Detachable Visor	Yes, No
	Face Cover	Yes, No
	Detachable Earflap	Yes, No
	Detachable Neck Curtain	Yes, No
	Chin Belt Locking System	Double - D ring, Sliding Bar, Any Other
	Ear Padding of Helmet	Removed, Fix
Material	Helmet Shell Material	Polypropylene, High-density polyethylene, Poly Carbonate, ABS
	Metallic Material for Fitting	Mild Steel, Aluminium, Copper, Brass, NA
	Plastic Material for Fitting	Polypropylene, High-density polyethylene, Poly Carbonate, ABS, NA
	Material of the inner harness for the head band, anti - concussion tape, etc	Nylon, Polyester
	"Type of Lower Face Cover of Helmet"	Protective Detachable, Non - Protective Movable, Integral part, NA

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimension	Helmet Peripheral Sizes (mm)	500, 520, 540, 560, 570, 580, 600, 610, 620

Additional Specification Parameters - Cycle Helmet (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PC Molded with inner pad, Light weight, strong Bonded, 16 or above vents Easy to dial system, adjustable side strap, Size - Medium/Large/ Excel	PC Molded with inner pad, Light weight, strong Bonded, 16 or above vents Easy to dial system, adjustable side strap, Size - Medium/Large/ Excel

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****BARDHAMAN	20	15

Buyer Added Bid Specific Additional Terms and Conditions

- Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- Buyer Added text based ATC clauses

19" Alloy frame smooth welded, internal cabling for breaks & derailleur,
Alloy wheel, 36 holes double wall Rim,
Front Suspension ,
Shifter - Shimano 3x7 speed ,
Derailleur - Shimano Seatpost -Alloy, Handle Bar - Zoom Alloy/Flat Bar,
Back Sweep-10D, Thread less, semiintegrated headset
Break Set -Front and rear mechanical discbreak,
01 year on site warranty

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---