



### **Bid Document**

Bid Details			
09-08-2021 12:00:00			
09-08-2021 12:30:00			
90 (Days)			
75 (Days)			
Ministry Of Coal			
Materials Management			
Bharat Coking Coal Limited			
Bccl Dhanbad			
299			
Ball Bearings-IS:6455 , Wilfit Spares , Cylindrical Roller Bearing-IS:6455 , Spherical Roller Bearing-IS:6455			
No			
No			
No			
Ball Bearings-IS:6455			
10 Days			
No			
Total value wise evaluation			

### **EMD Detail**

Required	No
·	

### ePBG Detail

-			,
			П
	Required	l No	1
ш	1.04000	1.13	1

# **Splitting**

Bid splitting not applied.

#### **MII Purchase Preference**

MII Purchase Preference	Yes
1	1 . 65

#### **MSE Purchase Preference**

MSE Purchase Preference	Yes

- 1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

#### Ball Bearings-IS:6455 (7 pieces)

#### (Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand	
------------	--------------------	--

#### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6202(15*35*11)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements

Specification	Specification Name	Bid Requirement (Allowed Values)
	Radial internal clearance in ball bearing as per IS 6455- 1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	7	21

# **Ball Bearings-IS:6455 (13 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
------------	--------------------

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6204(20*47*14)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open

Specification	Specification Name	Bid Requirement (Allowed Values)
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	13	21

# **Ball Bearings-IS:6455 ( 10 pieces )**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
Diana Type	office state

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)	
Item	Type of ball Bearing	Radial contact	
	Number of Row in ball bearing	One	
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6206(30*62*16)	
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements	
	Radial internal clearance in ball bearing as per IS 6455- 1972	СО	
	Closure	Open	
	Protecting device/ closure	NA	
	Material of lubricated Sea	NA	
	Material of lubricated Shield	NA	

Specification	Specification Name	Bid Requirement (Allowed Values)

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	10	21

# Wilfit Spares (15 pieces)

#### (Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
, , , , , , , , , , , , , , , , , , ,	1 3

### **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Wilfit Part Number	WF1541921131

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	15	21

# Wilfit Spares ( 32 pieces )

#### (Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

### **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification Wilfit Part Number		WF0275024115

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	32	21

# **Ball Bearings-IS:6455 ( 5 pieces )**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
1	

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Angular contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6310(50*110*27)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	СО
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	5	21

# Wilfit Spares (11 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type Registered Brand	
-----------------------------	--

#### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Wilfit Part Number	WF0700023038

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	11	21

# Ball Bearings-IS:6455 ( 10 pieces )

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Angular contact

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6313(65*140*33)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	СО
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	10	21

# **Ball Bearings-IS:6455 (15 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand

# **Technical Specifications**

Specification Name	Bid Requirement (Allowed Values)
Type of ball Bearing	Angular contact
Number of Row in ball bearing	One
	Type of ball Bearing  Number of Row in ball

Specification	Specification Name	Bid Requirement (Allowed Values)
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6314(70*150*35)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	СО
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	15	21

# **Ball Bearings-IS:6455 (14 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
------------	--------------------

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
		6315(75*160*37)

Specification	Specification Name	Bid Requirement (Allowed Values)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	14	21

# **Ball Bearings-IS:6455 (11 pieces)**

(Minimum 50% Local content required for MII compliance)

nd Type	Unregistered Brand
nd Type	Unitedistried Digital

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6316(80*170*39)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements

Specification	Specification Name	Bid Requirement (Allowed Values)
	Radial internal clearance in ball bearing as per IS 6455-1972	СО
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	11	21

# **Ball Bearings-IS:6455 (12 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type Unregistered Brand	
-------------------------------	--

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Angular contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6317(85*180*41)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open

Specification	Specification Name	Bid Requirement (Allowed Values)
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	12	21

# **Ball Bearings-IS:6455 ( 19 pieces )**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
Diana Type	office steried brand

#### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	Angular contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6318(90*190*43)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	СО
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	Rubber
	Material of lubricated Shield	Low Carbon Press Steel

Specification	Specification Name	Bid Requirement (Allowed Values)

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	19	21

# **Ball Bearings-IS:6455 (13 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand	
------------	--------------------	--

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)	
Item	Type of ball Bearing	DEEP GROOVE	
	Number of Row in ball bearing	One	
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6319(95*200*45)	
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements	
	Radial internal clearance in ball bearing as per IS 6455- 1972	СО	
	Closure	Open	
	Protecting device/ closure	NA	
	Material of lubricated Sea	NA	
	Material of lubricated Shield	NA	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	13	21

# **Ball Bearings-IS:6455 (15 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
Brana Type	on egistered brand

### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design  Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987		6213(65*120*23)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	C0
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	15	21

# Cylindrical Roller Bearing-IS:6455 ( 14 pieces )

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
Brana Type	registered Brand

### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Type of Cylindrical Roller Bearing	Radial contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	NU-312 (60*130*31)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	C0

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	14	21

# **Spherical Roller Bearing-IS:6455 (11 pieces)**

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand	

### **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Type of Spherical Roller Bearing	Angular contact
	Number of Row in Spherical Roller Bearing	Two
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	22312CW33 (60*130*46)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	Without Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	No of hole for oil lubrication	3
	Diameter of hole for oil lubrication	3.0

# Consignees/Reporting Officer and Quantity

S.N	lo. Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	11	21

# Cylindrical Roller Bearing-IS:6455 ( 25 pieces )

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
------------	--------------------

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Type of Cylindrical Roller Bearing	Radial contact

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	NU-309 (45*100*25)
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	СО

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	25	21

# Cylindrical Roller Bearing-IS:6455 ( 22 pieces )

(Minimum 50% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

# **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Type of Cylindrical Roller Bearing	Angular contact
	Number of Row in Cylindrical Roller Bearing	Double
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	N-310 (50*110*27)
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements

Specification	Specification Name	Bid Requirement (Allowed Values)
III I	Radial internal clearance in ball bearing as per IS 6455- 1972	СО

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	22	21

# Cylindrical Roller Bearing-IS:6455 ( 25 pieces )

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
Diana Type	Registered Brand

### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Type of Cylindrical Roller Bearing	Radial contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	N312
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements
	Radial internal clearance in ball bearing as per IS 6455- 1972	C3

# **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nagendra Kumar Chaudhary	828129,Office of General Manager, Western Jharia Area of BCCL, Moonidih Rd, Putkee, Jharkhand 828129	25	21

#### Special terms and conditions-Version:1 effective from 04-05-2020 for category Wilfit Spares

1. Firms to be enlisted on GeM for supply of spares must be DGQA registered. Appropriate certification to effect must be uploaded by firm at the time of offering of product on GeM to guarantee quality of spares being supplied.\n2. Cat part no. of spares offered by vendor on GeM needs to be corroborated with cat part number of the latest catalogue of the OEM for the said equipment.\n3. 10% PBG of correct value will be given by successful bidder as per terms of GeM.\n4. Price on GeM are on free delivery basis, inclusive of all taxes and freight charges.

# **Buyer Added Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

#### **Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---