

Bid Document

Bid Details	
Bid End Date/Time	06-08-2021 14:00:00
Bid Opening Date/Time	06-08-2021 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Office Of Principal Chief Materials Manager, South Western Railway, Hubli
Total Quantity	1
Item Category	Ambulances - R
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Time allowed for Technical Clarifications during technical evaluation	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value	2750000
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Sr.Divisional Materials Manager
Office Of Principal Chief Materials Manager, South Western Railway, Hubli, NA, N/A, Ministry of Railways
(Mahendra Singh)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Ambulances - R (1 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Unregistered Brand
------------	--------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic Vehicle parameters	Type of Ambulance	Type D (as per clause 3.3.4 of AIS:125 Part-1)
	Category of Vehicle	M2
	Vehicle Engine Capacity	2179, 2200, 2596
	Type of Fuel	Diesel
	Vehicle Emission Compliance	BS VI
	Colour of the Vehicle	White
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	13.31 - 50.0 Or higher
	Top Speed	100, 110
	Acceleration(0-70KmPH)	Up to 40
	Gradeability of Vehicle	14.5, 11.0
	Air Conditioning	Whole Ambulance, Only Patient Compartment, NA for withoutAC
	Engine BHP	Any applicable numeric value
	Rated RPM at Max Engine BHP	2950, 3750
	Engine Torque Max (N-m)	Any applicable numeric value
	Rated RPM at Max Engine Torque	1000, 2200
	Type of Vehicle Body	Monocoque
	No of Doors	3
	Fuel Tank Capacity	60.0, 70.0
	Length of Vehicle Body	5615.0, 5548.0
	Width of Vehicle Body	1900.0, 1905.0
	Height of Vehicle Body	2670.0, 2550.0
	Ground Clearance(road Clearance from floor)	200.0, 185.0
	Wheel Base	3350.0, 3488.0
	Kerb Weight	2915.0, 2450.0
	Gross Vehicle Weight	More than 3343.0 Or higher
	Size Of Tyre	21575r15tubelesst, 195r15-radial, 21575r15
	Vehicle Transmission System	Manual
	No of Speed/ Forward Gears	5
	Type of Wheel drive	Two Wheel drive

Specification	Specification Name	Bid Requirement (Allowed Values)
	Drive Axle	Front, Rear
	Type of Steering	Power
	Turning Radius	Less than 6750.0 Or lower
	Front Vehicle Brake	Disc Brake
	Rear Vehicle Brake	Drum Brake
	Vehicle Air Intake System	TurboCharged
	Vehicle features	Driver Airbag, Vehicle Brake ABS Fitted, Low Fuel warning Light
Ambulance Body	Patient Compartment	As per cl. 4.5 of AIS 125 Pt I
	Overall Length of Patient Compartment	3275.0, 3300.0, 3180.0
	Overall Width of Patient Compartment	1630.0, 1680.0
	Overall Height of Patient Compartment	1850.0, 1830.0
	Body Main Structure Shape and Material	NA for Monocoque
	Flooring Material	Flooring Made Out from ISI Marked 12 mm thick FR grade plywood covered with vinyl sheet
	Number of Seats (including driver)	10, 11
	Number of stretcher	1
	Min Number of Patient and Attendant Seats	2
Main Equipments	Features of Main Stretcher	Main stretcher with an integral undercarriage, Main stretcher with separable undercarriage, stretcher with minimum of two quick-release patient restraints.
	Type of Patient Handling Equipment	Main stretcher with undercarriage, Oxygen Cylinder Bracket, I.V. Bottle Hanging Hook, First Aid Box in side of rear saloon
	Ambulance Features	Medical cabinet in side of rear saloon, Roof revolving light, Siren, Fire Extinguisher as per AIS 125 PT I
Electrical Requirement	Additional Electric Load of Medical Equipment's permissible (Watts) as per AIS 125 (Part-1)	1080.0, 120.0
	Number of battery(ies) provided other than the vehicle battery	1
	Additional Battery Capacity	Nominal Voltage 12V 80Ah
	Alternator Power	Alternator power 1200W Type D

Specification	Specification Name	Bid Requirement (Allowed Values)
	Min no of 12V connections for medical devices in patient's compartment	4
	Min number of 220V AC power supply connections for medical devices in patient compartment	4, 6
Environment Testing	Environment Testing Compliance	Flammability Test as per IS 15061: 2002 (as applicable), Interior fitting compliance as per AIS-047 established, Air conditioning and Heating Performance Tests(Clause 4.5.4 as per AIS125 Pt I) Compliance, Acceleration Test (Clause 4.2.1 per AIS 125 Pt I and IS:11851-2002) Compliance, Water Proofing Test (IS:11865-1995) Compliance, Dust Ingress Test (IS:11739-1997) Compliance
	Additional Features for COVID 19 Ambulance	Partition Between Driver & Patient Compartment
	Warranty Time	36.0
	Warranty Distance (or warranty time, whichever earlier)	300000.0
	Battery Warranty	12.0
Certification	Vehicle Certification	ARAI

Additional Specification Parameters - Ambulances - R (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Aplicability of National Ambulance Code	National Ambulance Code AIS-125 for type 'D' Part-1 Ambulance shall be applicable for all parameters.
Type of tyre and tube	BIS marked Pneumatic typer and tubes for both front and rear.
Supply of Medical accosories in Ambulance	Bidder have to supply medical accesories as per specification attached in ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Chikkappa Malesiddappa Ravi	580020,O/o CHIEF MEDICAL DIRECTOR, CENTRAL HOSPITAL,GADAG ROAD, HUBBALLI 580020	1	90

Buyer Added Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. WORLD BANK TERMS AND CONDITIONS: Special Terms and Conditions as defined by world bank at [click here](#) will also be applicable. APPLICABLE ONLY IN CASE OF WORLD BANK FUNDED PROJECTS.
3. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
4. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
5. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
6. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
7. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
8. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---