

Bid Document

Bid Details	
Bid End Date/Time	21-07-2021 21:00:00
Bid Opening Date/Time	21-07-2021 21:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Madhya Pradesh
Department Name	Urban Development And Environment Department
Organisation Name	Indore Municipal Corporation Indore
Office Name	Indore
Total Quantity	11
Item Category	Small form-factor pluggable transceiver , telecommunication cable , CAT 6 Information outlet , CAT 6 Cable for Indoor use , Layer 2 Access Switch , Cat 6 Patch cord
Years of Past Experience required	2 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Cat 6 Patch cord
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	No
-------------------------	----

MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Small Form-factor Pluggable Transceiver (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Transceiver	SFP+
	On Site OEM Warranty (Year)	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Telecommunication Cable (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Conductor diameter Nominal (Range) (mm)	0.5
	Number of pair (Number)	4
	Length of cable in a bundle (Mtrs)	250

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

CAT 6 Information Outlet (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type of information outlet	U/UTP (Unshielded)
	No. of ports (RJ 45)	One port
	Dust protection for Face Plate or Information Outlet	Yes
	Back Box (3x3 inches)	Yes
	Termination type	Tool-less

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

CAT 6 Cable For Indoor Use (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair	CAT6 S/FTP
	Cable colour	Grey
	Conductor diameter	0.57 mm (23 AWG)
	Length of cable in a bundle (Mtrs)	305 mtrs.
CONSTRUCTIONAL	Cable jacket material	Fire retardant PVC
CERTIFICATIONS	UL Marking on Cable	Yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Layer 2 Access Switch (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	UnManaged
	Technology	Non PoE
	Number of 1G Copper Ports	8
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	0
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Throughput (MPPS)	More than 11.0 Or higher
	on Site OEM Warranty	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Layer 2 Access Switch (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	UnManaged
	Technology	Non PoE
	Number of 1G Copper Ports	24
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	0
	No. of 10 G SFP+ Port (Uplink)	0

Specification	Specification Name	Bid Requirement (Allowed Values)
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Switching Capacity -Non Blocking (Gbps)	48
	on Site OEM Warranty	3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Layer 2 Access Switch (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	UnManaged
	Technology	Non PoE
	Number of 1G Copper Ports	16
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	0
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	on Site OEM Warranty	5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Cat 6 Patch Cord (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP
	Patch cord colour	Grey
	Length of Patch cord (Mtrs)	3.0
CONSTRUCTIONAL	Cable jacket material	Low Smoke zero halogen (LSZH)
	Storage temperature range	-20 deg.C to +70 deg.C
	Operating temperature range	-20 deg.C to +60 deg.C
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Cat 6 Patch Cord (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP
	Patch cord colour	Grey
	Length of Patch cord (Mtrs)	5.0
CONSTRUCTIONAL	Cable jacket material	Low Smoke zero halogen (LSZH)
	Storage temperature range	-20 deg.C to +70 deg.C
	Operating temperature range	-20 deg.C to +60 deg.C
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Cat 6 Patch Cord (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP
	Patch cord colour	Yellow
	Length of Patch cord (Mtrs)	10.0
CONSTRUCTIONAL	Cable jacket material	Low Smoke zero halogen (LSZH)
	Storage temperature range	-20 deg.C to +70 deg.C

Specification	Specification Name	Bid Requirement (Allowed Values)
	Operating temperature range	-20 deg.C to +60 deg.C
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Cat 6 Patch Cord (1 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP
	Patch cord colour	Yellow
	Length of Patch cord (Mtrs)	20.0
CONSTRUCTIONAL	Cable jacket material	Low Smoke zero halogen (LSZH)
	Storage temperature range	-20 deg.C to +70 deg.C
	Operating temperature range	-20 deg.C to +60 deg.C
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishal Tatwade	452001,IT Department, Indore Municipal Corporation Near MG Road Thana Indore, M.P	1	15

Buyer added Bid Specific Additional Scope of Work

S.No.	Document Title	Description	Applicable i.r.o. Items
1	Scope of Work View	Scope Of Work for the supply of network related equipment on the same price, demanded on time to time as per need.	Small Form-factor Pluggable Transceiver(1),Telecommunication Cable(1),Layer 2 Access Switch(1),Layer 2 Access Switch(1),Layer 2 Access Switch(1),Cat 6 Patch Cord(1),Cat 6 Patch Cord(1),Cat 6 Patch Cord(1),Cat 6 Patch Cord(1)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Additional Terms and Conditions

- Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- Buyer Added text based ATC clauses
 - Bidder should submit Manufacturer Authorization Form (Bid Specific MAF) from all bid items OEM's, during participation.
 - Preference will be given to those bidders, having registered office address at Indore location to ease service and support.
 - Bidders given network and RF Tower services to any Municipal Corporation, will be given preference.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the

Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---