

Bid Document

Bid Details	
Bid End Date/Time	28-07-2021 22:00:00
Bid Opening Date/Time	28-07-2021 22:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Military Affairs
Organisation Name	Indian Air Force
Office Name	*****
Total Quantity	29
Item Category	Dry Erase Writing Boards-IS 12406
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Primary product category	Dry Erase Writing Boards-IS 12406
Time allowed for Technical Clarifications during technical evaluation	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	No
------------------------	----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
2. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Dry Erase Writing Boards-IS 12406 (4 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	4x 6
	Dimensions of Boards in mm x mm (width x height)	1200 X 1800
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing
	Material of Board	Ceramic Steel
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285
	Material of Back Cover	Galvanized steel sheets conforming to IS:277

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	0.095
	% Gloss at 60 deg.head (min.)	80% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 0.03 Or higher
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 0.3 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	1
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	4	30

Dry Erase Writing Boards-IS 12406 (2 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	4x 6

Specification	Specification Name	Bid Requirement (Allowed Values)
	Dimensions of Boards in mm x mm (width x height)	1200 X 1800
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing
	Material of Board	Ceramic Steel
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285
	Material of Back Cover	Galvanized steel sheets conforming to IS:277
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	2.0
	% Gloss at 60 deg.head (min.)	80% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 0.03 Or higher
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 9.0 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	1
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	No

Additional Specification Parameters - Dry Erase Writing Boards-IS 12406 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Outer cover of board	Wooden

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	2	30

Dry Erase Writing Boards-IS 12406 (5 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	4 x 4
	Dimensions of Boards in mm x mm (width x height)	1200 x 1200
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing cum Projection screening
	Material of Board	Ceramic Steel with Engraving / Porcelain Enamel Steel with engraving
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285
	Material of Back Cover	Galvanized steel sheets conforming to IS:277
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	0.11
	% Gloss at 60 deg.head (min.)	60% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 0.03 Or higher

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 0.3 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	3
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	5	30

Dry Erase Writing Boards-IS 12406 (13 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	3 x 4
	Dimensions of Boards in mm x mm (width x height)	900 X 1200
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing cum Projection screening
	Material of Board	Ceramic Steel
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Back Cover	Galvanized steel sheets conforming to IS:277
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	0.6
	% Gloss at 60 deg.head (min.)	80% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 0.6 Or higher
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 0.6 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	1
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	13	30

Dry Erase Writing Boards-IS 12406 (3 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	2 x 3

Specification	Specification Name	Bid Requirement (Allowed Values)
	Dimensions of Boards in mm x mm (width x height)	600 X 900
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing
	Material of Board	Ceramic Steel
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285
	Material of Back Cover	Galvanized steel sheets conforming to IS:277
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	2.0
	% Gloss at 60 deg.head (min.)	80% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 2.0 Or higher
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 0.3 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	4
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	3	30

Dry Erase Writing Boards-IS 12406 (2 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Dimensional parameters	Dimensions of the Board in feet (width x height)	1.5 x 2
	Dimensions of Boards in mm x mm (width x height)	450 X 600
	Wall thickness of Anodized Aluminium Frame (Min) in mm	1.2
	Colour of Board	White
	Frame Width in mm	20.0
Performance Parameters	Purpose of writing board	Writing
	Material of Board	Ceramic Steel
	Material of Frame	Anodized extruded Aluminium alloy hollow section of designation 63400 conforming to IS: 1285
	Material of Back Cover	Galvanized steel sheets conforming to IS:277
	Thickness and Material of back support (conforming to IS:12406)	More than 9.0 Or higher
	Top surface coating thickness of sheet in mm	0.95
	% Gloss at 60 deg.head (min.)	80% for white colour only
	Surface suitable for writing with	Dry marker ink for white board only
	Back surface coating thickness of sheet (min)	More than 0.03 Or higher
	Thickness and material of top steel sheet Having Viterious Enamelled coating on both side	More than 0.3 Or higher
	Excellent Erasability without leaving impression	Yes
	Warranty in years	1

Specification	Specification Name	Bid Requirement (Allowed Values)
Reports	Availability of Type Test Reports of the product from Central Govt/NABL/ILAC accredited Lab showing compliance to the specification	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****TIRUPPUR	2	30

Buyer Added Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions.](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to

undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---