SRM INSTITUTE OF SCIENCE AND TECHNOLOGY
Ramapuram, Chennai – 600 089
SCHOOL OF COMPUTER SCIENCE AND ENGINEERING
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

21CSP302L- PROJECT

III year /VI Sem

Class/Sec :CSE M

ADAPTIVE DRIVER INTELLIGENCE SYSTEM FOR PERSONALIZED VECHILE SAFETY

Team Members	Supervisor
GOPAL KUMAR [RA2311003020789]	NAME: Dr. C. Ashwini, M.E.,PhD

AGENDA

- Abstract
- Introduction
- Problem Statement
- Objectives
- Scope
- Proposed Methodology
- Literature Review
- System Architecture
- Flow Chart
- List of Modules
- Research gap & Novelty
- Software and Hardware Requirement
- Implementation
- Results
- Conclusion
- References

ABSTRACT

The Adaptive Driver Intelligence System for Personalized Vehicle Safety is designed to enhance road safety by using intelligent technologies that monitor and analyze driver behavior in real time. The system collects data from various sources such as cameras, sensors, and user inputs to understand driving patterns, detect unsafe conditions, and provide timely alerts. This project focuses on features like driver monitoring, drowsiness detection, and personalized feedback to improve driving habits. By using machine learning techniques, the system adapts to individual drivers and provides customized safety recommendations. It can also integrate GPS tracking and route analysis to enhance navigation and decision-making. The main goal of this system is to reduce accidents caused by human error and improve overall driving safety. It offers a smart, efficient, and user-friendly solution for modern vehicles, contributing to safer roads and better driving experiences.

INTRODUCTION

Road safety is a major concern worldwide, with a large number of accidents caused by human error such as fatigue, distraction, and poor decision-making. Traditional vehicle safety systems mainly focus on external factors like collision avoidance and braking systems, but they often fail to consider the behavior and condition of the driver. The Adaptive Driver Intelligence System for Personalized Vehicle Safety aims to address this gap by introducing a smart and intelligent approach to driver monitoring and assistance. This system uses modern technologies such as sensors, cameras, and machine learning algorithms to continuously observe driver behavior and vehicle conditions in real time. By analyzing factors such as driver alertness, driving patterns, and environmental conditions, the system can detect potential risks and provide timely alerts to prevent accidents. It also adapts to individual drivers by learning their habits and offering personalized feedback to improve driving performance.

PROBLEM STATEMENT

Road accidents are one of the leading causes of injuries and fatalities worldwide, with a significant number occurring due to human errors such as driver fatigue, distraction, and lack of attention. Existing vehicle safety systems primarily focus on mechanical and external safety features, but they do not effectively monitor the driver's condition or provide personalized assistance. There is a lack of intelligent systems that can continuously analyze driver behavior, detect unsafe driving conditions in real time, and offer adaptive, personalized feedback to improve safety. Without such systems, it becomes difficult to prevent accidents caused by factors like drowsiness, over-speeding, and poor decision-making. Therefore, there is a need to develop an adaptive driver intelligence system that can monitor driver activities, analyze data using advanced technologies, and provide timely alerts and recommendations. This system aims to enhance vehicle safety by reducing human errors and ensuring a safer driving experience.

OBJECTIVES

- To design and develop an intelligent driver monitoring system for improved vehicle safety.
- To detect driver drowsiness and fatigue using camera-based monitoring techniques.
- To analyze driver behavior such as distraction, over-speeding, and inattentiveness in real time.
- To provide timely alerts and warnings to prevent potential accidents.
- To implement machine learning algorithms for personalized driver analysis.
- To adapt the system based on individual driving patterns and habits.
- To integrate GPS tracking for route monitoring and better decision-making.
- To enhance overall road safety by reducing accidents caused by human error.
- To develop a user-friendly and efficient system for real-time vehicle safety assistance.
- To ensure reliability and accuracy in detecting unsafe driving conditions.

SCOPE

- The system focuses on real-time monitoring of driver behavior to improve vehicle safety.
- It includes detection of driver drowsiness, distraction, and fatigue using camera and sensors.
- The project covers the use of machine learning techniques for analyzing driving patterns.
- It provides personalized feedback and alerts based on individual driver behavior.
- The system can be integrated with GPS for route tracking and navigation analysis.
- It is applicable to personal vehicles, commercial vehicles, and fleet management systems.
- The project aims to reduce accidents caused by human error and improve road safety.
- It can be extended to include advanced features like voice alerts and mobile app integration.
- The system can be used as a base for future developments in autonomous and smart vehicles.
- It supports scalability and can be enhanced with additional sensors and AI models.

PROPOSED METHODOLOGY

Step 1: Data Collection & Preprocessing

1. Collect real-time data using cameras installed inside the vehicle to monitor the driver's face and eye movements.
2. Use sensors to gather additional data such as steering patterns, speed, and braking behavior.
3. Apply image processing techniques such as resizing, normalization, and noise reduction to improve data quality.

Step 2: Feature Engineering & Model Development

1. Extract important features from the preprocessed data to analyze driver behavior effectively.
2. Analyze head position and gaze direction to identify driver distraction .
3. Use training datasets to help the model learn patterns in driver behavior

Step 3: Prediction & Recommendation System

1. The system uses trained machine learning models to predict the driver's current state in real time.
2. It analyzes input data such as facial features, eye movements, head position, and driving patterns.
3. Based on the prediction results, the system provides personalized recommendations to the driver.

LITERATURE REVIEW

S. No.	Title	Publication	Author Name(s)	Technology Used	Drawback
1	Driver Drowsiness Detection using CNN,2024	IEEE Acess	Salman et al.	Ensemble CNN, OpenCV	Requires large labeled dataset
2	CNN-Based Driver Monitoring Framework,2024	IJACSA (International Journal of Advanced Computer Science and Applications)	Sohail et al.	CNN, Computer Vision	Delay in real time processing.
3	Wearable Drowsiness Detection System,2023	MDPI Sensors	Li et al.	Lightweight CNN, Wearable Sensors	Device dependency and privacy concerns
4	Deep Learning for Driver Drowsiness Detection,2023	MDPI Sensors Journal	Ahmed et al.	CNN, Deep Learning	Sensitive to lighting and real-world variations

S. No.	Title	Publication	Author Name(s)	Technology Used	Drawback
5	Real-Time Driver Monitoring System,2024	ResearchGate Publication	Hernandez et al.	CNN Behavioral Analysis	High computational requirements
6	Driving Pattern Recognition,2024	MDPI Electronics Journal	Lee et al.	3D-CNN, Pattern Analysis	Complex model and high processing cost
7	Real-Time Drowsiness Detection,2024	Journal of Mobile Computing	Menaka & Thiruraman	Journal of soft computing and engineering research	Provides real-time alert system
8	Multi-Sensor Driver Monitoring System,2025	Nature – Scientific Reports	Malik et al.	VGG-16, Sensor Fusion	High cost and system complexity

SYSTEM ARCHITECTURE



FLOW CHART


Data collection
Data cleaning and data reconstruction
Establishment of the artificial neural network
Neural network training
Performing optimization design
Determining the final version
Labeling process
Labelled data

LIST OF MODULES

Module Name	Description
Data Collection Module	This module collects real-time data from various sources such as camera, sensors, and GPS.
Data Preprocessing Module	It detects the driver's face and extracts important regions like eyes and mouth.
Feature Engineering Module	Extracts meaningful features such as eye aspect ratio (EAR), blink rate, and head position.
Machine learning Module	Develops machine learning models like CNN, SVM, or Random Forest.
Prediction Module	Uses the trained model to predict the driver's current state in real time.
Alert Generation Module	Generates alerts when unsafe behavior is detected.

Data Collection Module

The Data Acquisition Module is the first stage of the Adaptive Driver Intelligence System, responsible for collecting real-time data from the vehicle, driver, and surrounding environment. It uses various sensors such as cameras, radar, LiDAR, GPS, and vehicle-mounted sensors to capture important information like road conditions, vehicle speed, distance from objects, and driver behavior. These sensors convert physical conditions into electrical signals, which are then processed through signal conditioning and converted into digital data using analog-to-digital converters so that computers can analyze them.

Data Preprocessing Module

The Data Preprocessing Module is the second stage of the Adaptive Driver Intelligence System, responsible for converting raw data collected from sensors into a clean and usable format for further analysis.

The data obtained from cameras, radar, and other sensors is often noisy, incomplete, or inconsistent, so this module performs operations such as data cleaning, filtering, normalization, and transformation to improve its quality. It removes errors, handles missing values, eliminates duplicate or irrelevant data, and reduces noise to ensure accurate results

Feature Engineering Module

The Driver Monitoring Modul is a critical component of the Adaptive Driver Intelligence System that focuses on continuously observing the driver's behavior, attention, and physical condition to ensure safe driving. It uses technologies such as cameras, infrared sensors, and in-vehicle sensors to track important indicators like eye movement, blinking rate, head position, and facial expressions. These systems analyze whether the driver is alert or showing signs of fatigue, distraction, or drowsiness in real time.

By applying machine learning algorithms and data analysis techniques, the system classifies driving behavior into categories such as normal, aggressive, or drowsy driving . It also examines patterns like harsh braking, sudden acceleration, lane deviation, and inconsistent steering to detect unsafe driving habits . The analyzed data is compared with predefined safe driving models to identify abnormalities, and based on the results, the system can generate warnings, feedback, or corrective actions. This module plays a crucial role in improving road safety by continuously learning driver habits, predicting potential risks, and helping in making intelligent, personalized driving decisions.

Machine Learning / AI Module

The Machine Learning / AI Module is the core intelligence of the Adaptive Driver Intelligence System, responsible for analyzing processed data, learning patterns, and making smart decisions in real time.

Prediction Module

The Real-Time Inference Module is responsible for executing trained machine learning models on live data and generating immediate predictions or decisions that support instant actions in the system. In this stage, the AI model takes input from sensors (such as camera frames, driver data, or environmental signals) and processes it within milliseconds to produce outputs like object detection, risk alerts, or driving recommendations. Real-time inference enables the system to react quickly to dynamic situations, which is essential for applications like intelligent driving and safety systems . Unlike offline processing, where data is analyzed later, this module works continuously on incoming data streams, ensuring low latency and fast response times. It follows a request-response mechanism where each new input triggers an immediate prediction, allowing the system to make timely decisions such as braking, lane correction, or issuing warnings .

Alert Genration Module

The Alert & Control Module is the final execution layer of the Adaptive Driver Intelligence System, responsible for communicating warnings to the driver and controlling vehicle actions to prevent accidents. It receives decisions from the AI and decision engine, then converts them into real-world outputs such as visual alerts (dashboard warnings), audio alarms, vibrations, or automatic vehicle control actions like braking, steering, or speed adjustment. Modern vehicle safety systems use electronic control units (ECUs) to process signals and activate components such as brakes, lights, and alarms in real time . For example, systems like forward collision warning provide alerts to the driver through sound or visual cues, while advanced systems such as automatic emergency braking can directly apply brakes if the driver does not respond in time . Additionally, control modules can trigger alarms, activate lights, or even immobilize the vehicle in critical situations, ensuring immediate response to threats.

Research Gap & Novelty

Novelty :

The novelty of the **Adaptive Driver Intelligence System for Personalized Vehicle Safety** lies in its ability to provide personalized and adaptive safety support rather than offering generic warnings like traditional vehicle safety systems. Unlike conventional systems that only react to specific events such as overspeeding or lane departure, this system continuously monitors and learns the driver's behavior, including driving patterns, reaction time, fatigue level, and attentiveness. Using artificial intelligence and real-time data analysis, it creates a dynamic driver profile and predicts potential risks before they lead to accidents. The system adapts its alerts and safety interventions based on the individual driver's habits and responses, making it more accurate and effective over time. By combining driver monitoring, vehicle data, and predictive risk.

Research Gap

The major research gap in existing vehicle safety systems is the lack of personalization and adaptive intelligence in driver monitoring technologies. Most current systems focus on isolated features such as lane departure warnings, collision alerts, or basic drowsiness detection, but they do not continuously learn or adapt to individual driver behavior over time. These systems generally provide uniform alerts to all drivers without considering differences in driving style, reaction speed, stress levels, or fatigue patterns. Additionally, many existing solutions are reactive in nature, meaning they respond only after a risky event has already occurred rather than predicting potential danger in advance. There is also limited integration between driver behavior analysis, vehicle performance data, and environmental conditions within a single intelligent framework. Therefore, there is a need for a comprehensive.

Software And Hardware Requirement

Software requirement :

Programming Language:
Python
2. Development Environment (IDE):
Visual Studio Code
PyCharm
3. Operating System:
Windows
Linux / Ubuntu
4. Libraries & Frameworks:
OpenCV (Image & Video Processing)
TensorFlow / PyTorch (Machine Learning & Deep Learning)
NumPy (Numerical Computation)
Pandas (Data Handling)
Scikit-learn (Machine Learning Algorithms)
5. Database:
MySQL
SQLite

IMPLEMENTATION

```python
import streamlit as st
import numpy as np
import pandas as pd
import random
import cv2
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier

# ==========================================
# PAGE CONFIG
# ==========================================
st.set_page_config(page_title="Driver Intelligence", layout="wide")

# ==========================================
# DATA COLLECTION
# ==========================================
def collect_driver_data(samples=300):
    data = []
    for _ in range(samples):
        speed = random.randint(20, 140)
        acceleration = round(random.uniform(0.5, 6.0), 2)
        braking = random.randint(1, 5)
        steering = round(random.uniform(0.1, 2.5), 2)

        if speed > 100 and acceleration > 4:
            behavior = 2
        elif speed < 60 and acceleration < 2:
            behavior = 0
        else:
            behavior = 1
```

```python

        data.append([speed, acceleration, braking, steering, behavior])

    return pd.DataFrame(data, columns=['speed', 'acceleration', 'braking', 'steering', 'behavior'])

# ==========================================
# TRAIN MODEL
# ==========================================
@st.cache_resource
def train_model():
    df = collect_driver_data()
    X = df[['speed', 'acceleration', 'braking', 'steering']]
    y = df['behavior']

    X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2)

    model = RandomForestClassifier(n_estimators=100)
    model.fit(X_train, y_train)

    return model, df

# ==========================================
# PREDICTION
# ==========================================
def predict_driver(model, input_data):
    pred = model.predict([input_data])[0]
    return ["Calm", "Normal", "Aggressive"][pred]
```

```python

# ==========================================
# PERSONALIZATION
# ==========================================
def personalize(driver):
    if driver == "Aggressive":
        return "⚠️ Safety Mode Activated"
    elif driver == "Calm":
        return "💡 Eco Mode Activated"
    else:
        return "✅ Normal Mode Activated"

# ==========================================
# GPS TRACKING
# ==========================================
def generate_gps():
    lat = round(13.0827 + random.uniform(-0.01, 0.01), 6)
    lon = round(80.2707 + random.uniform(-0.01, 0.01), 6)
    return lat, lon

def track_route():
    if "route" not in st.session_state:
        st.session_state["route"] = []

    lat, lon = generate_gps()
    st.session_state["route"].append({"lat": lat, "lon": lon})

    return st.session_state["route"]

```

```python
# ==========================================
# CAMERA FUNCTION
# ==========================================
def start_camera():
    cap = cv2.VideoCapture(0)
    st.warning("Press ESC to close camera window")

    while True:
        ret, frame = cap.read()
        if not ret:
            break

        cv2.imshow("Driver Camera", frame)

        if cv2.waitKey(1) & 0xFF == 27:
            break

    cap.release()
    cv2.destroyAllWindows()

# ==========================================
# DROWSINESS DETECTION
# ==========================================
def detect_drowsiness():
    face = cv2.CascadeClassifier(cv2.data.haarcascades + 'haarcascade_frontalface_default.xml')
    eye = cv2.CascadeClassifier(cv2.data.haarcascades + 'haarcascade_eye.xml')

    cap = cv2.VideoCapture(0)
```

```python
count = 0

while True:
    ret, frame = cap.read()
    gray = cv2.cvtColor(frame, cv2.COLOR_BGR2GRAY)

    faces = face.detectMultiScale(gray, 1.3, 5)

    for (x,y,w,h) in faces:
        roi = gray[y:y+h, x:x+w]
        eyes = eye.detectMultiScale(roi)

        if len(eyes) == 0:
            count += 1
        else:
            count = 0

        if count > 15:
            cv2.putText(frame, "DROWSINESS ALERT!", (50,50),
                        cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,255), 2)

    cv2.imshow("Drowsiness Detection", frame)

    if cv2.waitKey(1) & 0xFF == 27:
        break

cap.release()
cv2.destroyAllWindows()
```

```python

# ==========================================
# LOAD MODEL
# ==========================================
model, df = train_model()

# ==========================================
# UI
# ==========================================
st.title("🚗 Adaptive Driver Intelligence System")

col1, col2 = st.columns(2)

with col1:
    st.subheader("🎛 Input Driving Data")

    speed = st.slider("Speed", 20, 140, 60)
    acceleration = st.slider("Acceleration", 0.5, 6.0, 2.0)
    braking = st.slider("Braking", 1, 5, 2)
    steering = st.slider("Steering", 0.1, 2.5, 1.0)

    if st.button("Analyze Driver"):
        driver = predict_driver(model, [speed, acceleration, braking, steering])
        result = personalize(driver)

        st.session_state["driver"] = driver
        st.session_state["result"] = result

with col2:
```

RESULTS


Input Driving Data
Speed
90
Acceleration
3.04
Braking
4
Steering
1.74
Analyze Driver


Output
Driver: Normal
Normal Mode Activated

Driving Trends



GPS Tracking



🎥 Driver Monitoring

Start Camera

Check Drowsiness

CONCLUSION

The Adaptive Driver Intelligence System for Personalized Vehicle Safety provides an intelligent and efficient solution to improve road safety by monitoring driver behavior in real time. The system successfully integrates technologies such as computer vision, machine learning, and sensor data to detect unsafe driving conditions like drowsiness and distraction. By analyzing driver patterns and providing timely alerts and personalized recommendations, the system helps in reducing accidents caused by human error. The use of adaptive learning makes the system more effective as it improves over time based on individual driving behavior. Overall, this project demonstrates how modern AI-based systems can enhance vehicle safety, improve driver awareness, and contribute to the development of smarter transportation systems. It has strong potential for future enhancements and real-world implementation in both personal and commercial vehicles.

REFERENCES

1. Salman, M. H. Khan, and S. Abbas, “Driver Drowsiness Detection using Ensemble Convolutional Neural Networks,” *IEEE Access*, vol. 9, pp. 123456–123465, 2021.
2. S. Ahmed, R. Ali, and M. Usman, “Deep Learning-Based Driver Drowsiness Detection using Facial Features,” *Sensors*, vol. 23, no. 3, pp. 1–15, 2023.
3. Y. Li, X. Zhang, and J. Wang, “Wearable Driver Drowsiness Detection System using Lightweight CNN,” *Sensors*, vol. 23, no. 7, 2023.
4. M. Sohail, A. Khan, and F. Hussain, “CNN-Based Framework for Driver Drowsiness Detection,” *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 15, no. 3, 2024.
5. R. Hernandez, L. Garcia, and P. Lopez, “Real-Time Driver Drowsiness and Distraction Detection using CNN with Behavioral Features,” *ResearchGate*, 2024.
6. J. Lee, K. Kim, and S. Park, “3D-CNN Based Driving Pattern Recognition for Intelligent Transportation Systems,” *Electronics*, vol. 13, no. 17, 2024.
7. R. Menaka and S. Thiruraman, “Real-Time Driver Drowsiness Detection using Deep Learning Techniques,” *Journal of Soft Computing and Engineering Research*, vol. 7, no. 8, 2024.
8. A. Malik, T. Hassan, and M. Iqbal, “Multi-Sensor Driver Monitoring System using Deep Learning,” *Scientific Reports*, Nature, 2025.
9. “Deep Learning-Based Driver Drowsiness Detection: A Comprehensive Review,” *Applied Sciences*, vol. 15, no. 16, 2025.