

Assignment 10: Rest API / Triggers Assignment

Solution: Assignment 10: Rest API / Triggers Assignment

00:21:27

1. Create a pipeline to fetch the All countries data from Rest API (<https://restcountries.com/v3.1/all>) and save it as parquet file in ADLS.

Tricky:

2. Create a pipeline to fetch the 5 countries (india,us,uk,china,russia) data from Rest API (<https://restcountries.com/v3.1/name/{name}>) here replace the {name} with Country name like <https://restcountries.com/v3.1/name/us> and save it in separate file as JSON with File name equal to Country name.
3. Add the trigger to above pipeline in such a way that it will automatically run two times in a day (12:00 AM and 12:00 PM IST)
Tip: Incase you can't able to do Q2, do this on Q1
4. Now to make it more realistic, as soon as any copy activity fails in the above pipeline send an automated email to notify user.
5. Make the mail more generic by sending the Pipeline name, Status, SenderMailID, and Name within the mail. Ensure mail will come in case of both success and Fail.
6. Once a file for India gets generated trigger a pipeline that will copy the India.json file as CSV into the ADLS account.

.....

Solution 1 for Question1:

1. Create a pipeline to fetch the All countries data from Rest API (<https://restcountries.com/v3.1/all>) and save it as parquet file in ADLS.

the public preview of Microsoft Fabric, a brand new and exciting way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory!

Validate all [Publish all](#) 1 Preview experience Off

Ass_8_Part2_Q3_Data... ADLS_Generic_CSV_DS Json_Ass8_part2_Q3_... Ass_8_part2_Q3_Da... Ass_10_Q1_RestAPI

Activities

- Pipeline
- Change Data Capture (preview)
- Dataset
- Data flow
- Power Query
- Copy Data tool

ion_Custom...
mple_2
mple_2
MM_DD
ta_Example
WaterMarkFile
th_Example2
yh_pipeline
iFlow_Pipeline
ataflow
Dataflow

Validate Validate copy runtime Debug Add trigger

General Source Sink Mapping Settings ...

Name *

Copy data1

[Learn more](#)

Description

Properties

General Related

Name *

Ass_10_Q1_RestAPI

Description

countries data from Rest API (https://restcountries.com/v3.1/all) and save it as parquet file in ADLS.

Annotations

+ New

[Publish all](#) 1 Preview experience

Ass_8_Part2_Q3_Data... ADLS_Generic_CSV_DS Json_Ass8_part2_Q3_... Ass_8_part2_Q3_Da... Ass_10

Activities

copy

Move and transform

Copy data

Copy data

Copy data

Copy data1

General Source Sink Mapping Settings User properties

Name *

Copy data1 [Learn more](#)

Description

Activity state ^①

☒ Activated ☐ Deactivated

Timeout ^①

0.12:00:00

ADLS_Generic_CSV_DS

Json_Ass8_part2_Q3_...

Ass_8_part2_Q3_Da...

Ass_10_Q1_RestAPI

✓ Validate

✓ Validate copy runtime

▶ Debug

⚡ Add trigger

Copy data

Copy data1

🗑

</>

📄

➡

General

Source¹

Sink¹

Mapping

Settings

User properties

Source dataset *

Select...

+ New

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#) 

Select a data store

 rest

All

Azure

Database

File

Generic protocol

NoSQL

Services and apps



Presto



REST

Continue

Cancel

New linked service

 REST [Learn more](#) 

Name *

RestService1

Description

Connect via integration runtime * 

AutoResolveIntegrationRuntime

Base URL *

https://restcountries.com/v3.1/all

 Information will be sent to the URL specified. Please ensure you trust the URL entered.

Authentication type *

Anonymous

Server Certificate Validation 

☒ Enable ☐ Disable

Auth headers 

 New

Create

Cancel

 Test connection

New linked service

 REST [Learn more](#)

Name *

RestService1

Description

Connect via integration runtime * 

AutoResolveIntegrationRuntime

Base URL *

https://restcountries.com/v3.1/all

 Information will be sent to the URL specified. Please ensure you trust the URL entered.

Authentication type *

Anonymous

Server Certificate Validation 

☒ Enable ☐ Disable

Auth headers 

 New

Create

Cancel

 Test connection

New linked service

REST [Learn more](#)

Connect via integration runtime * ^①

AutoResolveIntegrationRuntime

Base URL *

https://restcountries.com/v3.1/all

 Information will be sent to the URL specified. Please ensure you trust the URL entered.

Authentication type *

Anonymous

Server Certificate Validation ^①

☒ Enable ☐ Disable

Auth headers ^①

+ New

Annotations

+ New

> Parameters

> Advanced ^①

 Connection successful

 Test connection

Create

Cancel

Set properties

Name

RestResource1_Assignment_10_Q1

Linked service *

RestService1



> Advanced

OK

Back

Cancel

new on Microsoft Fabric, a brand new and exciting way to build cloud first data analytics. Click [here](#) to get started with Fabric Data Factory.

II

↑ Publish all 3

Preview experience

Ass_8_Part2_Q3_Data...

ADLS_Generic_CSV_DS

Json_Ass8_part2_Q3_...

Ass_8_part2_Q3_Da...

Ass_10_Q1_Rest

Validate

Validate copy runtime

Debug

Add trigger

Copy data

Copy data1

General

Source

Sink¹

Mapping

Settings

User properties

Source dataset *

RestResource1_Assignment_10_Q1

Open

New

Preview data

Learn m

Request method ⓘ

GET

Request timeout ⓘ

00:01:40

Request interval (ms) ⓘ

10

Additional headers ⓘ

+ New

Pagination rules ⓘ

+ New

Delete

Preview data

Linked service: RestService1

Object:

```
[
  {
    "name": {
      "common": "Cyprus",
      "official": "Republic of Cyprus",
      "nativeName": {
        "ell": {
          "official": "Δημοκρατία της Κύπρος",
          "common": "Κύπρος"
        },
        "tur": {
          "official": "Kıbrıs Cumhuriyeti",
          "common": "Kıbrıs"
        }
      }
    },
    "tld": [
      ".cy"
    ],
    "cca2": "CY",
    "ccn3": "196",
    "cca3": "CYP",
    "cioc": "CYP",
    "independent": true,
    "status": "officially-assigned",
    "unMember": true,
    "currencies": {
      "EUR": {
```

Select Sink as ADLS gen2 “Parquet” file type

Search factory and documentation



gopinathma09@outlook.com

DEFAULT DIRECTORY

new and exciting way to build cloud data pipelines

ADLS_Generic_CSV_DS

Validate copy runtime

Del

Copy data1



Source

Sink¹

Mapping

Settings

Select...

Set properties

Name

Parquet1_Rest_assignment_10_Q1

Linked service *

ADLS_Azure_DataLakeStorage1_Linked_service

File path

landing / Ass_10_output / File name

Import schema

☒ From connection/store ☐ From sample file ☐ None

> Advanced

OK

Back

Cancel

or Microsoft Fabric, a brand new and exciting way to build cloud first data analytics. Click [here](#) to get started with Fabric Data Factory.

↑ Publish all 4

Preview experience ☐ Off  

Ass_8_Tough_Q1_Dat...

Ass_10_Q1_RestAPI

»

✓ Validate ☐ Cancel options  Add trigger

  ...

Copy data 

 Copy data1 

Parameters Variables Settings **Output**

Pipeline run ID: ba3e58eb-377b-47e3-a68e-782736537554   

Pipeline status  In progress

[Monitor in Azure Metrics](#)  [Export to CSV](#) | 

All status ▾

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime
Copy data1	 Queued	Copy data	3/3/2024, 11:44:24 PM	6s	

Details  Refresh

 REST

Succeeded →  Azure Data Lake Storage Gen2
Region: East US

Data read: ⓘ 1.119 MB

Objects read: 250

Peak connections: ⓘ 1

Data written: ⓘ 13.753 KB

Files written: ⓘ 1

Rows written: ⓘ 250

Peak connections: ⓘ 1

Copy duration 00:00:14

Throughput: ⓘ 279.798 KB/s

✓ REST → Azure Data Lake Storage Gen2

Start time 3/3/2024, 11:44:25 PM

Used DIUs ⓘ 4

Used parallel copies ⓘ 1

Duration 00:00:14

Details	Working duration	Total duration
 Queue ⓘ		00:00:08

Time to first byte ⓘ 00:00:00

 Publishing completed

Successfully published

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Location: [landing](#) / Ass_10_output

Search blobs by prefix (case-sensitive) ☐ Show deleted objects

Name	Modified	Access tier	Archive status	Blob type
☐  data_cdcae8da8-cad1-48b8-957b-448466bfd9ff_2cbfa62...	3/3/2024, 11:44:39 PM	Hot (Inferred)		Block blob

[illegible]

00Gopi01012024adf-b Search factory and documentation gopinathma09@outlook.com DEFAULT DIRECTORY

ew of Microsoft Fabric, a brand new and exciting way to build clo

Publishing 4

Ass_8_Tough_Q1_Dat... Ass_10_Q1_RestAPI

Validate Debug Add trigger

Copy data

Copy data1

Parameters Variables Settings Output

Pipeline run ID: ba3e58eb-377b-47e3-a68e-7

All status

Showing 1 - 1 of 1 items

Activity name	Activity status
Copy data1	Succeeded

Publish all

You are about to publish all pending changes to the live environment. [Learn more](#)

Pending changes (4)

NAME	CHANGE	EXISTING
Ass_10_Q1_RestAPI	(New)	-
RestResource1_Assignmen...	(New)	-
Parquet1_Rest_assignment...	(New)	-
RestService1	(New)	-

Publish Cancel

23:45

Question2:

2. Create a pipeline to fetch the 5 countries (india,us,uk,china,russia) data from Rest API (<https://restcountries.com/v3.1/name/{name}>) here replace the {name} with Country name like <https://restcountries.com/v3.1/name/us>) and save it in separate file as JSON with File name equal to Country name.

Ass_8_Tough_Q1_Dat...Ass_10_Q1_RestAPIAss_10_Q2_RestAPIAss_10_Q2_RestAPI_c...Ass_10_Q2_Json1

ValidateDebugAdd trigger

31

ForEach

ForEach1

Activities

ParametersVariablesSettingsOutput

Expand toolbox pane items

Activity name	Activity status	Activity type	Run start	Duration	Integration runti
Copy data1	Succeeded	Copy data	3/4/2024, 12:00:02 AM	18s	AutoResolveInteg
Copy data1	Succeeded	Copy data	3/4/2024, 12:00:02 AM	15s	AutoResolveInteg
Copy data1	Succeeded	Copy data	3/4/2024, 12:00:02 AM	19s	AutoResolveInteg
Copy data1	Succeeded	Copy data	3/4/2024, 12:00:02 AM	14s	AutoResolveInteg
Copy data1	Succeeded	Copy data	3/4/2024, 12:00:02 AM	15s	AutoResolveInteg
ForEach1	Succeeded	ForEach	3/4/2024, 12:00:01 AM	22s	

UploadAdd DirectoryRefreshRenameDeleteChange tierAcquire leaseBreak leaseGive feedback

Authentication method: Access key (Switch to Microsoft Entra user account)

Location: landing / Ass_10_output

Search blobs by prefix (case-sensitive)

Show deleted objects

Name	Modified	Access tier	Archive status	Blob type	Size
china	3/4/2024, 12:00:13 AM	Hot (Inferred)		Block blob	13.9
data_cdae8da8-cad1-48b8-957b-448466bfd9ff_2cbfa62...	3/3/2024, 11:44:39 PM	Hot (Inferred)		Block blob	13.4
india	3/4/2024, 12:00:13 AM	Hot (Inferred)		Block blob	6.98
russia	3/4/2024, 12:00:13 AM	Hot (Inferred)		Block blob	3.18
uk	3/4/2024, 12:00:17 AM	Hot (Inferred)		Block blob	11.3
us	3/4/2024, 12:00:13 AM	Hot (Inferred)		Block blob	42.3

ainers > landing >

« [Upload](#) [Add Directory](#) ...

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Location: landing / Ass_10_output

Search blobs by prefix (case-...

☒ Show deleted objects

Name

- ☐ china
- ☐ data_cdae8da8-cad1-48b8-957b-4484
- ☒ india
- ☐ russia
- ☐ uk
- ☐ us

Ass_10_output/india

Blob

[Save](#) [Discard](#) [Download](#) [Refresh](#) [Delete](#)

[Overview](#) [Versions](#) [Edit](#) [Generate SAS](#)

⚠ The file 'Ass_10_output/india' may not render correctly as it contains an unrecognized extension.

```
1 [{"name":{"common":"British Indian Ocean Territory","official":"British Indian Oe
2 {"name":{"common":"India","official":"Republic of India","nativeName":{"eng":{"of
3
```

[Preview](#)

« [Upload](#) [Add Directory](#) ...

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Location: landing / Ass_10_output

Search blobs by prefix (case-...

☒ Show deleted objects

Name

- ☐ china
- ☐ data_cdae8da8-cad1-48b8-957b-4484
- ☐ india
- ☐ russia
- ☒ uk
- ☐ us

Ass_10_output/uk

Blob

[Save](#) [Discard](#) [Download](#) [Refresh](#) [Delete](#)

[Overview](#) [Versions](#) [Edit](#) [Generate SAS](#)

⚠ The file 'Ass_10_output/uk' may not render correctly as it contains an unrecognized extension.

```
1 [{"name":{"common":"North Korea","official":"Democratic People's Republic of Korea
2 {"name":{"common":"United Kingdom","official":"United Kingdom of Great Britain an
3 {"name":{"common":"Ukraine","official":"Ukraine","nativeName":{"ukr":{"official":
4
```

[Preview](#)

Upload Add Directory Refresh | Rename Delete Change tier Acquire lease Break lease Give feedback

Authentication method: Access key (Switch to Microsoft Entra user account)

Location: landing / Ass_10_output

Search blobs by prefix (case-sensitive)

Show deleted object

Name	Modified	Access tier	Archive status
☐ china	3/4/2024, 12:00:13 AM	Hot (Inferred)	
☐ data_cdae8da8-cad1-48b8-957b-448466bfd9ff_2cbfa622-027c-44c3-93...	3/3/2024, 11:44:39 PM	Hot (Inferred)	
☐ india	3/4/2024, 12:00:13 AM	Hot (Inferred)	
☐ russia	3/4/2024, 12:00:13 AM	Hot (Inferred)	
☐ uk	3/4/2024, 12:00:17 AM	Hot (Inferred)	
☐ us	3/4/2024, 12:00:13 AM	Hot (Inferred)	

Question 3:

3. Add the trigger to above pipeline in such a way that it will automatically run two times in a day (12:00 AM and 12:00 PM IST)

Tip: Incase you can't able to do Q2, do this on Q1

01012024adf-b Search factory and documentation gopinathma09@outlook.com
DEFAULT DIRECTORY

Microsoft Fabric, a brand new and exciting way to build cloud data solutions

publish all 1

Ass_10_Q2_RestAPI Ass_10_Q2_RestAPI_c...

Activities

Search activities

- > Move and transform
- > Synapse
- > Azure Data Explorer
- > Azure Function
- > Batch Service
- > Databricks
- > Data Lake Analytics
- > General
- > HDInsight
- > Iteration & conditionals
- > Machine Learning
- > Power Query

General Settings

New trigger

Name *
trigger1_12AM_Ass_10_Q3

Description
Add the trigger to above pipeline in such a way that it will automatically run two times in a day (12:00 AM and 12:00 PM IST)
Tip: Incase you can't able to do Q2, do this on Q1

Type *
Schedule

Start date * ⓘ
3/3/2024, 11:30:27 PM

Time zone * ⓘ
Coordinated Universal Time (UTC)

Recurrence * ⓘ
Every 1 Day(s)

Advanced recurrence options

Execute at these times ⓘ

Hours 0 X

OK Cancel

01012024adf-b Search factory and documentation gopinathma09@outlook.com
DEFAULT DIRECTORY

Microsoft Fabric, a brand new and exciting way to build cloud data solutions

publish all 1

Ass_10_Q2_RestAPI Ass_10_Q2_RestAPI_c...

Activities

Search activities

- > Move and transform
- > Synapse
- > Azure Data Explorer
- > Azure Function
- > Batch Service
- > Databricks
- > Data Lake Analytics
- > General
- > HDInsight
- > Iteration & conditionals
- > Machine Learning
- > Power Query

General Settings

New trigger

Name *
trigger1_12AM_Ass_10_Q3

Description
Add the trigger to above pipeline in such a way that it will automatically run two times in a day (12:00 AM and 12:00 PM IST)
Tip: Incase you can't able to do Q2, do this on Q1

Type *
Schedule

Start date * ⓘ
3/3/2024, 11:30:27 PM

Time zone * ⓘ
Coordinated Universal Time (UTC)

Recurrence * ⓘ
Every 1 Day(s)

Advanced recurrence options

Execute at these times ⓘ

Hours 0 X

OK Cancel

clo

New trigger

3/3/2024, 11:30:21 PM

Time zone * ⓘ
Coordinated Universal Time (UTC) ▼

Recurrence * ⓘ
Every 1 Day(s) ▼

✓ Advanced recurrence options

Execute at these times ⓘ

Hours 0 ×

Minutes 0 ×

Schedule execution times
00:00

☐ Specify an end date

Annotations
+ New

Start trigger ⓘ
☒ Start trigger on creation

ttin

OK Cancel

12 AM

Press OK above

And

Now create Trigger for 12PM

Ass_10_Q2_RestAPI_c...

Ass_10_Q2_Json1

Ass_10_Q3_Trigger

Validate

Debug

Trigger (1)

Trigger now

New/Edit (1)

ForEach1

Activities

Copy data1

+

+

+

+

+

+

+

+

+

Properties

General

Related

Name *

Ass_10_Q3_Trigger

Description

Add the trigger to above pipeline in such a way that it will automatically run two times in a day (12:00 AM and 12:00

Annotations

+ New

Add triggers

Choose trigger...

Search

+ New

trigger_124M_A33_10_ Schedule

New

Close

New trigger

Name *

trigger2_12PM

Description

Type *

Schedule

Start date * ⓘ

3/3/2024, 11:40:09 PM

Time zone * ⓘ

Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna (UTC+1)

ⓘ This time zone observes daylight savings. Trigger will auto-adjust for one hour difference

Recurrence * ⓘ

Every

15

Minute(s)

☐ Specify an end date

Annotations

OK

Cancel

Type *

Schedule

Start date * ⓘ

3/3/2024, 11:40:09 PM

Time zone * ⓘ

Coordinated Universal Time (UTC)

Recurrence * ⓘ

Every 1

Day(s)

Advanced recurrence options

Execute at these times ⓘ

Hours

Minutes

Schedule execution times

23:40

Filter...

Minute(s)

Hour(s)

Day(s)

Week(s)

Month(s)

3/3/2024, 11:40:09 PM

Time zone * ⓘ

Coordinated Universal Time (UTC) ▼

Recurrence * ⓘ

Every

1

Day(s) ▼

▼ Advanced recurrence options

Execute at these times ⓘ

Hours

12 ✕

Minutes

00

Schedule execution times

12:40

☐

Specify an end date

Annotations

OK

Cancel

5/3/2024, 11:40:09 PM

Time zone * ⓘ

Coordinated Universal Time (UTC)

Recurrence * ⓘ

Every

1

Day(s)

Advanced recurrence options

Execute at these times ⓘ

Hours

12 X

Minutes

0 X

Schedule execution times

12:00

☐ Specify an end date

Annotations

+ New

Start trigger ⓘ

☒ Start trigger on creation

OK

Cancel

New trigger

Trigger Run Parameters

Name	Type	Value
This pipeline has no parameters		

Make sure to "Publish" for trigger to be activated after clicking "OK"

OK

Cancel

publish Validate all resources and publish them new and exciting way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory!

Validate all Publish all 1 Preview ex

Ass_10_Q1_RestAPI Ass_10_Q2_RestAPI Ass_10_Q2_RestAPI_c... Ass_10_Q2_Json1

Activities

Search activities

- > Move and transform
- > Synapse
- > Azure Data Explorer
- > Azure Function
- > Batch Service
- > Databricks
- > Data Lake Analytics
- > General
- > HDInsight
- > Iteration & conditionals

Validate Debug Trigger (2)

ForEach

ForEach1

Activities

Copy data1

lo Publish all

You are about to publish all pending changes to the live environment. [Learn more](#)

Pending changes (1)


NAME	CHANGE	EXISTING
Triggers		
trigger2_12PM	(New)	-

Publish Cancel

in

Question 4:

4. Now to make it more realistic, as soon as any copy activity fails in the above pipeline send an automated email to notify user.



Same pipeline cloned from previous questions **“For Each Activity” from Question 1 of Assignment:**


ay to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory:

Preview experien

_Q3_Trigger

Ass_10_Q4_Autom... X

alidate ▶ Debug ⚡ Add trigger




RestAPI_c...

Ass_10_Q2_Json1


Ass_10_Q3_Trigger

Ass.

ate ▶ Debug ⚡ Add trigger



trigger



view Settings Use properties

review export

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

Validate

Debug

Add trigger

Ass_10_Q4_Automated_Email > ForEach1

Copy data

Copy data1

Use WebActivity (After Copy gets success)

Microsoft Fabric, a brand new and exciting way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory!

Ass_8_Tough_Q1_Dat...

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

Publish all

Preview experience

Activities

web

General

Web

WebHook

Validate

Debug

Add trigger

Ass_10_Q4_Automated_Email > ForEach1

Copy data

Copy data1

Web

Web1

General

Settings

User properties

Name

Web1

Description

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

Validate

Debug

Add trigger

Ass_10_Q4_Automated_Email > ForEach1

Copy data

Copy data1

Web

Web1

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

<<

✓ Validate

▶ Debug

⚡ Add trigger

{ }

Ass_10_Q4_Automated_Email > ForEach1

Copy data

Copy data1

Web



Web1



General

Settings²

User properties

Name *

Web1

[Learn more](#)

Description

Activity state ⓘ



Activated




Deactivated

Timeout ⓘ



0.12:00:00

Retry ⓘ

0



For Email creation – u need to create logic app (Search for “Logic App” in search box)



[Home](#) > [Logic apps](#) >

Create Logic App ...

Create a logic app, which lets you group workflows as a logical unit for easier management, deployment and sharing of resources. Workflows let you connect your business-critical apps and services with Azure Logic Apps, automating your workflows without writing a single line of code.

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Free Trial



Resource Group * ⓘ

Azurelib-Academy_Gopi

[Create new](#)

Instance Details

Logic App name *

gopi01012024logicapp



.azurewebsites.net

Publish *



Workflow



Container Image

Region *

East US



Not finding your App Service Plan? Try a different region or select your App Service Environment.

[Review + create](#)[< Previous](#)[Next : Hosting >](#)

[Home](#) > [Logic apps](#) >

Create Logic App ...

Create a logic app, which lets you group workflows as a logical unit for easier management, deployment and sharing of resources. Workflows let you connect your business-critical apps and services with Azure Logic Apps, automating your workflows without writing a single line of code.

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource Group * ⓘ
[Create new](#)

Instance Details

Logic App name * ✓

Region *

Enable log analytics * ☐ Yes ☒ No

⚠ There are no log analytics workspace resources in the selected subscription. In order to enable log analytics, either

[Home](#) > [Logic apps](#) >

Create Logic App ...

Logic App name * ✓

Region *

Enable log analytics * ☐ Yes ☒ No

⚠ There are no log analytics workspace resources in the selected subscription. In order to enable log analytics, either create a new log analytics workspace resource or switch to a subscription which already has one.

Plan

The plan type you choose dictates how your app scales, what features are enabled, and how it is priced. [Learn more](#)

Plan type *

☐ **Standard:** Best for enterprise-level, serverless applications, with event-based scaling and networking isolation.

☒ **Consumption:** Best for entry-level. Pay only as much as your workflow runs.

📘 Looking for the classic consumption create experience? [Click here](#)

Zone redundancy (preview)

Set up your Consumption Logic app to use availability zones in Azure regions that support zone redundancy. This option

[Review + create](#)

[< Previous](#)

[Next : Tags >](#)

create a new log analytics workspace resource or switch to a subscription which already has one.

Plan

The plan type you choose dictates how your app scales, what features are enabled, and how it is priced. [Learn more](#)

Plan type *

- ☐ **Standard:** Best for enterprise-level, serverless applications, with event-based scaling and networking isolation.
- ☒ **Consumption:** Best for entry-level. Pay only as much as your workflow runs.
-  Looking for the classic consumption create experience? [Click here](#)

Zone redundancy (preview)

Set up your Consumption logic app to use availability zones in Azure regions that support zone redundancy. This option is available only when you create and deploy your logic app. Eventually, all Consumption logic apps in zone supported regions will enable availability zones by default. [Learn more](#)

Zone redundancy

- ☐ **Enabled:** Your Consumption logic app uses availability zone.
- ☒ **Disabled:** Your Consumption logic app doesn't use availability zones.

Create Logic App ...

 Validating

Basics Tags Review + create

Summary

 **Logic App**
by Microsoft


Details

Subscription	10d4af9c-1612-4d63-bed9-1c7d6a30457d
Resource Group	Azurelib-Academy_Gopi
Name	gopi01012024logicapp
Region	eastus
Zone redundancy (preview)	Not enabled
Log analytics	Disabled

Create Logic App

Basics Tags Review + create

Summary



Details

Subscription	10d4af9c-1612-4d63-bed9-1c7d6a30457d
Resource Group	Azurelib-Academy_Gopi
Name	gopi01012024logicapp
Region	eastus
Zone redundancy (preview)	Not enabled
Log analytics	Disabled

Microsoft.Web-LogicAppConsumption-Portal-ad43951b-8069 | Overview

Deployment

arch <

erview

outs

itputs

mplate

Delete

Cancel

Redeploy

Download

Refresh

✔ Your deployment is complete

Deployment name: Microsoft.Web-LogicAppConsumption-...

Subscription: [Free Trial](#)

Resource group: [Azurelib-Academy_Gopi](#)

Start time: 3/4/2024, 1:12:30 AM

Correlation ID: f54692fb-b2f3-4419-aa33-dcb0

Deployment details

Next steps

Setup log analytics for your app. Recommended

Go to resource

Give feedback

Tell us about your experience with deployment

Cost Management

Get notified to stay within y

prevent unexpected charge

Set up cost alerts >

Microsoft Defender for Clo


Secure your apps and infras

Go to Microsoft Defender fi

Free Microsoft tutorials

Start learning today >

Work with an expert



logicapp | Logic app designer

«

Introducing Azure Logic Apps

Watch Later Share

{ } Azure Logic Apps

Watch on YouTube

Building integration solutions is easier than ever

Logic Apps brings speed and scalability into the enterprise integration space. The ease of use of the designer, variety of available triggers and actions, and powerful management tools make centralizing your APIs simpler than ever. As businesses move towards digitalization, Logic Apps allows you to connect legacy and cutting-edge systems together.

- Create business processes and workflows visually
- Integrate with SaaS and enterprise applications
- Unlock value from on-premises and cloud applications



>

Watch on

Unlock value from on-premises and cloud applications

Start with a common trigger

Pick from one of the most commonly used triggers, then orchestrate any number of actions using the rich collection of connectors



When a message is received in a Service Bus queue	When a HTTP request is received	When a new tweet is posted	When an Event Grid resource event occurs
Recurrence	When a new email is received in Outlook.com	When a new file is created on OneDrive	When a file is added to FTP server



When a HTTP request is received ...



+ New step



When a HTTP request is received ...


+ New step












Copy HTTP POST URL:

<https://prod-36.eastus.logic.azure.com:443/workflows/1ac08d815250464a9265aabb325174e2/triggers/manual/paths/invoke?api-version=2016-10-01&sp=%2Ftriggers%2Fmanual%2Frun&sv=1.0&sig=gt9bJk4h62FHXUJ1kiAXWVn2-AEHjPaRpwWMoxh-HNk>



For me above did not work so trying GMAIL

Consumption-Portal-9d972d8f-b1bc | Overview > gopi01012024logicappApril15

gicappApril15 | Logic app designer

Run Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer

When a HTTP request is received

Send email (V2)

Parameters Settings Code View About

HTTP POST URL

quest_is_received%2Frun&sv=1.0&sig=500rWV8RAxheww5ZzFjGnauQPXVZiSdw4VCTYZSm3yc

Request Body JSON Schema

Use sample payload to generate schema

Advanced parameters

Showing 0 of 2 Show all Clear all

ppApril15 | Logic app designer

Run Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer

When a HTTP request is received

Send email (V2)

Parameters Settings Code View About

HTTP POST URL


https://prod-25.eastus.logic.azure.com:443/workflows/9e0020b1577d4b4bb01d28bfdab4ac8...

Request Body JSON Schema

Use sample payload to generate schema

Advanced parameters

Showing 0 of 2 Show all Clear all



nsumption-Portal-9d972d8f-b1bc | Overview > gopi01012024logicappApril15

cappApril15 | Logic app designer ☆ ...

< ▶ Run ▾ Save ✕ Discard [e] Parameters {} Code view ✕ Errors ⓘ Info ⚙ File a bug 📖 Enable Legacy Designer

When a HTTP request is received

+

Send email (V2)

+

Add an action

gmail ← Gmail

Runtime: Select a runtime ▾ Action Type: Actions ▾

☒ Group by Connector

Gmail ⓘ See more

- Delete email ⓘ
- Get email details ⓘ
- Send email (V2) ⓘ

TuxMailer ⓘ See more

Search resources, services, and docs (G+)

gopinathma09@outloo...
DEFAULT DIRECTORY (CHAITANY...

ption-Portal-9d972d8f-b1bc | Overview > gopi01012024logicappApril15

ipApril15 | Logic app designer

Run Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer

When a HTTP request is received

Send email (V2)

Send email (V2)

Parameters Settings Code View Testing About

To *

gopinathma09@gmail.com

Advanced parameters

Showing 2 of 6 Show all Clear all

Subject

Hello from Logic App April 16

Body

Normal Arial 15px B I U A < >

Hello from Logic App Subject ++

Search resources, services, and docs (G+)

DEFAULT DIRECTORY (CHAITANY...

nsumption-Portal-9d972d8f-b1bc | Overview > gopi01012024logicappApril15

icappApril15 | Logic app designer

Run Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer

When a HTTP request is received

Send email (V2)

Send email (V2)

Parameters Settings Code View Testing About

To *

gopinathma09@gmail.com

Advanced parameters

Showing 2 of 6 Show all Clear all

Subject

Hello from Logic App April 16

Body

Normal Arial 15px B I U A < >

Hello from Logic App Subject ++

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

[✓ Validate](#) [▶ Debug](#) [⚡ Add trigger](#)Ass_10_Q4_Automated_Email > [ForEach1](#)

Copy data



Copy data1



Web



Web1

[General](#) [Settings¹](#) [User properties](#)

URL * ⓘ

[Add dynamic content \[Alt+Shift+D\]](#)

Method * ⓘ

GET




Authentication ⓘ

None



Headers ⓘ

[+ New](#)[> Advanced](#)



1. **Check Request Content:** Review the content of the request you are sending to ensure that it is formatted correctly and does not contain any unexpected characters.
2. **Validate JSON Format:** Ensure that the request content is valid JSON format. JSON should start with a `{` character and end with a `}` character, with **key-value pairs** separated by commas. Also, make sure that all strings are enclosed in double quotation marks (`"`).
3. **Check for Special Characters:** Look for any special characters or symbols in the request content that might be causing parsing errors. These characters should be properly escaped according to JSON syntax rules.

Ass_10_Q4_Automated_Email > ForEach1

Copy data

Copy data1

Web

Web1

✖

✓

➔

General Settings User properties

URL * ⓘ

https://prod-36.eastus.logic.azure.com:4...

⚠ Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method * ⓘ

POST

Body ⓘ

{}

Authentication ⓘ

..

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

Save

Save as template

Validate

Debug

Add trigger

Ass_10_Q4_Automated_Email > ForEach1

Copy data1

Web1

General

Settings

User properties

URL * ⓘ

https://prod-25.eastus.logic.azure.com:4...

⚠ Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method * ⓘ

POST

Body ⓘ

{ }

Preview experience

Off

Ass_10_Q3_Trigger

Ass_10_Q4_Autom...

Validate

Cancel options

Add trigger

ForEach

ForEach1

Activities

Copy data1

Parameters

Variables

Settings

Output

Pipeline run ID:

38513378-d468-42d0-b5ce-41520411a12e

Pipeline status

In progress

All status

List

Monitor in Azure Metrics

Export to CSV

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration
ForEach1	In progress	ForEach	3/4/2024, 1:39:42 AM	Less than 1 min

Fabric, a brand new and exciting way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory!

all 1 Preview experience ☐ Off 

_8_Tough_Q1_Dat... Ass_10_Q3_Trigger Ass_10_Q4_Autom... ●

ities Validate Debug Add trigger

neral	Activities		
-------	------------	---	---

Web 

Parameters Variables Settings **Output**

DOI: 10.1002/anie.201705000

Pipeline status Succeeded [View debug run consumption](#)

All status ▾ List ▾ Monitor in Azure Metrics ↗ Export to CSV ▾

Showing 1 - 11 of 11 items

Activity name	Activity status	Activity type	Run start	Duration
---------------	-----------------	---------------	-----------	----------

Web	Result	Web	Time	Size
Web1	 Succeeded	Web	3/4/2024 1:40:19 AM	2s

Web1	 Succeeded	Web	3/4/2024, 1:39:58 AM	3s
------	---	-----	----------------------	----

Web1	 Succeeded	Web	3/4/2024, 1:39:58 AM	3s
------	---	-----	----------------------	----

Web1	 Succeeded	Web	3/4/2024, 1:39:56 AM	3s
------	---	-----	----------------------	----

Web1	 Succeeded	Web	3/4/2024, 1:39:56 AM	2s
------	---	-----	----------------------	----

01:43

and clicking my to send email first data entry then click [here](#) to get started with some data entry.

Preview experience Off

Ass_10_Q3_Trigger Ass_10_Q4_Autom...

Save Save as template Validate Debug Add trigger

ForEach

ForEach1

Activities

Parameters Variables Settings **Output**

Activity	Status	Activity Name	Time	Duration
Web1	✓ Succeeded	Web	4/16/2024, 8:34:13 PM	5s
Copy data1	✓ Succeeded	Copy data	4/16/2024, 8:33:58 PM	15s
Copy data1	✓ Succeeded	Copy data	4/16/2024, 8:33:58 PM	15s
Copy data1	✓ Succeeded	Copy data	4/16/2024, 8:33:58 PM	15s
Copy data1	✓ Succeeded	Copy data	4/16/2024, 8:33:58 PM	14s
Copy data1	✓ Succeeded	Copy data	4/16/2024, 8:33:58 PM	15s
ForEach1	✓ Succeeded	ForEach	4/16/2024, 8:33:57 PM	37s

≡ Gmail

Compose

Inbox 7,980

Starred

Snoozed

Sent

Drafts 48

More

Search mail

Primary

Promotions 3 new

Social

1-50 of 9,784

me Hello from Logic App April 16 - Hello from Logic App Subject ++

me Hello from Logic App April 16 - Hello from Logic App Subject ++


me Hello from Logic App April 16 - Hello from Logic App Subject ++

me Hello from Logic App April 16 - Hello from Logic App Subject ++

me Hello from Logic App April 16 - Hello from Logic App Subject ++

5 Emails Received : Because For 5 countries of RestAPI --> For Each copy Activity happened 5 times,

so 5 GMAILS Emails Triggered



4/16/24, 8:44 PM

Gmail - Hello from Logic App April 16



Gopinath M A <gopinathma09@gmail.com>

Hello from Logic App April 16

gopinathma09@gmail.com <gopinathma09@gmail.com>
To: gopinathma09@gmail.com

16 April 2024 at 20:34

Hello from Logic App Subject ++

4/16/24, 8:44 PM

Gmail - Hello from Logic App April 16



Gopinath M A <gopinathma09@gmail.com>

Hello from Logic App April 16

gopinathma09@gmail.com <gopinathma09@gmail.com>
To: gopinathma09@gmail.com

16 April 2024 at 20:34

Hello from Logic App Subject ++

Question 5:

5. Make the mail more generic by sending the Pipeline name, Status, SenderMailID, and Name within the mail. Ensure mail will come in case of both success and Fail

Make mail generic



The screenshot shows a Notepad window titled "Untitled - Notepad" with a menu bar (File, Edit, Format, View, Help). The text in the window is a REST client request to the endpoint `https://prod-40.eastus.logic.azure.com:443/workflows/913`. The request body is a JSON object:

```
{
  "pipelineName": "LogicApp-Example",
  "Emailid": "deeapkgoyal11@hotmail.com",
  "Flag": "Pass"
}
```



The screenshot shows a REST client window titled "it Practice" with a menu bar (File, Edit, Format, View, Help). The text in the window is a REST client request to the endpoint `https://prod-40.eastus.logic.azure.com:443/workflows/913`. The request body is a JSON object:

```
{
  "pipelineName": "LogicApp-Example",
  "Emailid": "deeapkgoyal11@hotmail.com",
  "Flag": "Pass",
  "Message": "Thank you for using me"
}
```

Add new parameter

Send an email (V2)

* Body

Font 12 B I U

Hello From Logic App - Body content

MessageBody x

Message triggerBody()['MessageBody']

Status of pipeline execution is: status x

* Subject

Hello From Logic App via ADF: pipelineName x

* To

sendMailto x

Importance

Normal

Add new parameter

Enter or paste a sample JSON payload.

```
{
  "pipelineName": "LogicApp-Example",
  "Emailid": "deeapkgoyal11@hotmail.com",
  "Flag": "Pass",
  "Message": "Thank you for using me"
}
```

Microsoft Fabric, a brand new and exciting way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory.

Save all Publish Preview experience Off

Ass_10_Q3_Trigger Ass_10_Q2_RestAPI Ass_10_Q4_Autom...

Ass_10_Q4_Automated_Email > ForEach1

Copy data1 Web1

General Settings User properties

URL * [🔗](#) https://prod-25.eastus.logic.azure.com:4...

Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method * [🔗](#) POST

Body [🔗](#)

```
{
  "Pipeline_Name": "Logic App Example ",
  "Assignment ": "Assignment 10 Question 4 Automated Email Trigger",
  "Email_id": "gopinathma09@gmail.com",
  "Flag": "Pass",
  "Message": "Thank you for using me Logic App Web Activity"
}
```

JSON Body

Go to Logic App:

April 15 | Logic app designer ☆ ...

Run Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer

> When a HTTP request is received

Parameters Settings Code View About

HTTP POST URL

https://prod-25.eastus.logic.azure.com:443/workflows/9e0020b1577d4b4bb01d28bfdab4ac8...

Request Body JSON Schema

Use sample payload to generate schema


Advanced parameters

When a HTTP request is received

Send email (V2)

Invalid parameters

024logicappApril15 | Logic app designer ☆ ...



> When a HTTP request is received

Parameters Settings Code View About

HTTP POST URL

<https://prod-25.eastus.logic.azure.com:443/workflows/9e0020b1577d4b4bb01d28bfdab4ac8...>



Request Body JSON Schema

```
{
  "type": "object",
  "properties": {
    "Pipeline_Name": {
      "type": "string"
    },
    "Assignment ": {
      "type": "string"
    },
    "Email_id": {
      "type": "string"
    },
    "Flag": {
      "type": "string"
    }
  }
}
```

Enable Legacy Designer

HTTP POST URL

<https://prod-25.eastus.logic.azure.com:443/workflows/9e0020b1577d4b4bb01d28bfdab4ac...>



Request Body JSON Schema

```
{
  "type": "object",
  "properties": {
    "Pipeline_Name": {
      "type": "string"
    },
    "Assignment": {
      "type": "string"
    },
    "Email_id": {
      "type": "string"
    },
    "Flag": {
      "type": "string"
    },
    "Message": {
      "type": "string"
    }
  }
}
```

[Use sample payload to generate schema](#)

Advanced parameters


Showing 0 of 2



Show all

Clear all

Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer



> Send email (V2) ⋮

Parameters Settings Code View Testing About

To *

A list of valid email addresses separated by a semicolon or a comma.
To is required.

Advanced parameters
Showing 2 of 6 Show all Clear all

Subject
Hello from Logic App April 16 ×

Body


Normal Arial 15px B I U ∞ A ∇ ∇ < > ×

Hello from Logic App Subject ++

The Status is

Portal-9d972d8f-b1bc | Overview > gopi01012024logicappApril15

Save Discard Parameters Code view Errors Info File a bug Enable Legacy Designer



> Send email (V2) ⋮

Parameters Settings Code View Testing About

Enter the data from previous step. You can also add data by typing the '?' character.

To *

A list of valid email addresses separated by a semicolon or a comma.
To is required.

Advanced parameters
Showing 2 of 6 Show all Clear all

Subject
Hello from Logic App April 16 ×

Body

Normal Arial 15px B I U ∞ A ∇ ∇ < > ×

Hello from Logic App Subject ++

The Status is

When a HTTP request is received

+

Send email (V2)

invalid parameters

+

Search

When a HTTP request is received

Pipeline_Name

Assignment

Email_id

Flag

Message

Send email (V2)

Parameters Settings Code View Testing About

To *

A list of valid email addresses separated by a semicolon or a c
'To' is required.

Advanced parameters

Showing 2 of 6

Subject

Hello from Logic App April 16

Body

Normal Arial 15px B I U

Hello from Logic App Subject ++

The Status is

>  Send email (V2)

Parameters Settings Code View Testing About

To *

 Email_id x

Advanced parameters

Showing 2 of 6 Show all Clear all

Subject

 Pipeline_Name x Hello from Logic App April 16 ✕

Body

  Normal ▼ Arial ▼ 15px ▼ **B** *I* U  **A** ▼  ▼ 

Hello from  Assignment x

The Status is  Flag x

Additional Message from pipeline is :  Message x

Enable Legacy Designer

To *

 Email_id x

Advanced parameters

Showing 2 of 6   

Subject

 Pipeline_Name x Hello from Logic App April 16 

Body




  Normal  Arial  15px  **B** *I* U  **A**    

Hello from  Assignment x

The Status is  Flag x

Additional Message from pipeline is :  Message x

 Connected to Gmail Test. [Change connection](#)



Make the mail more generic by sending the Pipeline name, Stauts, SenderMailiD, and Name within the mail. **Ensure mail will come in case of both success and Fail.**

The screenshot shows the Azure Logic App Designer interface. At the top, there are tabs for different logic apps: 'Ass_10_Q2_RestAPI', 'Ass_10_Q4_Automa...', and 'Ass_10_Q5_Autom...'. Below the tabs, there are buttons for 'Save', 'Save as template', 'Validate', 'Debug' (circled in red), and 'Add trigger'. The main workspace shows a logic app named 'Ass_10_Q5_Automated_Email_Generic' with a 'ForEach1' loop. Inside the loop, there is a 'Copy data' connector (labeled 'Copy data1') and a 'Web' connector (labeled 'Web1'). A red circle highlights the 'Web' connector's configuration. Below the workspace, there are tabs for 'General', 'Settings', and 'User properties'. The 'Settings' tab is selected, showing the 'Method' set to 'POST' and the 'Body' set to a JSON object:

```
{ "Pipeline_Name": "Logic App Example", "Assignment ": "Assignment 10 Question 4 Automated Email" }
```

. The 'Authentication' is set to 'None'.

The screenshot shows a Gmail inbox. The left sidebar has a 'Compose' button and a list of folders: 'Inbox' (7,985), 'Starred', 'Snoozed', 'Sent', 'Drafts' (48), and 'More'. The main inbox area shows a list of emails. A red circle highlights a group of emails from 'Logic App Example'. The emails have the following subjects and times: 'Hello from Logic App April 16 - Hello from Assignment 10 Qu...' (21:32), 'Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...' (21:32), 'Hello from Logic App April 16 - Hello from Assignment 10 Question 4 Auto...' (21:32), 'Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...' (21:32), and 'Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...' (21:32).



Gopinath M A <gopinathma09@gmail.com>

Logic App Example Hello from Logic App April 16

1 message


gopinathma09@gmail.com <gopinathma09@gmail.com>
To: gopinathma09@gmail.com

16 April 2024 at 21:32

Hello from Assignment 10 Question 4 Automated Email Trigger


The Status is Pass

Additional Message from pipeline is : Thank you for using me Logic App Web Activity



Just of Expereimenting:

Failed Scenario by giving "indai1" in place of "india" in foreach activity



ng way to build cloud-first data analytics. Click [here](#) to get started with Fabric Data Factory!

Preview experience ☐

Ass_10_Q5_Autom...

Error details

Copy data1

Failure type User configuration issue

Details

Failure happened on 'Source' side.
ErrorCode=RestCallFailedWithClientError,'Type=Microsoft.DataTransfer.Common.Shared.HybridDeliveryException,Message=Rest call failed with client error, status code 404 NotFound, please check your activity settings.
Request URL: https://restcountries.com/v3.1/name/india1. Response: {"status":404,"message":"Not Found"},Source=Microsoft.DataTransfer.ClientLibrary,'

Activity ID 7fa22cf8-60eb-4b8b-91d8-01cde6a353dc

How helpful or unhelpful was this error message?

★ ★ ★ ★ ★

Copy data1	Failed	Copy data	4/16/2024, 9:41:49 PM	12
Copy data1	Succeeded	Copy data	4/16/2024, 9:41:49 PM	15
Copy data1	Succeeded	Copy data	4/16/2024, 9:41:49 PM	12
ForEach1	Succeeded	ForEach	4/16/2024, 9:41:48 PM	26

Search mail

Failed scenario

Primary Promotions 3 new Social

Logic App Example Hello from Logic App April 16 - Hello from Assignment 10 Question 4 Auto...

Logic App Example Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...


Logic App Example Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...

Logic App Example Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...

Logic App Example Hello from Logic App April 16 - Hello from Assignment 10 Question 4 A...


Question 6

6. Once a file for India gets generated trigger a pipeline that will copy the India.json file as CSV into the ADLS account





orm



General **Source** Sink Mapping Settings User properties

Source dataset * Json1_india_Ass_10_Q6

 Open New Preview data [Learn more](#)

File path type ☒ File path in dataset ☐ Wildcard file path ☐ List of files ^①

Filter by last modified ⓘ

Start time (UTC)

End time (UTC)

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#) 

Select a data store

All

Azure

Database

File

Generic protocol

NoSQL

Services and apps



Azure Data Lake Storage
Gen1



Azure Data Lake Storage
Gen2



Magento (Preview)

Select format

Choose the format type of your data

 Avro	 Binary	 DelimitedText
 Excel	 JSON	 ORC
 Hive	 XML	

Continue

Back

C

Set properties

Name

Linked service *



File path

/

/



Import schema


☒ From connection/store ☐ From sample file ☐ None

> Advanced

OK

Back

Cancel



Copy data

Copy data1

General Source **Sink** Mapping Settings User properties

Sink dataset *

ADLS_Generic_CSV_DS

Open New [Learn more](#)

Dataset properties

Name	Value	Type
folderName_param	Ass_10_Q6_output_india	string

Copy behavior

Select...

Publish all 2

Preview experience Off

Ass_10_Q2_RestAPI

Ass_10_Q6_Trigger_...

ADLS_Generic_CSV_...

DelimitedText

ADLS_Generic_CSV_DS

Connection

Schema

Parameters

Linked service *

File path *

Compression type

Column delimiter

Row delimiter

ADLS_Azure_DataLakeStorage1_Link...

landing / @dataset().folderName_param / File name

Select...

Comma (,)

Default (\r,\n, or \r\n)

Test connection

Edit

New

Learn more

Browse



DelimitedText
ADLS_Generic_CSV_DS

Connection Schema Parameters

Linked service * ADLS_Azure_DataLakeStorage1_Link... [Test connection](#) [Edit](#) [New](#) [...](#)
Connection successful

File path * landing / @dataset().folderName_param / File name

Compression type Select...

Column delimiter ⓘ Comma (,)

Row delimiter ⓘ Default (\r\n or \n)

Preview experience ☐ Off

Ass_10_Q6_Trigger... ADLS_Generic_CSV_DS

[Validate](#) [Validate copy runtime](#) [Debug](#) [Add trigger](#) [{ }](#)

Copy data

Copy data1

[Open](#) [New](#) [Learn more](#)

General Source Sink Mapping Settings User properties

Sink dataset * ADLS_Generic_CSV_DS

[Open](#) [New](#) [Learn more](#)

Dataset properties ⓘ

Name	Value	Type
folderName_param	Ass_10_Q6_output_india	string

Copy behavior ⓘ Select...

Preview experience ☐ Off

Ass_10_Q6_Trigger... ADLS_Generic_CSV_DS

Validate Validate copy runtime Debug Add trigger

Trigger now
New/Edit

Copy data
Copy data1

General Sink Mapping Settings User properties

Sink dataset * ADLS_Generic_CSV_DS

Open + New Learn more

Dataset properties

Name	Value	Type
folderName_param	Ass_10_Q6_output_india	string

New trigger

Name *

trigger1_ass_10_Q6_india

Description

Type *

Schedule

Filter...

Schedule

Tumbling window

Storage events

Custom events

Storage events

Recurrence * ⓘ

Every 15

Minute(s)

☐ Specify an end date

Annotations

OK

Cancel

New trigger

Name *

trigger1_ass_10_Q6_india

Description

Type *

Storage events

Account selection method * ⓘ

☒ From Azure subscription ☐ Enter manually

Azure subscription ⓘ

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ⓘ

gopi01012024adls1

Container name * ⓘ

/containername/

✖ Container name is required

Continue

Cancel

New trigger

Name *

trigger1_ass_10_Q6_india

Description

Type *

Storage events

Account selection method * ⓘ

☒ From Azure subscription ☐ Enter manually

Azure subscription ⓘ

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ⓘ

gopi01012024adls1

Container name * ⓘ

/containername/

✖ Container name is required

Continue

Cancel

 Upload  Add Directory  Refresh |  Rena

Authentication method: Access key ([Switch to Microsoft Entra](#))

Location: [landing](#) / Ass_10_output

Search blobs by prefix (case-sensitive)

Name

☐  [..]

☐  china

☐  data_cdae8da8-cad1-48b8-957b-448466bfd9ff_2cbfa

☐  india

☐  russia

☐  uk

☐  us



New trigger

Azure subscription ⓘ

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ⓘ

gopi01012024adls1

Container name * ⓘ

landing

Blob path begins with ⓘ

Ass_10_output/india

Blob path ends with ⓘ

.json

Event * ⓘ

☐

Blob created

☐

Blob deleted

Select at least one type of event

Ignore empty blobs * ⓘ

☒

Yes

☐

No

Annotations

|

Continue

Cancel

New trigger

Azure subscription ^①

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ^①

gopi01012024adls1

Container name * ^①

landing

Blob path begins with ^①

Ass_10_output/india

Blob path ends with ^①

.json

Event * ^①



Blob created



Blob deleted

Ignore empty blobs * ^①



Yes



No

Annotations



New

Continue

Cancel

Data preview

 Make sure you have specific filters. Configuring filters that are too broad can match a large number of files created/deleted and may significantly impact your cost.

Event Trigger Filters

Container name: **landing**
Starts with: **Ass_10_output/india**
Ends with: **.json**

0 blobs matched in "landing"

 Refresh



Blob name

0 - 0 of 0 items

< Previous **1** Next > Go to

Continue

Back

Cancel

New trigger

Azure subscription ⓘ

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ⓘ

gopi01012024adls1

Container name * ⓘ

landing

Blob path begins with ⓘ

Ass_10_output/india

Blob path ends with ⓘ

Event * ⓘ



Blob created



Blob deleted

Ignore empty blobs * ⓘ



Yes



No

Annotations



New

Continue

Cancel

delete

.json

New trigger

Azure subscription ⓘ

Free Trial (10d4af9c-1612-4d63-bed9-1c7d6a30457d)

Storage account name * ⓘ

gopi01012024adls1

Container name * ⓘ

landing

Blob path begins with ⓘ

Ass_10_output/india

Blob path ends with ⓘ

Event * ⓘ



Blob created



Blob deleted

Ignore empty blobs * ⓘ



Yes



No

Annotations



New

Continue

Cancel

Data preview

 Make sure you have specific filters. Configuring filters that are too broad can match a large number of files created/deleted and may significantly impact your cost.

Event Trigger Filters

Container name: **landing**
Starts with: **Ass_10_output/india**
Ends with:

1 blobs matched in "landing"  Refresh

	Blob name
1	Ass_10_output/india

1 - 1 of 1 items

< Previous **1** Next > Go to

Data preview

 Make sure you have specific filters. Configuring filters that are too broad can match a large number of files created/deleted and may significantly impact your cost.

Event Trigger Filters

Container name: **landing**

Starts with: **Ass_10_output/india**

Ends with:

1 blobs matched in "landing"

 Refresh

	Blob name
1	Ass_10_output/india

1 - 1 of 1 items

< Previous Next > Go to

Continue

Back

Cancel

New trigger

Trigger Run Parameters

Name	Type	Value
This pipeline has no parameters		

Make sure to "Publish" for trigger to be activated after clicking "OK"

OK



Ass_10_Q6_Trigger... ADLS_Generic_CSV_DS

Validate Validate copy runtime **Debug** Trigger (1)

Trigger test runs of the current pipeline without publishing your changes to the service

Copy data ✓

Copy data1

General Source Sink Mapping Settings User properties

Name * Copy data1 [Learn more](#)

Description 6. Once a file for India gets generated trigger a pipeline that will copy the India.json file as CSV into the ADLS

Activity state ☒ Activated ☐ Deactivated

Timeout 0.12:00:00

Retry 0

Parameters Variables Settings **Output**

Pipeline run ID: 1bb50098-f4e7-4f8f-a4df-551b8dda1587 [Refresh](#) [Info](#)

Pipeline status ✓ Succeeded [View debug run consumption](#)

All status [Monitor in Azure Metrics](#) [Export to CSV](#)

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration
Copy data1	✓ Succeeded	Copy data	3/4/2024, 2:35:20 AM	14s

Details

Refresh

[Learn more on copy performance details from here.](#)

Activity run id: c8bcf503-340e-4c70-9ec2-e795c09e5a61



Azure Data Lake Storage Gen2

Region: East US

Succeeded



Azure Data Lake Storage Gen2

Region: East US

Data read: ⓘ

Files read: ⓘ

Rows read:

Peak connections: ⓘ

7.15 KB

1

2

1

Data written: ⓘ

Files written: ⓘ

Rows written: ⓘ

Peak connections: ⓘ

335 bytes

1

2

1

Copy duration

00:00:11

Throughput: ⓘ

3.575 KB/s

▼ Azure Data Lake Storage Gen2 → Azure Data Lake Storage Gen2

Start time

Used DIUs ⓘ

Used parallel copies ⓘ

3/4/2024, 2:35:20 AM

4

1

Upload

Add Directory

Refresh

Rename

Delete

Change tier

Acquire lease

Authentication method: Access key [\(Switch to Microsoft Entra user account\)](#)

Location: landing / Ass_10_Q6_output_india

Search blobs by prefix (case-sensitive)

Name	Modified	Access tier
☐  india.txt	3/4/2024, 2:35:32 AM	Hot (Inferred)

ion100Gopi01012024adf-b

Search factory and documentation

gopinathma09@outlook.com

DEFAULT DIRECTORY

ion100Gopi01012024adf-b | Containers > landing >

«

Upload

Add Directory

...

Authentication method: Access key (Switch to Microsoft Entra user account)

Location: landing / Ass_10_Q6_output_india

Search blobs by prefix (case-...)

Show deleted objects

Name

india.txt

Ass_10_Q6_output_india/india.txt

Blob

Save Discard Download Refresh Delete

Overview Versions Edit Generate SAS

1 cca2,ccn3,cca3,independent,status,unMember,region,subregion,landlo

2 "IO","086","IOT",False,"officially-assigned",False,"Africa","Easte

3 "IN","356","IND",True,"officially-assigned",True,"Asia","Southern

4

ion100Gopi01012024adf-b

Search factory and documentation

gopinathma09@outlook.com

DEFAULT DIRECTORY

Preview of Microsoft Fabric, a brand new and exciting way to build cloud data solutions

te all

Publishing 3

Ass_10_Q2_RestAPI

Ass_10_Q6_Trigger...

Activities

cop

Move and transform

Copy data

Copy data

Copy data

Parameters

Validate

Pipeline run ID:

Pipeline status

All status

Showing 1 - 1 of

Activity name

Copy data1

Publish all

You are about to publish all pending changes to the live environment. [Learn more](#)

Pending changes (3)

NAME	CHANGE	EXISTING
Pipelines		
Ass_10_Q6_Trigger_JSON_...	(New)	-
Datasets		
Json1_india_Ass_10_Q6	(New)	-
Triggers		
trigger1_ass_10_Q6_india	(New)	-

Publish

Cancel

02:39

Pipeline run ID: 1bb50098-f4e7-4f8f-a4df-551b8dda1587

Pipeline status: ✔ Succeeded

View debug run consumption

All status ▼ Monitor in Azure Metrics ↓ Export to CSV ▼

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration
Copy data1	✔ Succeeded	Copy data	3/4/2024, 2:35:20 AM	14s

Additional notes:

Steps to complete Assignment 10 using Azure Data Factory (ADF) and related Azure services.

Step 1: Fetch All Countries Data

1. **Create Linked Services:**
 - Create a linked service to connect to the REST API.
 - Create a linked service to connect to Azure Data Lake Storage (ADLS).
2. **Create a Data Pipeline:**
 - Go to your Azure Data Factory.
 - Create a new pipeline.
 - Add a **Copy Activity** to fetch data from the REST API.
 - Configure the **Source** to use the REST API linked service with the URL `https://restcountries.com/v3.1/all`.
 - Configure the **Sink** to save the data as a Parquet file in ADLS.
3. **Publish and Trigger the Pipeline:**

- Save and publish the pipeline.
- Trigger the pipeline manually to ensure it works correctly.

Step 2: Fetch Data for Specific Countries

- 1. Create Parameters in the Pipeline:**
 - Create parameters for the country names (e.g., `@pipeline().parameters.countryName`).
- 2. Add Activities for Each Country:**
 - Create a Copy Activity for each of the 5 countries.
 - Configure the **Source** to use the REST API linked service with a dynamic URL using the parameter (e.g., `https://restcountries.com/v3.1/name/@{pipeline().parameters.countryName}`).
 - Configure the **Sink** to save each response as a JSON file in ADLS, with the filename equal to the country name (e.g., `@{pipeline().parameters.countryName}.json`).
- 3. Loop Over Countries:**
 - Use a **ForEach Activity** to loop over a list of country names (`['india', 'us', 'uk', 'china', 'russia']`).
- 4. Publish and Trigger the Pipeline:**
 - Save and publish the pipeline.
 - Trigger the pipeline manually to ensure it works correctly.

Step 3: Add Scheduled Triggers

- 1. Create a Trigger:**
 - Go to the **Triggers** tab in Azure Data Factory.
 - Create a new trigger that runs at 12:00 AM and 12:00 PM IST.
- 2. Attach Trigger to Pipeline:**
 - Attach the trigger to your pipeline.

Step 4: Add Failure Notification

- 1. Add an Email Activity:**
 - Add an **Azure Function Activity** or **Logic App Activity** to send an email.
 - Create an Azure Function or Logic App to handle the email sending.
- 2. Configure Failure Handling:**
 - Configure the pipeline to use the email activity as a failure handler for the Copy Activities.

Step 5: Send Email on Success and Failure

- 1. Add Email Activities for Success:**
 - Add another email activity to send success notifications.
 - Configure the pipeline to send success emails after the Copy Activities complete successfully.
- 2. Include Dynamic Content:**

