# DisallowedHost at /admin/home/crud

Invalid HTTP\_HOST header: 'frontend.hprinfra.com'. You may need to add 'frontend.hprinfra.com' to ALLOWED HOSTS.

Request Method: GET

Request URL: https://frontend.hprinfra.com/admin/home/crud

Django Version: 4.2.5

**Exception Type:** DisallowedHost

Exception Value: Invalid HTTP\_HOST header: 'frontend.hprinfra.com'. You may need to add

'frontend.hprinfra.com' to ALLOWED\_HOSTS.

Exception Location: /home/xl9skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-

packages/django/http/request.py, line 150, in get\_host

Raised during: django.contrib.admin.sites.catch\_all\_view

Python Executable: /home/xl9skk1tiapl/virtualenv/HprInfra/3.9/bin/python3.9\_bin

Python Version: 3.9.22

Python Path: ['/home/xl9skk1tiapl/HprInfra',

'/home/xl9skk1tiapl/HprInfra',

'/opt/cpanel/ea-ruby27/root/usr/share/passenger/helper-scripts',

'/opt/alt/python39/lib64/python39.zip',
'/opt/alt/python39/lib64/python3.9',

'/opt/alt/python39/lib64/python3.9/lib-dynload',

'/home/x19skk1tiapl/virtualenv/HprInfra/3.9/lib64/python3.9/site-packages',

'/home/xl9skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-packages']

Server time: Sat, 26 Jul 2025 09:36:02 +0000

### Traceback Switch to copy-and-paste view

 $/home/x19skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-packages/django/core/handlers/exception.py, \ line~55, in inner~100 and inner~$ 

55. response = get\_response(request)

▶ Local vars

 $/home/x19skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-packages/django/utils/deprecation.py, \ line \ 133, in \ call$ 

133. response = self.process request(request)

► Local vars

/home/xl9skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-packages/django/middleware/common.py, line 48, in process\_request

48. host = request.get\_host()

Local vars

/home/xl9skk1tiapl/virtualenv/HprInfra/3.9/lib/python3.9/site-packages/django/http/request.py, line 150, in get host

150. raise DisallowedHost(msg)

▶ Local vars

## **Request information**

**USER** [unable to retrieve the current user]

**GET** No GET data

POST No POST data

FILES No FILES data

#### **COOKIES**

#### No cookie data

#### **META**

Variable	Value
H2PUSH	'off'
H2 PUSH	'off'
H2 PUSHED	11
H2 PUSHED ON	11
H2_STREAM_ID	'49'
H2_STREAM_TAG	'3342421-1145-49'
HTTP2	'on'
HTTPS	'on'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9, image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'en-GB,en-US;q=0.9,en;q=0.8'
HTTP_CACHE_CONTROL	'max-age=0'
HTTP_HOST	'frontend.hprinfra.com'
HTTP_PRIORITY	'u=0, i'
HTTP_SEC_CH_UA	<pre>'"Not)A;Brand";v="8", "Chromium";v="138", "Google Chrome";v="138"'</pre>
HTTP_SEC_CH_UA_MOBILE	'?0'
HTTP_SEC_CH_UA_PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like ' 'Gecko) Chrome/138.0.0.0 Safari/537.36')
PASSENGER_CONNECT_PASSWORD	'*********
PATH_INFO	'/admin/home/crud'
QUERY_STRING	
REMOTE_ADDR	'223.181.110.32'
REMOTE_PORT	'20462'
REQUEST_METHOD	'GET'
REQUEST_URI	'/admin/home/crud'
SCRIPT_NAME	
SERVER_NAME	'frontend.hprinfra.com'
SERVER_PORT	'443'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	<pre>('Apache/2.4.63 (cPanel) OpenSSL/1.1.1k mod_bwlimited/1.4 ' 'Phusion_Passenger/6.0.23')</pre>
SSL_TLS_SNI	'frontend.hprinfra.com'
UNIQUE_ID	'aIShgsmvBEBbfl4mPXyQygAArAg'
USER_ID	'9571713'
passenger.hijack	'*************************************
wsgi.errors	<_io.TextIOWrapper name=' <stderr>' mode='w' encoding='utf-8'&gt;</stderr>
wsgi.input	<_io.BufferedReader name=4>
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'https'
wsgi.version	(1, 0)

### **Settings**

Using settings module vrcmsapi.settings

```
Value
Setting
ABSOLUTE_URL_OVERRIDES
                                   {}
ADMINS
                                   []
ALLOWED_HOSTS
                                   ['hprinfra.com']
APPEND_SLASH
                                   True
AUTHENTICATION BACKENDS
                                   ['django.contrib.auth.backends.ModelBackend']
                                   AUTH_PASSWORD_VALIDATORS
AUTH USER MODEL
                                   'user auth.User'
BASE_DIR
                                   PosixPath('/home/xl9skk1tiapl/HprInfra')
CACHES
                                   {'default': {'BACKEND':
                                   'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                   'default'
                                   ************
CACHE MIDDLEWARE KEY PREFIX
CACHE_MIDDLEWARE_SECONDS
                                   600
CORS_ALLOWED_ORIGINS
                                   ['https://hprinfra.com']
CORS_ORIGIN_ALLOW_ALL
                                   True
CSRF_COOKIE_AGE
                                   31449600
CSRF COOKIE DOMAIN
                                   None
CSRF_COOKIE_HTTPONLY
                                   False
CSRF_COOKIE_MASKED
                                   False
CSRF_COOKIE_NAME
                                   'csrftoken'
CSRF COOKIE PATH
                                   '/'
CSRF_COOKIE_SAMESITE
                                   'Lax'
CSRF_COOKIE_SECURE
                                   False
CSRF_FAILURE_VIEW
                                   'django.views.csrf.csrf_failure'
CSRF HEADER NAME
                                   'HTTP X CSRFTOKEN'
                                   ['https://hprinfra.com']
CSRF TRUSTED ORIGINS
CSRF_USE_SESSIONS
DATABASES
                                   {'default': {'ATOMIC_REQUESTS': False,
                                                 'AUTOCOMMIT': True,
                                                 'CONN HEALTH CHECKS': False,
                                                'CONN_MAX_AGE': 0,
                                                'ENGINE': 'django.db.backends.mysql',
                                                'HOST': 'hprinfra.com',
'NAME': 'hprinfra_vrcms',
                                                'OPTIONS': {},
                                                'PORT': 3306,
                                                'TEST': {'CHARSET': None,
                                                          'COLLATION': None,
                                                          'MIGRATE': True,
                                                          'MIRROR': None,
                                                          'NAME': None},
                                                 'TIME ZONE': None,
                                                 'USER': 'hprinfra vr'}}
DATABASE_ROUTERS
                                   []
DATA_UPLOAD_MAX_MEMORY_SIZE
                                   2621440
DATA UPLOAD MAX NUMBER FIELDS
                                   1000
DATA UPLOAD MAX NUMBER FILES
                                   100
DATETIME FORMAT
                                   'N j, Y, P'
DATETIME_INPUT_FORMATS
                                   ['%Y-%m-%d %H:%M:%S',
                                    '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M'
                                    '%m/%d/%Y %H:%M:%S'
                                    '%m/%d/%Y %H:%M:%S.%f',
                                    '%m/%d/%Y %H:%M'
                                    '%m/%d/%y %H:%M:%S'
                                    '%m/%d/%y %H:%M:%S.%f',
                                    '%m/%d/%y %H:%M']
DATE FORMAT
                                   'N j, Y'
                                   ['%Y-%m-%d',
DATE INPUT FORMATS
                                     '%m/%d/%Y'
                                    '%m/%d/%y'
                                    '%b %d %Y',
```

```
Setting
                                 Value
                                  '%b %d, %Y',
                                  '%d %b %Y'
                                  '%d %b, %Y',
                                  '%B %d %Y'
                                  '%B %d, %Y',
                                  '%d %B %Y'
                                  '%d %B, %Y']
DEBUG
                                 True
DEBUG_PROPAGATE_EXCEPTIONS
                                False
                                 1.1
DECIMAL SEPARATOR
DEFAULT AUTO FIELD
                                 'django.db.models.BigAutoField'
                                 'utf-8'
DEFAULT_CHARSET
DEFAULT_EXCEPTION_REPORTER
                                 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                 'noreply@hprinfra.com'
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                 []
DJOSER
                                 {'ACTIVATION_URL': 'activate/{uid}/{token}',
                                  'EMAIL': {'activation':
                                 'user_auth.email.ActivationEmail',
                                            'confirmation':
                                 user_auth.email.ConfirmationEmail',
                                            'password changed confirmation':
                                  ******
                                           'password_reset':
                                 'LOGIN FIELD': 'email'
                                  'PASSWORD_CHANGED_EMAIL_CONFIRMATION':
                                 ·***************
                                  'PASSWORD RESET CONFIRM URL':
                                 '*****************
                                  'PASSWORD_RESET_SHOW_EMAIL_NOT_FOUND':
                                  'SEND ACTIVATION EMAIL': True,
                                  'SEND_CONFIRMATION_EMAIL': True,
                                  'SERIALIZERS': {'user':
                                 'user_auth.serializers.UserCreateSerializer',
                                                 'user_create':
                                 'user auth.serializers.UserCreateSerializer',
                                                 'user_delete':
                                 'djoser.serializers.UserDeleteSerializer'},
                                  'SET_PASSWORD_RETYPE': '********
                                  'USER CREATE PASSWORD RETYPE':
                                 '**********
'
EMAIL BACKEND
                                 'django.core.mail.backends.smtp.EmailBackend'
                                 'localhost'
EMAIL HOST
                                 ************
EMAIL HOST PASSWORD
EMAIL HOST USER
                                 'noreply@hprinfra.com'
                                 25
EMAIL_PORT
EMAIL_SSL_CERTFILE
                                None
                                 EMAIL SSL KEYFILE
EMAIL SUBJECT PREFIX
                                 '[Django] '
EMAIL TIMEOUT
                                 None
EMAIL_USE_LOCALTIME
                                 False
EMAIL_USE_SSL
                                 False
EMAIL USE TLS
                                 False
FILE UPLOAD DIRECTORY PERMISSIONS None
FILE_UPLOAD_HANDLERS
                                 ['django.core.files.uploadhandler.MemoryFileUploadHa
                                 ndler',
                                 'django.core.files.uploadhandler.TemporaryFileUpload
                                 Handler']
```

```
Setting
                                                                   Value
FILE_UPLOAD_MAX_MEMORY_SIZE
                                                                   2621440
FILE_UPLOAD_PERMISSIONS
                                                                   420
FILE_UPLOAD_TEMP_DIR
                                                                  None
FIRST_DAY_OF_WEEK
                                                                   0
FIXTURE_DIRS
                                                                   []
FORCE_SCRIPT_NAME
                                                                  None
FORMAT MODULE PATH
                                                                   None
FORM_RENDERER
                                                                   'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
INSTALLED_APPS
                                                                   ['django.contrib.admin',
                                                                      django.contrib.auth',
                                                                     'django.contrib.contenttypes',
                                                                     'django.contrib.sessions'
                                                                     'django.contrib.messages',
                                                                     'django.contrib.staticfiles',
                                                                     'rest_framework',
                                                                     'djoser',
                                                                     'corsheaders',
                                                                     'user_auth'
                                                                     'realestate',
                                                                     'gallery',
                                                                     'testimonials',
                                                                     'appNews',
                                                                     'contactus',
                                                                     'HomePage',
                                                                     'caseStudies',
                                                                     'bannerAndIntro',
                                                                     'aboutusPage',
                                                                    'servicePage',
                                                                    'careers',
                                                                     'footer',
                                                                     'debug_toolbar']
INTERNAL IPS
                                                                   [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                                                   ('ar', 'Arabic'),
('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('da', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
('en-au', 'Australian English'),
                                                                    ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                                    ('eo', 'Esperanto'), ('es', 'Spanish'),
                                                                    ('es, 'spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                                    ('es-ve', 'Venezuelan Spans'
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
('fr', 'French'),
('fy', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
```

```
Value
                                                                                                                Value
  ('he', 'Hebrew'),
  ('hi', 'Hindi'),
  ('hr', 'Croatian'),
  ('hsb', 'Upper Sorbian'),
  ('hu', 'Hungarian'),
  ('hy', 'Armenian'),
  ('ia', 'Interlingua'),
  ('id', 'Indonesian'),
  ('ig', 'Igbo'),
  ('io', 'Ido'),
  ('is', 'Icelandic'),
  ('it', 'Italian'),
  ('ja', 'Japanese'),
  ('ka', 'Georgian'),
  ('kab', 'Kabyle'),
Setting
                                                                                                                ('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Korean'),
('ko', 'Kyrgyz'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('lv', 'Latvian'),
('mk', 'Macedonian'),
('mn', 'Malayalam'),
('mn', 'Mongolian'),
('mr', 'Marathi'),
('ms', 'Malay'),
('my', 'Burmese'),
                                                                                                                 ('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
                                                                                                                ('nb', Norwegian Bokmai ),
('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                                                                                  ('pt-br', 'Brazilian Portuguese'),
                                                                                                                ('pt-br', Brazilian
('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                                                                                                ('sr-latn', 'Serbian '
('sv', 'Swedish'),
('sw', 'Swahili'),
('ta', 'Tamil'),
('te', 'Telugu'),
('tg', 'Tajik'),
('th', 'Thai'),
('tk', 'Turkmen'),
('tr', 'Turkish'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplific
                                                                                                                  ('sr-latn', 'Serbian Latin'),
                                                                                                                 ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                                                                                              ['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ur']
LANGUAGES_BIDI
LANGUAGE_CODE
                                                                                                               'en-us'
LANGUAGE_COOKIE_AGE
                                                                                                             None
LANGUAGE COOKIE DOMAIN
                                                                                                              None
LANGUAGE COOKIE HTTPONLY
                                                                                                              False
LANGUAGE_COOKIE_NAME
                                                                                                               'django_language'
                                                                                                              '/'
LANGUAGE_COOKIE_PATH
LANGUAGE_COOKIE_SAMESITE
                                                                                                             None
LANGUAGE_COOKIE_SECURE
                                                                                                              False
```

DisallowedHost at /admin/home/crud		
Setting	Value	
LOCALE_PATHS		
LOGGING	{}	
LOGGING_CONFIG	'logging.config.dictConfig'	
LOGIN_REDIRECT_URL	'/accounts/profile/'	
LOGIN_URL	'/accounts/login/'	
LOGOUT_REDIRECT_URL	None	
MANAGERS		
MEDIA ROOT	'/home/xl9skk1tiapl/HprInfra/media'	
MEDIA_URL	'/media/'	
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'	
MIDDLEWARE	['django.middleware.security.SecurityMiddleware',	
	'django.contrib.sessions.middleware.SessionMiddleware',	
	'whitenoise.middleware.WhiteNoiseMiddleware', 'corsheaders.middleware.CorsMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware',	
	$\hbox{'django.contrib.auth.middleware.AuthenticationMiddleware',}\\$	
	'django.contrib.messages.middleware.MessageMiddleware',	
	'django.middleware.clickjacking.XFrameOptionsMiddleware',	
	'debug_toolbar.middleware.DebugToolbarMiddleware']	
MIGRATION_MODULES	{}	
MONTH_DAY_FORMAT	'F j'	
NUMBER_GROUPING	0	
PASSWORD_HASHERS	'*************************************	
PASSWORD_RESET_TIMEOUT	'*************************************	
PREPEND_WWW	False	
REST_FRAMEWORK	<pre>{'DEFAULT_AUTHENTICATION_CLASSES':     ('rest_framework_simplejwt.authentication.JWTAuthent     ication',),     'DEFAULT_PERMISSION_CLASSES':     ('rest_framework.permissions.IsAuthenticated',)}</pre>	
ROOT_URLCONF	'vrcmsapi.urls'	
SECRET KEY	· '************	
SECRET_KEY_FALLBACKS	'***************	
SECURE_CONTENT_TYPE_NOSNIFF	True	
SECURE_CROSS_ORIGIN_OPENER_POLICY		
SECURE_HSTS_INCLUDE_SUBDOMAINS	False	
SECURE_HSTS_PRELOAD	False	
SECURE_HSTS_SECONDS	0	
SECURE_PROXY_SSL_HEADER	None	
SECURE_REDIRECT_EXEMPT		
SECURE_REFERRER_POLICY	'same-origin'	
SECURE_SSL_HOST	None	
SECURE_SSL_REDIRECT	False	
SERVER_EMAIL	'root@localhost'	
SESSION_CACHE_ALIAS	'default'	
SESSION_COOKIE_AGE	1209600	
SESSION_COOKIE_DOMAIN	None	
SESSION_COOKIE_HTTPONLY	True	
SESSION_COOKIE_NAME	'sessionid'	
SESSION_COOKIE_PATH	'/'	
SESSION_COOKIE_SAMESITE	'Lax'	
SESSION_COOKIE_SECURE	False	

Setting	Value
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'vrcmsapi.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	
SIMPLE_JWT	{'ACCESS_TOKEN_LIFETIME': '******************, 'AUTH_HEADER_TYPES': ('JWT',), 'REFRESH_TOKEN_LIFETIME': '*******************, 'ROTATE_REFRESH_TOKENS': '******************, 'UPDATE_LAST_LOGIN': True}
STATICFILES_DIRS	<pre>['/home/xl9skk1tiapl/HprInfra/build/static']</pre>
STATICFILES_FINDERS	$\label{lem:contrib} \begin{tabular}{ll} ['django.contrib.staticfiles.finders.FileSystemFinder', \end{tabular}$
	'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	'/home/xl9skk1tiapl/HprInfra/static'
STATIC_URL	'/static/'
STORAGES	<pre>{'default': {'BACKEND':   'django.core.files.storage.FileSystemStorage'},   'staticfiles': {'BACKEND':   'django.contrib.staticfiles.storage.StaticFilesStorage'}}</pre>
TEMPLATES	<pre>[{'APP_DIRS': True,     'BACKEND': 'django.template.backends.django.DjangoTemplates',</pre>
	'DIRS': ['/home/xl9skk1tiapl/HprInfra/build',
	['django.template.context_processors.debug',
	'django.template.context_processors.request',
	'django.contrib.auth.context_processors.auth',
	<pre>'django.contrib.messages.context_processors.messages ']}}]</pre>
TEST_NON_SERIALIZED_APPS	
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	1
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	LUTCI
	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	False True
USE_I18N USE_L10N	False True True
USE_I18N USE_L10N USE_THOUSAND_SEPARATOR	False True True False
USE_I18N USE_L10N USE_THOUSAND_SEPARATOR USE_TZ	False True False True False True
USE_I18N USE_L10N USE_THOUSAND_SEPARATOR USE_TZ USE_X_FORWARDED_HOST	False True True False True False True
USE_I18N USE_L10N USE_THOUSAND_SEPARATOR USE_TZ USE_X_FORWARDED_HOST USE_X_FORWARDED_PORT	False True True False True False True False False
USE_I18N USE_L10N USE_THOUSAND_SEPARATOR USE_TZ USE_X_FORWARDED_HOST	False True True False True False True

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django

will display a standard page generated by the handler for this status code.