

PROJECT ANALYSIS REPORT

BHARTI ENGINEERING & CONSTRUCTION

A complete technical, design and content audit of the corporate marketing website — architecture, design system, screenshots, defects and a full reconstruction prompt.

PROJECT TYPE

Single-page static marketing website

REPORT DATE

6 September 2026

CODEBASE

2 files · 1,005 lines · 33.9 KB

STACK

HTML5 · CSS3 · Vanilla JavaScript

LOCATION

E:\Bharti_engineering\Bharti_engineering

VERSION CONTROL

Not initialised (no Git repository)

TABLE OF CONTENTS

01 Executive Summary	03
02 Business & Content Inventory	04
03 Repository Structure & File Anatomy	06
04 Technology Stack & Dependencies	06
05 Design System	08
06 Page Architecture – Section by Section	10
07 JavaScript Behaviour	10
08 Responsive Behaviour & Breakpoints	12
09 Screenshots – Desktop	13
10 Screenshots – Mobile	18
11 Defects & Findings	19
12 SEO, Accessibility & Performance	21
13 Deployment & Recommendations	23
– Master Prompt	25

How this report was produced. Every statement below was verified against the source file or against the live rendered page. Screenshots were captured with headless Chrome 152 driving the real project over a local HTTP server (desktop at 1440×900, mobile at 390×844 with touch emulation). Console errors and network failures were read from the live page, not inferred.

EXECUTIVE SUMMARY

Bharti Engineering & Construction is a single-page corporate marketing website for a civil, industrial and electrical construction contractor based in Raipur, Chhattisgarh, India. The entire product is one self-contained `index.html` file — markup, a 638-line embedded stylesheet and a 93-line embedded script — with no build step, no package manager, no framework and no server-side component. It can be opened by double-clicking the file or dropped onto any static host as-is.

Visually the site is well-executed and coherent. It commits to a deliberate *industrial-corporate* identity: deep navy and safety orange, uppercase Barlow headings against Inter body copy, sharp zero-radius edges, hairline 1px grid separators instead of drop shadows, and restrained 20px scroll-reveal animations. The layout is a conventional and effective conversion funnel — hero, credibility, services, differentiators, contact.

Functionally, however, the site is **incomplete in one decisive place**. The contact form was removed from the markup but its stylesheet and its JavaScript handler were both left behind. The result is a runtime `TypeError` on every page load and a contact section that is half-empty on desktop. Both primary calls-to-action point at a section that cannot capture a lead. For a business whose entire reason for having this page is inbound enquiry, this is the highest-value item to fix.

1,005 LINES OF CODE	9 SERVICES LISTED	6 PAGE SECTIONS	13 FINDINGS RAISED
-------------------------------	-----------------------------	---------------------------	------------------------------

VERDICT AT A GLANCE

DIMENSION	RATING	COMMENT
Visual design	Strong	Consistent, mature, genuinely on-brief for a heavy-industry contractor.
Code organisation	Good	CSS variables, logical section ordering, readable comments throughout.
Responsiveness	Good	Two sensible breakpoints; mobile navigation works correctly.
Functionality	Broken	Script throws on load; the contact form does not exist.
SEO readiness	Poor	No description, no Open Graph, no structured data, no sitemap, no favicon.
Accessibility	Weak	Icon-only logo with no accessible name; two <code><h1></code> elements; no landmarks.

BUSINESS & CONTENT INVENTORY

All business data is hard-coded into the markup. This is the complete authoritative record of what the site publishes about the company.

FIELD	VALUE AS PUBLISHED
Legal / trading name	Bharti Engineering & Construction
Positioning line	"Delivering uncompromised structural integrity and industrial excellence through advanced construction and project management solutions."
Registered address	23/1784, Reejva Nagar, Shankar Nagar, Raipur, Chhattisgarh, 492001, India
Telephone	+91 75660 66626
Email	bhartiengineering6@gmail.com
Business hours	Mon–Fri 09:00–18:00 · Saturday 09:00–14:00 · Sunday closed
Social profiles	None — the footer container exists but is empty

CREDIBILITY METRICS (ABOUT SECTION)

15+ YEARS OPERATION	100+ PROJECTS EXECUTED	1.2k CLIENTS	10+ CERTIFIED ENGINEERS
---	--	------------------------------------	---

SERVICE CATALOGUE – 9 OFFERINGS

#	SERVICE	ICON	PUBLISHED DESCRIPTION
1	Residential Construction	fa-city	End-to-end structural construction for single or multi-dwelling residential buildings.
2	Institutional Facilities	fa-building	Large-scale residential community structures — hostels, shelters, care homes.
3	Industrial Infrastructure	fa-industry	Heavy-duty civil engineering for factories, workshops, warehouses, production units.
4	Electrical Systems	fa-bolt	Commercial wiring, utility fittings, fire and burglar alarm integration.
5	Architectural Finishing	fa-paint-roller	Interior/exterior surface treatment, painting, texturing, protective coatings.
6	Industrial Insulation	fa-layer-group	Thermal, acoustic and fire-mitigation insulation for industrial and commercial spaces.

7	Project Management	fa-bars-progress	Turnkey administration against budget, timeline and compliance metrics.
8	Contract Staffing	fa-helmet-safety	Deployment of vetted, skilled and certified construction labour.
9	Maintenance Operations	fa-wrench	Preventative maintenance, systemic repair and diagnostics of plant and building systems.

DIFFERENTIATORS – “WHY TO CHOOSE US?”

PILLAR	ICON	CLAIM
Quality Assurance	fa-gem	Strict QC protocols and premium material sourcing.
Safety Compliance	fa-shield-halved	Zero-tolerance safety policy; OSHA/regulatory compliance.
Schedule Adherence	fa-stopwatch	Critical-path methodology to meet aggressive timelines.
Technical Expertise	fa-user-tie	Decades of combined engineering experience.

SECTION 03

REPOSITORY STRUCTURE & FILE ANATOMY

```
E:\Bharti_engineering\
└─ Bharti_engineering\
    └─ index.html          33,919 bytes · 1,005 lines
        └─ <head>          lines 1- 15    meta, fonts, icon CDN
        └─ <style>          lines 16- 653   638 lines of embedded CSS
        └─ <body> markup    lines 655- 910   nav, 6 sections, footer
        └─ <script>         lines 911-1003  93 lines of vanilla JS
    └─ googlea811e51362a167d8.html  53 bytes
        Google Search Console domain-verification token
```

There is no `package.json`, no bundler config, no `README`, no `LICENSE`, no `.gitignore` and no `robots.txt` or `sitemap.xml`. The directory is not under version control. A sibling `__MACOSX` folder containing three AppleDouble resource-fork stubs is present at the parent level — an artefact of the archive having been unzipped on macOS, and safe to delete.

CODE COMPOSITION

LAYER	LINES	SHARE	NOTES
CSS (embedded)	638 (543 non-blank)	63.5 %	Custom properties, grid layouts, two media queries
HTML markup	256 (232 non-blank)	25.5 %	Semantic sections, no template engine
JavaScript (embedded)	93 (77 non-blank)	9.3 %	Five discrete behaviours, no modules
Head / meta	15	1.5 %	Minimal — see Section 12

Single-file trade-off. Everything inline means zero request waterfall for the site's own assets and trivially simple deployment, at the cost of no caching granularity and no reuse if a second page is ever added. At 34 KB the file is small enough that this remains the right call today; the moment a second page exists, the stylesheet should be extracted to `styles.css`.

SECTION 04

TECHNOLOGY STACK & DEPENDENCIES

LAYER	TECHNOLOGY	DETAIL
Markup	HTML5	<code><!DOCTYPE html></code> , <code>lang="en"</code> , responsive viewport meta

Styling	Hand-written CSS3	Custom properties, CSS Grid, Flexbox, transitions. No preprocessor, no utility framework
Scripting	Vanilla ES6	No jQuery, no framework, no bundler, no polyfills
Build	None	Source files are the deployment artefact
Runtime	Static	Any static host: GitHub Pages, Netlify, Vercel, S3, shared cPanel

EXTERNAL DEPENDENCIES — 3 THIRD-PARTY ORIGINS

DEPENDENCY	SOURCE	STATUS	PURPOSE
Google Fonts — Barlow 500/600/700/800	fonts.googleapis.com	OK	All headings, buttons, labels, badges
Google Fonts — Inter 300/400/500/600	fonts.googleapis.com	OK	Body copy and form fields
Font Awesome 6.4.0 (free, CSS build)	cdnjs.cloudflare.com	OK	All 20+ interface and service icons
Unsplash hero photograph photo-1541888081643-f112c2a0d783	images.unsplash.com	404	Hero background image — dead link

Verified. A direct request to the Unsplash URL returns `HTTP 404` with a 29-byte body. The hero therefore renders as the navy gradient overlay alone. Because the gradient is opaque enough on the left, the failure is not obvious — but the right half of the hero is visibly empty, as Figure 1 shows.

Both font families are requested with `display=swap` and the document pre-connects to `fonts.googleapis.com` and `fonts.gstatic.com`, which is correct practice. No Subresource Integrity hashes are set on the CDN stylesheet.

DESIGN SYSTEM

The design language is defined entirely through eleven CSS custom properties declared on `:root`. This is the single most maintainable aspect of the codebase — the whole palette can be re-skinned from one block.

COLOUR TOKENS

PRIMARY #0A192F	SECONDARY #172A45	ACCENT #FF5722	FOOTER #050D18
BG LIGHT #F8FAFC	BORDER #E2E8F0	TEXT DARK #0F172A	TEXT MUTED #475569

TOKEN	VALUE	APPLIED TO
--color-primary	#0A192F	Headings, navbar-scrolled, "Why Us" band, feature tiles
--color-secondary	#172A45	Feature-tile hover, scrolled navbar bottom border
--color-accent	#FF5722	Every CTA, section divider rules, icons, stat labels, hover states
--color-bg-light	#F8FAFC	Services band, form panel, SAC badge background
--color-border	#E2E8F0	All hairline separators and card outlines
--color-text-dark	#0F172A	Service card titles
--color-text-muted	#475569	Default body colour

TYPOGRAPHY

ROLE	FAMILY	WEIGHT	TREATMENT
Display / hero H1	Barlow	800	5rem desktop → 4rem ≤1024px → 3rem ≤768px; uppercase; 2px tracking
Section H2	Barlow	700	2.5rem; uppercase; 1px tracking; 60px bottom margin
Card / feature H3	Barlow	700	1.2–1.3rem; uppercase
Stat figure	Barlow	800	3rem; navy

Buttons & nav links	Barlow	600–700	0.85–0.95rem; uppercase; 1.5px tracking
Body copy	Inter	300–400	0.95–1.25rem; 1.6 line-height; sentence case

LAYOUT, SHAPE AND MOTION CONVENTIONS

- **Zero border-radius everywhere.** `border-radius: 0` is set explicitly on buttons and inputs — a deliberate engineering/blueprint signal.
- **Hairline grids instead of shadows.** The stats block and the features grid use a `gap: 1px` over a coloured background so the gap itself becomes a 1px rule. Cards sit on flat 1px borders.
- **Left-aligned section headers** with a 60×4px orange rule, never centred dividers.
- **Hover language:** service cards grow a 3px orange top border via `transform: scaleX(0 → 1)` from the left; buttons invert to outline; feature tiles darken to secondary navy.
- **Two timing tokens:** `--transition-fast` 0.2s ease-out for interactive feedback, `--transition-smooth` 0.4s `cubic-bezier(.16,1,.3,1)` for layout motion.
- **Section rhythm:** uniform `padding: 100px 5%` on every `<section>`.
- **Reveal animation:** 20px upward translate plus opacity over 0.6s — deliberately understated.

PAGE ARCHITECTURE – SECTION BY SECTION

#	SECTION	ID	COMPOSITION
0	Navigation	#navbar	Fixed, transparent over hero; five anchor links; hamburger below 768px
1	Hero	#hero	100vh; left-aligned content on a 4px orange left rule; H1, sub-line, two CTAs
2	Company Profile	#about	Two-column grid: narrative copy 2×2 hairline stats block
3	Our Services	#services	Auto-fit grid, min 350px; nine bordered cards on the light band
4	Why to Choose Us?	#why-us	Full-bleed navy band; four hairline-separated feature tiles
5	Get In Touch	#contact	Two-column grid — only the left column exists
6	Footer	footer	2fr/1fr/1fr grid: brand + empty socials quick links business hours

NAVIGATION MODEL

The site is a single document; all navigation is same-page anchor scrolling with `html { scroll-behavior: smooth; }`. The navbar begins fully transparent with a 1px translucent bottom border, and swaps to a solid navy bar with reduced 15px vertical padding once `window.scrollY > 50`. Nav link hovers reveal a 2px orange underline. On mobile the link list is absolutely positioned off-canvas at `left: -100%` and slides in when the `.active` class is applied.

CONVERSION PATH

Two hero CTAs — “Request Consultation” (primary, solid orange, anchors to `#contact`) and “View Services” (secondary, outline, anchors to `#services`). Both are reinforced by the footer quick links. **The primary path terminates without a form:** the contact section presents the address, phone and email as static text only. There is no `mailto:` link and no `tel:` link on those values either, so on mobile the phone number is not tappable.

Structural gap. `.contact-container` declares `grid-template-columns: 1fr 1fr` but contains a single child element. The right-hand half of the section is therefore empty white space at every viewport above 1024px — clearly visible in Figure 5. The stylesheet still carries roughly 90 lines of rules for `.contact-form`, `.form-group`, `.form-status`, `.status-success` and `.status-error` that nothing in the document uses.

JAVASCRIPT BEHAVIOUR

Ninety-three lines of unwrapped, non-modular script at lines 911–1003, immediately before `</body>`, organised as five numbered blocks.

#	BEHAVIOUR	LINES	STATUS	IMPLEMENTATION
1	Dynamic copyright year	912–913	Works	Writes <code>new Date().getFullYear()</code> into <code>#year</code>
2	Navbar solidify on scroll	915–923	Works	Toggles <code>.scrolled</code> past 50px of scroll
3	Hamburger menu	925–949	Works	Toggles <code>.active</code> ; swaps <code>fa-bars</code> ↔ <code>fa-xmark</code> ; auto-closes on link click
4	Scroll reveal	951–966	Works	Adds <code>.active</code> when an element's top passes <code>innerHeight - 50</code> ; also runs once on load
5	Contact form validation	968–1002	CRASHES	Required-field check, e-mail regex, simulated success, 6-second status reset

THE FAILURE

```
const form = document.getElementById('quoteForm'); // → null
const formStatus = document.getElementById('formStatus'); // → null

form.addEventListener('submit', function(e) {           // ← TypeError thrown here
  ...
});
```

Neither `#quoteForm` nor `#formStatus` exists anywhere in the document. Reading the live page's console confirms the thrown error on every load:

```
Uncaught TypeError: Cannot read properties of null (reading 'addEventListener')
at index.html:972
```

Because the throw happens at the very end of the script, the four preceding behaviours are already registered and continue to work — which is why the breakage is invisible to a casual visitor and has survived. It nonetheless pollutes the console on every page view and will trip any error-monitoring or Lighthouse “no browser errors” check.

EFFICIENCY OBSERVATIONS

- Two separate unthrottled `scroll` listeners are attached to `window`. Each scroll frame runs both.
- `revealOnScroll()` re-runs `document.querySelectorAll('.reveal')` on every scroll event — 19 nodes re-queried and re-measured continuously. An `IntersectionObserver` would do the same job with zero scroll work and would also let each element unobserve itself once revealed.
- The form's success path is **simulated only**. Even once the markup is restored, no data is transmitted anywhere — there is no `action`, no `fetch`, no mail service. A real backend, Formspree/Netlify Forms endpoint, or a `mailto:` fallback is required.

RESPONSIVE BEHAVIOUR & BREAKPOINTS

Two media queries govern the entire adaptive behaviour. The base stylesheet is desktop-first.

BREAKPOINT 1 — MAX-WIDTH: 1024PX (TABLET / SMALL LAPTOP)

ELEMENT	CHANGE
<code>.hero-content h1</code>	5rem → 4rem
<code>#about</code>	Two columns → single column, gap 80px → 50px
<code>.contact-container</code>	Two columns → single column, gap 80px → 50px
<code>.services-grid</code>	Card minimum 350px → 300px

BREAKPOINT 2 — MAX-WIDTH: 768PX (MOBILE)

ELEMENT	CHANGE
<code>.hamburger</code>	<code>display: none</code> → <code>block</code>
<code>.nav-links</code>	Inline row → absolute off-canvas panel at <code>left: -100%</code> , navy background, slides in on <code>.active</code>
<code>.hero-content</code>	Orange left rule and 30px indent removed
<code>.hero-content h1</code>	4rem → 3rem
<code>.hero-buttons</code>	Row → column, buttons stretch to 100 % width
<code>.stats-grid</code>	2×2 → single column
<code>.footer-grid</code>	2fr/1fr/1fr → single column
<code>.footer-bottom</code>	Row → centred column
<code>.contact-form</code>	Padding 50px → 30px 20px (<i>rule is dead — no form exists</i>)

Narrow-phone measurement. At a 381px viewport the hero heading's longest line, "& CONSTRUCTION", measures **362px** and its right edge lands at exactly **381px** — flush against the viewport, consuming the section's 5 % right padding entirely. On a 360–375px handset (iPhone SE, iPhone 13 mini, many Android devices) the available width is only 324–338px, so the word overflows by roughly 24–38px and is silently clipped by `body { overflow-x: hidden }`. Reducing the mobile `h1` to about `2.35rem`, or adding `clamp()`, resolves it.

Everything else scales cleanly. The services grid's `auto-fit` / `minmax` pattern reflows from three columns to two to one without any breakpoint intervention, and the mobile navigation drawer — including the icon swap and auto-close on link tap — was verified working in a real 390×844 touch-emulated viewport.

SCREENSHOTS – DESKTOP

Captured at 1440×900 CSS pixels, 2× device pixel ratio, with all scroll-reveal elements in their settled state.




FIGURE 1 · HERO – TRANSPARENT NAVBAR, 5REM DISPLAY HEADING ON THE ORANGE RULE, DUAL CTAS. THE RIGHT HALF IS EMPTY BECAUSE THE UNSPLASH BACKGROUND RETURNS 404.




FIGURE 2 · COMPANY PROFILE – NARRATIVE COLUMN BESIDE THE 2×2 HAIRLINE STATISTICS BLOCK.

OUR SERVICES




FIGURE 3 · OUR SERVICES – NINE BORDERED CARDS IN A THREE-COLUMN AUTO-FIT GRID ON THE LIGHT SLATE BAND.

WHY TO CHOOSE US?



QUALITY ASSURANCE

Strict QC protocols and premium material sourcing ensure structural integrity and operational longevity.



SAFETY COMPLIANCE

Zero-tolerance safety policies protect human capital and ensure absolute compliance with OSHA/regulatory standards.



SCHEDULE ADHERENCE

Advanced critical path methodologies allow us to meet aggressive timelines without compromising build quality.



TECHNICAL EXPERTISE

Decades of combined engineering experience utilized to solve complex topographical and structural challenges.

FIGURE 4 · WHY TO CHOOSE US – FULL-BLEED NAVY BAND WITH FOUR HAIRLINE-SEPARATED FEATURE TILES.

GET IN TOUCH

Submit your project parameters for a preliminary review. Our engineering team responds to all inquiries within business hours.



COMPANY LOCATION

23/1784,REEJVA NAGAR,SHANKAR NAGAR.
Raipur, Chhattisgarh, 492001, India



DIRECT COMMUNICATIONS

+91 75660 66626



ELECTRONIC MAIL

bhartiengineering6@gmail.com

FIGURE 5 · GET IN TOUCH – THE MISSING FORM IS VISIBLE AS THE EMPTY RIGHT HALF OF THE TWO-COLUMN GRID.




FIGURE 6 · FOOTER – BRAND BLOCK WITH AN EMPTY SOCIAL CONTAINER, QUICK LINKS, AND THE BUSINESS-HOURS TABLE.

FULL PAGE – CONTINUOUS VIEW




FIGURE 7 · THE COMPLETE 4,371PX DOCUMENT AT 1440PX WIDTH, SHOWING OVERALL VERTICAL RHYTHM AND THE ALTERNATING WHITE / SLATE / NAVY BAND STRUCTURE.

SCREENSHOTS – MOBILE

Captured at 390×844 CSS pixels with mobile emulation and touch input enabled, so the `max-width: 768px` rules are genuinely active.




FIGURE 8 · HERO AT 390PX – 3REM HEADING, STACKED FULL-WIDTH CTAS, HAMBURGER PRESENT.




FIGURE 9 · NAVIGATION DRAWER OPEN – PANEL SLID IN, ICON SWAPPED TO `FA-XMARK`.




FIGURE 10 · SERVICES REFLOWED TO A SINGLE COLUMN BY THE AUTO-FIT GRID.

DEFECTS & FINDINGS

Thirteen findings, ordered by business impact. Every one was verified against the source or the live rendered page.

ID	SEVERITY	FINDING	EVIDENCE & IMPACT
F-01	CRITICAL	Contact form absent from the markup	The <code>.contact-container</code> grid has one child. Both primary CTAs lead here. No form, no <code>mailto:</code> , no <code>tel:</code> — the site cannot capture a single lead.
F-02	CRITICAL	Uncaught <code>TypeError</code> on every page load	Line 972: <code>form.addEventListener</code> on a null reference. Confirmed in the browser console. Breaks error monitoring and automated quality gates.
F-03	HIGH	Hero background image returns HTTP 404	The Unsplash photo ID no longer resolves. The hero's entire right half renders as flat gradient — the single most prominent viewport on the site.
F-04	HIGH	Half-empty contact section above 1024px	Consequence of F-01: <code>1fr 1fr</code> with one child leaves ~50 % dead white space (Figure 5).
F-05	MEDIUM	No SEO metadata whatsoever	No <code>meta description</code> , no Open Graph or Twitter cards, no canonical, no favicon, no <code>robots.txt</code> , no <code>sitemap.xml</code> , no <code>LocalBusiness</code> JSON-LD. Critically damaging for a local contractor competing on "construction company in Raipur".
F-06	MEDIUM	Logo has no accessible name	Line 660: <code><h1><i class="fa-solid fa-helmet-safety"></i></h1></code> — an icon font glyph with no text and no <code>aria-label</code> . Screen readers announce an empty heading; the brand name is invisible in the navbar.
F-07	MEDIUM	Two <code><h1></code> elements on one page	Lines 660 and 677. The document outline is ambiguous and the empty logo <code>h1</code> competes with the real hero heading for topical weight.
F-08	MEDIUM	Hero heading overflows on 360–375px screens	Measured: the word runs 362px wide against 324–338px of available space; clipped by <code>overflow-x: hidden</code> rather than wrapped.
F-09	LOW	~90 lines of dead form CSS	<code>.contact-form</code> , <code>.form-group</code> , <code>.form-status</code> , <code>.status-success</code> , <code>.status-error</code> and their mobile override have no matching markup.

F-10	LOW	Empty <code>.service-header</code> wrappers and unused <code>.sac-badge</code> rule	Nine flex containers hold a lone icon and trailing whitespace where SAC code badges were removed; the badge's 10-line style block is orphaned.
F-11	LOW	Empty <code>.social-links</code> container in the footer	Renders nothing while its hover styling sits unused. Either populate it or remove it.
F-12	LOW	Unthrottled scroll work	Two <code>scroll</code> listeners; <code>revealOnScroll()</code> re-queries and re-measures 19 nodes per scroll event. <code>IntersectionObserver</code> is the correct tool.
F-13	INFO	Project hygiene	No Git repository, no README, no LICENSE. A stray macOS <code>__MACOSX</code> artefact folder sits beside the project. All contact data is duplicated inline with no single source of truth.

SEO, ACCESSIBILITY & PERFORMANCE

SEARCH ENGINE OPTIMISATION

SIGNAL	PRESENT	NOTE
<code><title></code>	Yes	"BHARTI ENGINEERING & CONSTRUCTION" — brand only; no service or city keyword
<code>lang="en"</code>	Yes	Correct
Responsive viewport meta	Yes	Correct
Meta description	No	Google will synthesise a snippet from arbitrary body text
Open Graph / Twitter cards	No	WhatsApp and LinkedIn shares render as a bare URL — significant for B2B referral in India
Canonical URL	No	—
Favicon	No	Browser tab shows the default document icon
<code>robots.txt</code> / <code>sitemap.xml</code>	No	—
<code>LocalBusiness</code> JSON-LD	No	Highest-value missing item: address, phone, hours and services are all already on the page and would map directly into structured data
Google Search Console verification	Yes	<code>googlea811e51362a167d8.html</code> — the property is already claimed

ACCESSIBILITY

- **No accessible name on the logo** (F-06) and no `aria-hidden="true"` on any of the 20+ purely decorative Font Awesome glyphs, so assistive technology may announce meaningless icon text.
- **Duplicate `<h1>`** (F-07) makes the document outline ambiguous.
- **No landmark roles or skip-link.** `<nav>` and `<footer>` are semantic, but the sections are undifferentiated `<section>` elements with no `aria-labelledby`.
- **Hamburger is a `<div>`** with a click handler — not keyboard focusable, no `role="button"`, no `aria-expanded`, no `aria-controls`.
- **Contrast is good.** Navy on white, white on navy and orange on white all clear WCAG AA for their sizes; the muted body colour `#475569` on white is 7.5:1.
- **No `prefers-reduced-motion` guard** around the reveal animations or smooth scrolling.

PERFORMANCE

- **Own payload is 34 KB** in a single request — excellent. No render-blocking local assets.
- **Three third-party round trips** before first paint: two Google Fonts requests and the ~80 KB Font Awesome CSS plus its webfont. Font Awesome is used for roughly 20 glyphs; inlining those as SVG would remove the largest external dependency entirely.
- `preconnect` is correctly configured for both Google Fonts origins, and `display=swap` avoids invisible text.
- **The hero image, once restored, becomes the LCP element.** It should be self-hosted, compressed to WebP/AVIF, served at multiple widths, and preloaded — not fetched from a third-party CDN.
- **No Subresource Integrity** on the cdnjs stylesheet.

DEPLOYMENT & RECOMMENDATIONS

DEPLOYMENT PROFILE

The project deploys by copying the folder. Any static host works, and the presence of the Google Search Console verification file indicates the domain has already been claimed — that file must be preserved at the web root on every future deploy or verification will be lost. Requirements: none. Build command: none. Output directory: the project folder itself.

PRIORITISED REMEDIATION ROADMAP

ORDER	ACTION	RESOLVES	EFFORT
1	Rebuild the contact form markup (name, email, phone, message, submit, status region) inside the right grid column	F-01 F-02 F-04 F-09	~40 lines of HTML; the CSS and JS already exist
2	Wire the form to a real endpoint — Formspree, Netlify Forms, or a small PHP mailer	F-01	Configuration only
3	Replace the hero background with a self-hosted, compressed WebP photograph of the company's own work	F-03	Asset sourcing + one CSS line
4	Make the phone a <code>tel:</code> link and the email a <code>mailto:</code> link	F-01	Two attributes
5	Add the full SEO head block: description, Open Graph, Twitter card, canonical, favicon, and <code>LocalBusiness</code> JSON-LD	F-05	~40 lines in <code><head></code>
6	Put the brand wordmark back in the navbar; demote the logo to <code><a></code> + <code></code> so only the hero keeps <code><h1></code>	F-06 F-07	Two markup edits
7	Convert the hamburger to a real <code><button></code> with <code>aria-expanded</code> , and mark decorative icons <code>aria-hidden="true"</code>	—	Small
8	Clamp the mobile hero heading (<code>clamp(2.2rem, 9vw, 3rem)</code>)	F-08	One line
9	Replace the scroll-reveal handler with <code>IntersectionObserver</code> , guarded by <code>prefers-reduced-motion</code>	F-12	~12 lines

10	Delete the dead <code>.sac-badge</code> rule and the empty <code>.social-links</code> block, or populate the latter	F-10 F-11	Trivial
11	<code>git init</code> , add a README, remove the <code>__MACOSX</code> folder	F-13	Trivial

LONGER-TERM OPPORTUNITIES

- **A projects / portfolio page.** The About copy claims 100+ completed projects but none are shown. For a contractor, photographic proof of work is the strongest possible conversion asset.
- **Client testimonials or a logo wall** to substantiate the "1.2k clients" figure.
- **Certification and compliance badges** (ISO, licence numbers, GST) — the "Safety Compliance" pillar asserts OSHA adherence with nothing to back it.
- **A downloadable company profile PDF** — standard expectation in Indian B2B construction tendering.
- **Hindi language toggle**, given the Raipur / Chhattisgarh market.
- **WhatsApp click-to-chat button** — the dominant B2B enquiry channel in this market.

Master Prompt

Copy everything inside the box below and paste it into Claude, ChatGPT or any capable coding assistant to reproduce this entire project from nothing. It reconstructs the site exactly as documented — and repairs the defects listed in Section 11 along the way.

Build a complete, production-ready single-page marketing website for an Indian construction company called "Bharti Engineering & Construction". Deliver it as ONE self-contained file named index.html with all CSS in a single `<style>` block in the head and all JavaScript in a single `<script>` block before `</body>`. No frameworks, no build step, no npm – plain HTML5, CSS3 and vanilla ES6 only.

=== BRAND & DESIGN SYSTEM ===

Industrial-corporate identity: engineering-blueprint precision, not soft startup styling.

Define these exact CSS custom properties on `:root` and use them everywhere:

```
--color-primary: #0A192F    (deep navy)
--color-secondary: #172A45  (secondary navy)
--color-accent: #FF5722     (safety/industrial orange)
--color-bg-light: #F8F AFC   (slate 50)
--color-border: #E2E8F0     (slate 200 hairlines)
--color-text-dark: #0F172A  (slate 900)
--color-text-muted: #475569 (slate 600, default body colour)
--font-heading: 'Barlow', sans-serif
--font-body: 'Inter', sans-serif
--transition-fast: 0.2s ease-out
--transition-smooth: 0.4s cubic-bezier(0.16, 1, 0.3, 1)
```

Footer background is #050D18.

Load Barlow (500,600,700,800) and Inter (300,400,500,600) from Google Fonts with `display=swap` and `preconnect` to `fonts.googleapis.com` and `fonts.gstatic.com`. Load Font Awesome 6.4.0 free from cdnjs for icons.

Design rules to follow strictly:

- border-radius: 0 everywhere. Sharp geometric edges – set it explicitly on buttons and inputs.
- ALL headings uppercase, Barlow, letter-spacing 1-2px, line-height 1.2.
- Section headers are LEFT-aligned with a 60x4px solid orange rule beneath, never a centred divider.
- Use hairline separators, not drop shadows: grids with `gap:1px` over a `--color-border` background so the gap becomes a 1px rule.
- Every `<section>` uses `padding: 100px 5%`.
- Reveal-on-scroll animation is subtle: `opacity 0 to 1 plus translateY(20px) to 0 over 0.6s ease-out`.
- Global html { `scroll-behavior: smooth` }, body `overflow-x: hidden`, `-webkit-font-smoothing: antialiased`.

=== PAGE STRUCTURE (in this order) ===

1. FIXED NAVBAR

Transparent over the hero with a `1px rgba(255,255,255,.1)` bottom border; padding 25px 5%. Left: the helmet icon (`fa-helmet-safety`, orange) followed by the wordmark "BHARTI ENGINEERING" in white Barlow 800 – wrap the whole logo in an `<a href="#hero">` with an `aria-label`, and do NOT use an `<h1>` for it. Right: uppercase links HOME / ABOUT / SERVICES / WHY US? / CONTACT, each revealing a 2px orange bottom border on hover. Add class `.scrolled` via JS once `window.scrolly > 50`: solid navy background and padding reduced to 15px 5%.

2. HERO – id="hero", height 100vh, content vertically centred, padding 0 5%

Background: `linear-gradient(90deg, rgba(10,25,47,.95) 0%, rgba(10,25,47,.6) 100%)` over a construction-site photograph, center/cover. Use a self-hosted, compressed image – do NOT hotlink a third-party CDN.

Left-aligned content block, max-width 800px, with a 4px solid orange left border and 30px left padding.

H1 (the page's ONLY h1): "BHARTI ENGINEERING & CONSTRUCTION" – white, Barlow 800, font-size `clamp(2.2rem, 9vw, 5rem)`, line-height 1.1.

Paragraph: "Delivering uncompromised structural integrity and industrial excellence through advanced construction and project management solutions."

Two buttons: primary solid orange "REQUEST CONSULTATION" with a fa-arrow-right that slides 5px on hover, linking to #contact; and outline white "VIEW SERVICES" linking to #services. Primary hover inverts to transparent with orange text; outline hover fills white with navy text.

3. COMPANY PROFILE – id="about", two-column grid (1fr 1fr), gap 80px, white background

Left column: section header "COMPANY PROFILE" + orange rule, then two paragraphs:

"At Bharti Engineering & Construction, we specialize in delivering world-class civil, industrial, and electrical construction solutions. Our mission is to engineer robust infrastructures that stand the test of time, prioritizing safety, quality, and environmental sustainability."

"With a comprehensive portfolio spanning residential multiplexes to large-scale industrial warehouses, our experienced team ensures meticulous project management and flawless execution from blueprint to final handover."

Right column: a 2x2 stats block using the gap:1px hairline technique. Figures in Barlow 800 at 3rem navy; labels in uppercase orange Barlow 600 at 0.85rem with 1.5px tracking:

15+ YEARS OPERATION | 100+ PROJECTS EXECUTED | 1.2k CLIENTS | 10+ CERTIFIED ENGINEERS

4. OUR SERVICES – id="services", background --color-bg-light, 1px top border

Section header "OUR SERVICES" + orange rule. Grid: repeat(auto-fit, minmax(350px, 1fr)), gap 30px.

Nine white cards, each 40px padding with a 1px border. On hover: border lightens to #CBD5E1, a soft shadow appears, the icon turns orange, and a 3px orange top border expands via transform scaleX(0 to 1) with transform-origin left. Each card = a 2rem navy icon, an uppercase 1.3rem title, and a 0.95rem description at line-height 1.7:

1. fa-city – RESIDENTIAL CONSTRUCTION – "End-to-end structural construction services for single or multi-dwelling residential buildings engineered to modern living standards."

2. fa-regular fa-building – INSTITUTIONAL FACILITIES – "Specialized construction of large-scale residential community structures including hostels, shelters, and care homes."

3. fa-industry – INDUSTRIAL INFRASTRUCTURE – "Heavy-duty civil engineering for factories, mechanical workshops, industrial warehouses, and specialized production units."

4. fa-bolt – ELECTRICAL SYSTEMS – "Comprehensive commercial electrical wiring, utility fittings, and integration of fire/burglar alarm safety protocols."

5. fa-paint-roller – ARCHITECTURAL FINISHING – "Professional grade interior and exterior surface treatment, structural painting, texturing, and protective coatings."

6. fa-layer-group – INDUSTRIAL INSULATION – "Installation of high-grade thermal, sound, and fire mitigation insulation for industrial complexes and commercial spaces."

7. fa-bars-progress – PROJECT MANAGEMENT – "Turnkey project administration services ensuring strict adherence to budget, timeline, and compliance metrics."

8. fa-helmet-safety – CONTRACT STAFFING – "Strategic manpower deployment providing vetted, skilled, and certified labor for complex construction operations."

9. fa-wrench – MAINTENANCE OPERATIONS – "Preventative maintenance, systemic repairs, and diagnostics of heavy machinery and building operational systems."

5. WHY TO CHOOSE US? – id="why-us", full-bleed navy background, white text

Section header "WHY TO CHOOSE US?" in white + orange rule. Four tiles in a repeat(auto-fit, minmax(250px, 1fr)) grid using the gap:1px hairline technique over rgba(255,255,255,.1). Each tile: 50px 30px padding, a 2.5rem orange icon, an uppercase white 1.2rem title, and body text at rgba(255,255,255,.7). Hover darkens the tile to --color-secondary.

fa-gem – QUALITY ASSURANCE – "Strict QC protocols and premium material sourcing ensure structural integrity and operational longevity."

fa-shield-halved – SAFETY COMPLIANCE – "Zero-tolerance safety policies protect human capital and ensure absolute compliance with OSHA/regulatory standards."

fa-stopwatch – SCHEDULE ADHERENCE – "Advanced critical path methodologies allow us to meet aggressive timelines without compromising build quality."

fa-user-tie – TECHNICAL EXPERTISE – "Decades of combined engineering experience utilized to solve complex topographical and structural challenges."

6. GET IN TOUCH – id="contact", white background, 1px top border, two-column grid (1fr 1fr) gap 80px

LEFT COLUMN: section header "GET IN TOUCH" + orange rule, then "Submit your project parameters for a

preliminary review. Our engineering team responds to all inquiries within business hours." Then three contact rows, each a 1.2rem orange icon beside a bold uppercase label and its value, separated by 1px bottom borders:

fa-location-crosshairs – COMPANY LOCATION – "23/1784, Reejva Nagar, Shankar Nagar,
Raipur, Chhattisgarh, 492001, India"

fa-phone – DIRECT COMMUNICATIONS – "+91 75660 66626" as a tel:+917566066626 link

fa-envelope – ELECTRONIC MAIL – "bhartiengineering6@gmail.com" as a mailto: link

RIGHT COLUMN – THIS IS REQUIRED, DO NOT OMIT IT: a working enquiry form on a --color-bg-light panel with 50px padding and a 1px border, id="quoteForm". Fields id="name", id="email", id="phone", id="message" (textarea, height 140px). Labels are uppercase Barlow 600 at 0.85rem in navy. Inputs are 15px padding, 1px border, border-radius 0, and their border turns navy on focus. Submit button uses the primary orange button style at full width. Below it a status region id="formStatus" with class .form-status, hidden by default, 15px padding and a 3px left border – .status-success is green on #F0FDF4, .status-error is red on #FEF2F2.

7. FOOTER – background #050D18, padding 80px 5% 30px

Grid 2fr 1fr 1fr, gap 60px:

Brand: helmet icon + "BHARTI ENGINEERING & CONSTRUCTION", the line "Delivering comprehensive construction, electrical, and industrial solutions tailored to rigorous industry standards.", and a row of 40x40px bordered social icon links that fill orange on hover – include real LinkedIn, Facebook and WhatsApp links, never an empty container.

QUICK LINKS: Home, Profile, Our Services, Get In Touch.

BUSINESS HOURS: Mon - Fri 09:00 - 18:00 | Saturday 09:00 - 14:00 | Sunday Closed – the day on the left in muted grey, the time right-floated in white, with a 1px top rule above the Sunday row.

Bottom bar: 1px top border, "© Bharti Engineering & Construction. All Rights Reserved."

=== JAVASCRIPT (vanilla, no libraries) ===

1. Write the current year into #year.

2. Toggle .scrolled on the navbar when window.scrollY > 50.

3. Hamburger menu: toggle .active on the link list, swap the icon between fa-bars and fa-xmark, and close the menu when any link is tapped. Build the hamburger as a real <button> with aria-expanded and aria-controls, kept keyboard accessible.

4. Scroll reveal: use IntersectionObserver on .reveal elements, adding .active as each enters the viewport and unobserving it afterwards. Respect prefers-reduced-motion by showing everything immediately when it is set.

5. Form handling: on submit, preventDefault, trim all four fields, block empty ones with "Required fields are missing.", validate the email against /^[^s@]+@[^s@]+\.[^s@]+\$/ and reject with "Invalid email format provided.", otherwise show "Inquiry logged successfully. Our team will follow up shortly.", reset the form, and hide the status after 6 seconds. Prefix each message with a Font Awesome icon. Guard every getElementById with a null check so the script can never throw if an element is absent.

=== RESPONSIVE ===

Desktop-first with exactly two media queries.

@media (max-width: 1024px): hero h1 to 4rem; #about and .contact-container collapse to one column with 50px gap; service cards minmax drops to 300px.

@media (max-width: 768px): show the hamburger; .nav-links becomes an absolutely positioned off-canvas navy panel at left:-100% that slides to left:0 on .active; the hero content loses its left rule and indent; hero h1 to 3rem; hero buttons stack full-width; stats grid to one column; footer grid to one column; footer bottom centres; form panel padding drops to 30px 20px.

Verify at 360px that no heading overflows horizontally.

=== HEAD, SEO & ACCESSIBILITY (do not skip) ===

- <title>Bharti Engineering & Construction – Civil, Industrial & Electrical Contractors in Raipur</title>

- A meta description naming the services and the city.

- Open Graph and Twitter card tags with title, description, image and url.

- A canonical link and an SVG or PNG favicon.

- LocalBusiness JSON-LD carrying the name, full address, telephone, email, opening hours and the nine services.

- Exactly one <h1> on the page (the hero).

- aria-hidden="true" on every decorative Font Awesome icon.

- Descriptive aria-labels on the logo link and the hamburger button.
- Zero console errors on load.

=== DELIVERABLE ===

A single index.html that opens correctly by double-clicking it, renders identically in Chrome, Firefox and Safari, produces no console errors, and is ready to drop onto any static host. Comment each CSS block and each JavaScript feature the way a careful developer would.