




Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
75659	324.026405500	10.10.40.149	21.34.81.58	HTTP	165	GET /connecttest.txt HTTP/1.1
87663	356.428581200	10.10.40.149	21.218.94.67	HTTP	165	GET /connecttest.txt HTTP/1.1
91389	387.246058100	10.10.40.149	23.34.81.48	HTTP	165	GET /connecttest.txt HTTP/1.1
96488	404.395731000	10.10.40.149	172.16.103.254	HTTP	443	GET /live?mode=192&username=99240041204&a=17859956947506&producttype=0 HTTP/1.1
98509	418.229654000	10.10.40.149	21.34.81.58	HTTP	165	GET /connecttest.txt HTTP/1.1
104664	449.408837200	10.10.40.149	10.10.40.149	HTTP	132	HTTP/1.1 200 OK
109529	482.419987100	10.10.40.149	21.34.81.61	HTTP	165	GET /connecttest.txt HTTP/1.1
110954	531.708243600	10.10.40.149	21.34.81.64	HTTP	165	GET /connecttest.txt HTTP/1.1
125067	544.875847200	10.10.40.149	21.34.81.64	HTTP	165	GET /connecttest.txt HTTP/1.1
126340	576.651545000	10.10.40.149	21.218.94.184	HTTP	165	GET /connecttest.txt HTTP/1.1
127618	584.999852100	10.10.40.149	172.16.103.254	HTTP	443	GET /live?mode=192&username=99240041204&a=17859966278492&producttype=0 HTTP/1.1
141368	608.251981900	10.10.40.149	21.34.81.64	HTTP	165	GET /connecttest.txt HTTP/1.1
143177	619.339872100	10.10.40.149	21.34.81.61	HTTP	165	GET /connecttest.txt HTTP/1.1
148559	649.689675100	10.10.40.149	21.34.81.58	HTTP	165	GET /connecttest.txt HTTP/1.1
158211	711.401513100	10.10.40.149	21.34.81.54	HTTP	165	GET /connecttest.txt HTTP/1.1
161460	732.288132100	10.10.40.149	21.34.81.64	HTTP	165	GET /connecttest.txt HTTP/1.1

> Frame 75659: 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits) on interface \Device\NPF{618C0F00-7800-490C-B577-37264BA6901}, id 0

> Ethernet II, Src: AzureWaveTec_93:10:18 (9e:c7:03:93:10:18), Dst: Sogous_Lc:00:09 (c0:4f:66:1c:00:09)

> Internet Protocol Version 4, Src: 10.10.40.149, Dst: 21.34.81.58

> Transmission Control Protocol, Src Port: 16379, Dst Port: 80, Seq: 4222, Ack: 40335, Len: 551

> Hypertext Transfer Protocol

GET /connecttest.txt HTTP/1.1\r\n

Request Method: GET

Request URI: /login.aspx

Request Version: HTTP/1.1

Host: testaspnet.vulnweb.com\r\n

Connection: keep-alive\r\n

Upgrade-Insecure-Requests: 1\r\n

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36\r\n

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7\r\n

Referer: http://testaspnet.vulnweb.com/login.aspx\r\n

Accept-Encoding: gzip, deflate, br\r\n

Accept-Language: en-US,en;q=0.9\r\n

Cookie: ASP.NET_SessionId=dcjzp381jkatyxe0k45urv\r\n\r\n

[Response in frame: 89643]

[Full request URI: http://testaspnet.vulnweb.com/login.aspx]

0000 c8 4f 66 1c 00 09 9c 03 93 10 18 08 00 45 00 .Of.....E.

0010 00 97 c6 6b 40 00 80 66 2a 0a 0a 28 95 15 22 ...k@..k*..(...

0020 51 3a 40 50 6d da a7 22 46 cb c6 2d 90 18 01 Q;@Pm.....F...

0030 fa f0 63 9b 00 00 01 08 0a ec 43 fe d8 47 45 ..c.....C..GE

0040 54 20 2f 6c 6f 69 6e 8e 28 13 29 78 20 48 54 T /login.aspx HT

0050 54 29 2f 11 2e 11 0d 0a 48 63 74 3a 20 74 65 TP/1.1..Host: te

0060 73 74 61 33 70 06 54 71 26 75 66 69 77 55 62 staspnet.vulnweb

0070 2e 63 6f 6d 0d 0a 43 6f 6a 65 62 74 69 6f 6e .com..Connection

0080 3a 20 kb 65 67 2d 61 6c 69 78 65 0d 0a 05 Up : keep-alive..Up

0090 67 72 84 66 2d 49 6e 73 55 62 75 72 66 2d 32 grade-Insecure-R

00a0 65 75 65 73 74 73 3a 3a 31 0d 0a 05 05 65 72 equests: 1..User

00b0 2d 41 66 6e 71 3a 20 29 4f 72 29 60 6c 61 2f -Agent: Mozilla/

00c0 55 2e 30 20 28 57 59 60 6f 77 73 20 4e 54 20 5.0 (Windows NT

00d0 31 30 2e 30 3; 20 57 69 6a 64 3; 20 78 36 34 10.0; Win64; x64

Wi-Fi: <live capture in progress>

Packets: 161466 · Displayed: 16 (0.0%)

Profile: Default

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
66925	234.956764000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
66932	234.832464000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
66948	235.031428000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
71398	279.516537000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
71952	283.318983000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
74955	296.738182000	10.10.40.149	44.238.29.244	HTTP	1251	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
75334	298.678277000	10.10.40.149	44.238.29.244	HTTP	1239	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded) [Illegal Segments]

Frame 66925: 1251 bytes on wire (10008 bits), 1251 bytes captured (10008 bits) on interface \Device\NPF_{61BCBF00-7300-490C-8577-14...}

Ethernet II, Src: AzureWaveTb_93:10:18 (9c:c7:d3:93:10:18), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

Internet Protocol Version 4, Src: 10.10.40.149, Dst: 44.238.29.244

Transmission Control Protocol, Src Port: 16379, Dst Port: 80, Seq: 4222, Ack: 40335, Len: 1197

Hypertext Transfer Protocol

POST /login.aspx HTTP/1.1\r\n

Request Method: POST

Request URI: /login.aspx

Request Version: HTTP/1.1

Host: testaspnet.vulnweb.com\r\n

Connection: keep-alive\r\n

Content-Type: application/x-www-form-urlencoded\r\n

Content-Length: 94\r\n

Cache-Control: max-age=0\r\n

Upgrade-Insecure-Requests: 1\r\n

Origin: http://testaspnet.vulnweb.com\r\n

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36\r\n

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;q=0.7\r\n

Referer: http://testaspnet.vulnweb.com/login.aspx\r\n

Accept-Encoding: gzip, deflate, br\r\n

Accept-Language: en-US,en;q=0.9\r\n

Cookie: ASP.NET_SessionId=ndnc2j3p381jkatyxe0k45urv\r\n\r\n

[Response in frame: 89643]

[Full request URI: http://testaspnet.vulnweb.com/login.aspx]

0000 c8 4f 86 fc 00 09 9c c7 d3 93 10 18 00 00 45 00 |.0.....E.

0010 00 4d e9 8c 40 00 80 06 66 2a 0a 0a 28 95 2c 6e |.M.:0...f*...n

0020 ee 1e 35 f1 e5 e8 3f 50 18 01 f1 6f 9b 00 00 00 |..5...?P...to...

0030 fa f0 63 9b 00 00 01 f0 a2 ec 43 fe d0 47 47 45 |o.fc:.....IC..GE

0040 50 4f 55 31 20 6f 6c 6f 67 69 6e 2e 61 73 70 78 |POST /login.aspx

0050 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 74 3a |a HTTP/1.1!Host:

0060 74 65 73 74 61 73 70 6e 54 2e 76 75 6c 6a 77 65 |testaspnet.vulnwe

0070 62 2e 63 6f 6d 0a 43 6f 6e 05 63 74 49 6f 6e |b.com.*Connection

0080 3a 20 6b 65 65 70 2d 61 60 76 65 0d 0a 43 6f 60 |: keep-alive.*Con

0090 74 65 6e 74 2d 54 79 76 3a 20 61 70 70 6c 69 63 |tent-Type: applic

00a0 61 74 69 6f 6e 2f 78 2d 77 77 2d 66 6f 72 6d 2d |ation/x-www-form:

00b0 75 72 6c 65 6e 63 6f 64 6d 0d 0a 43 6f 6a 75 65 |urlencoded.*Conte

00c0 6e 74 2d 4c 65 6e 67 74 3a 20 39 34 0d 0a 43 61 |nt-Length: 94.,Ca

00d0 63 6a 65 2d 43 6f 6e 72 2f 6c 3a 20 6d 61 78 2d |che-Control: max-

00e0 61 67 65 3d 33 0d 0a 53 70 72 31 44 6d 2d 49 6e |age=0.*Upgrade.In

00f0 61 67 65 3d 30 0d 0a 59 70 72 61 44 65 2d 49 6e |age=0.*Upgrade-In

0100 73 6a 62 75 72 66 2d 38 61 73 68 73 74 73 3a 20 |secure-Requests:|

0110 31 0d 0a 4f 72 69 67 6e 3a 20 68 74 74 70 3a 2f |1.*Origin: http:/

0120 2f 74 65 73 74 61 73 70 65 74 2e 76 75 6c 6a 77 |/testaspnet.vulnw

0130 65 63 2e 63 6f 6d 0a 53 65 72 2d 41 67 65 6e |eb.com.*User-Agen

0140 74 3a 20 4d 4f 70 69 6c 66 2f 35 2e 30 20 28 87 |t: Mozilla/5f0(W

0150 69 6e 64 58 83 30 20 04 54 31 38 2e 30 30 28 57 |10000000....10; U

0160 69 6e 64 6f 77 30 20 4e 30 31 38 2e 30 3b 20 87 |indows NT 10.0; W

0170 69 6e 36 34 3b 20 38 36 49 20 83 70 70 66 65 67 |in4; x64) AppliW

0180 69 66 60 20 20 20 68 00 43 70 27 00 74 68 63 |in64; x64) AppleW

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl+/>

No.	Time	Source	Destination	Protocol	Length	Info
1397	26.045183	LAPTOP-8J6L5F1.1...	Broadcast	ARP	42	Who has 192.168.0.1? Tell 192.168.0.8
1398	26.067251	IntelCor_d4:7e:4c	Broadcast	ARP	42	Who has 192.168.0.1? Tell 192.168.0.5
1399	26.079395	192.168.0.1	192.168.0.8	ARP	42	192.168.0.1 is at 34:08:bc:31:94:6c
1400	26.081676	192.168.0.1	192.168.0.5	ARP	42	192.168.0.1 is at 34:08:bc:31:94:6c
1401	26.158665	192.168.0.8	224.0.0.252	LLMNR	66	Standard query 0x0000 A ispprivate
1402	26.190569	192.168.0.8	224.0.0.252	LLMNR	66	Standard query 0x0000 AAAA ispprivate
1403	26.260464	192.168.0.8	224.0.0.252	LLMNR	66	Standard query 0x0000 A www.msftconnecttest.com
1404	26.315325	192.168.0.8	224.0.0.252	LLMNR	66	Standard query 0x0000 AAAA www.msftconnecttest.com
1405	26.414279	192.168.0.8	224.0.0.252	LLMNR	66	Standard query 0x0000 A dns.msftncsi.com
1406	26.532417	192.168.0.1	192.168.0.8	TCP	54	30164 → 443 [ACK] Seq=1 Ack=1 Win=65536 Len=0
1407	26.532655	192.168.0.1	192.168.0.8	TLSv1.3	122	Server Hello, Change Cipher Spec, Application Data, Application Data
1408	26.532715	192.168.0.8	192.168.0.1	TCP	54	30164 → 443 [ACK] Seq=1 Ack=69 Win=65792 Len=0
1409	26.532745	192.168.0.8	192.168.0.1	TLSv1.3	122	Application Data, Application Data, Application Data
1410	26.837928	192.168.0.1	192.168.0.8	TCP	54	443 → 30164 [ACK] Seq=137 Ack=69 Win=65536 Len=0
1411	27.021479	192.168.0.5	192.168.0.1	TCP	66	55311 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
1412	27.022220	192.168.0.1	192.168.0.5	TCP	60	80 → 55311 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0

Frame 1412: 60 bytes on wire (480)

Ethernet II, Src: 34:08:bc:31:94:6c

Internet Protocol Version 4, Src: 1

Transmission Control Protocol, Src

0000 34 08 bc 31 94 6c 34 08 bc d4 7e 4c 08 00 45 00 4:1.1.14...~L..E.

0010 00 28 53 ec 40 00 80 06 b8 d9 c0 a8 00 01 c0 a8 : (S.@:~.....

0020 00 05 00 50 d86f b8ad 0e94 aac8 3dce 1f7d 50 14 ..P.o.....=..}P.

0030 00 00 ff ff 00 00

Wi-Fi: <live capture in progress>

Packets: 1412

Profile: Default