

Create ACLs for Task Table 2

Overview

This activity secures Task Table 2 by creating Access Control Lists (ACLs). ACLs restrict access based on user roles, ensuring only Team Members can view or modify permitted records and fields.


Objective

Create record and field-level ACLs for Task Table 2 and assign the Team Member role.

Procedure

Step 1: Open ServiceNow.

Step 2: Navigate to All → Search 'ACL'.



Step 3: Open Access Control (ACL) under System Security.

Name	Decision Type	Operation	Type	Active	Updated by	Updated
SelfAssignment	Allow If	read	ui_page	true	admin	2019-02-20 01:02:07
SelfPageInspector	Allow If	read	ui_page	true	admin	2020-03-20 15:16:15
ConversationBuilder	Allow If	read	ui_page	true	admin	2019-06-24 15:13:38
ConversationPageInspector	Allow If	read	ui_page	true	admin	2019-02-21 02:31:44
Products	Allow If	read	ui_page	true	admin	2020-03-10 09:19:22
SaveTestSessionDesk	Allow If	read	ui_page	true	admin	2023-05-29 06:06:27
ServiceNowUpdateJoin	Allow If	read	ui_page	true	admin	2015-10-28 02:03:33
SideTimeline	Allow If	read	ui_page	true	admin	2016-11-04 01:14:28
ServiceWebFrontApp	Allow If	read	ui_page	true	admin	2018-03-06 10:20:06
SearchGlobalSearchResults	Allow If	read	ui_page	true	admin	2020-06-15 10:43:57
Task	Allow If	read	ui_page	true	admin	2016-01-19 12:53:23
TaskAvailabilityCalculationSetting	Allow If	read	ui_page	true	admin	2024-02-18 06:09:28
TaskList	Allow If	read	ui_page	true	admin	2016-01-04 16:21:38
TaskPageClient	Allow If	read	ui_page	true	admin	2025-11-10 16:44:04
TaskPageInspector	Allow If	read	ui_page	true	admin	2025-09-29 22:40:08
TaskPagePreview	Allow If	read	ui_page	true	admin	2025-09-23 03:04:40
TaskPageForm	Allow If	read	ui_page	true	admin	2015-07-07 12:07:11
TaskPageForm	Allow If	read	ui_page	true	admin	2020-09-12 16:32:40
TaskPageForm	Allow If	read	ui_page	true	admin	2024-03-17 12:34:10

Step 4: Click Elevate Role.

Step 5: Click New.

Step 6: Enter:

- Table: Task Table 2
- Role: Team Member

Step 7: Under Requires Role, add Team Member.

Warning: A role, security attribute, data condition, or script is required to properly secure access with this ACL.

Type: record

Operation: write

Decision Type: Allow If

Application: Global

Active: ☒

Advanced: ☐

Admin overrides: ☒

Protection policy: -- None --

Name: task table 2 [x_task_table_2]

Description:

Applies To: No. of records matching the condition: 1

Add Filter Condition: Add "OR" Clause

Choose field: status

Conditions:

Step 8: Click Submit.

Step 9: Repeat to create field ACLs for Status, Comments, Assigned To, and Description (if required).

ACL Configuration

ACL	Required Role
Task Table 2 (Record)	Team Member
Status	Team Member
Comments	Team Member
Assigned To	Team Member
Description	Team Member

Validation

Impersonate a Team Member and verify access to Task Table 2 and permitted fields.
Confirm unauthorized users cannot access restricted records.

Expected Outcome

- Record and field ACLs are created.
- Team Members have authorized access.
- Unauthorized access is prevented.

Conclusion

ACL implementation strengthens application security by enforcing role-based access at both record and field levels.