Question #11 (Topic: Exam A) *Topic 1*

You are reviewing a peer's draft system prompt that contains contradictory instructions: one section says to never speculate beyond the supplied source, and another says to confidently fill in any gaps.
Which response is most appropriate?

A. Add a priority-ordering instruction that tells the model to evaluate all available instructions and apply the most contextually appropriate one on each request.

B. Increase the temperature setting so that output randomness masks the contradictions.

C. Resolve the contradiction by removing or rewording the gap-filling instruction so the prompt consistently constrains the model to source-supported content.

D. Keep both contradictory instructions in place and rely on the model to select which one to follow on each individual request, accepting inconsistent behavior as a result.

Correct Answer: C

Question #12 (Topic: Exam A) *Topic 1*

A document analysis service processes legal filings averaging 80,000 tokens each. Each filing is queried by attorneys an average of 14 times during a case. The current architecture sends the full filing on every query. The CFO has asked you to reduce per-query costs while preserving response quality. The security officer requires that filing contents not be stored outside Fabrikam's tenancy.
Which optimization approach should you recommend?

A. Summarize each filing once at intake and run all subsequent queries against the summary.

B. Move the workload to a smaller Claude model to reduce the per-token cost paid.

C. Cache the filing as the prompt prefix for reuse across the 14 queries per case.

D. Index filings in a vector store and retrieve only the relevant passages per query.

Correct Answer: C

Question #13 (Topic: Exam A) *Topic 1*

HOTSPOT

You are classifying chunking strategies by the corpus type each is best suited to.

For each chunking strategy, select where in the request lifecycle each applies: “Long Structured Documents”, “Heterogeneous Short Records”, or “Code or Hierarchical Specs”.

Answer Area

Chunking Strategy:	Select the Corpus Type:
function-level or section-level chunking for code modules	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs
tree-aware chunking that follows code or specification hierarchy	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs
per-record chunking where each record is one chunk	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs
semantic chunking along clause or paragraph boundaries	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs
fixed-size chunking with overlap for short records of similar length	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs
hierarchical chunking that mirrors document section structure	Long Structured Documents / Heterogeneous Short Records / Code or Hierarchical Specs

Correct Answer:

Chunking Strategy:	Select the Corpus Type:
function-level or section-level chunking for code modules	Code or Hierarchical Specs
tree-aware chunking that follows code or specification hierarchy	Code or Hierarchical Specs
per-record chunking where each record is one chunk	Heterogeneous Short Records
semantic chunking along clause or paragraph boundaries	Long Structured Documents
fixed-size chunking with overlap for short records of similar length	Heterogeneous Short Records
hierarchical chunking that mirrors document section structure	Long Structured Documents

Long Structured Documents
Heterogeneous Short Records
Code or Hierarchical Specs

Question #14 (Topic: Exam A) *Topic 1*

You are designing the prompt for a ticket-triage classifier with thirty well-defined categories and clear category descriptions in the prompt. Which technique is most appropriate as the starting point?

A. a prompt that demands the model invent new categories when the supplied ones do not fit

B. a chain-of-thought prompt for a routing decision that does not require multi-step reasoning

C. a zero-shot prompt that specifies the categories with their descriptions and the required output format

D. a prompt with no category descriptions, expecting the model to infer the category set

Correct Answer: C

Question #15 (Topic: Exam A) *Topic 1*

HOTSPOT

You are evaluating retrieval-strategy claims used by a peer team.

For each claim, select yes if the statement is generally accurate. Otherwise, select no.

Answer Area

Statements:	Select Yes or No:
Dense vector retrieval is well suited to recovering paraphrased intent against unstructured text.	Yes / No
Sparse term-matching retrieval recovers exact terms (such as identifiers and rare tokens) more reliably than dense alone.	Yes / No
Structured query retrieval is the right fit for filter-and-aggregate workloads against a relational store with schema and indexes.	Yes / No
Hybrid retrieval is identical to dense-only retrieval and shares the same recall characteristics.	Yes / No
Random sampling of a data store is a sound retrieval strategy for production Q&A.	Yes / No

Correct Answer:

Statements:	Select Yes or No:
Dense vector retrieval is well suited to recovering paraphrased intent against unstructured text.	Yes
Sparse term-matching retrieval recovers exact terms (such as identifiers and rare tokens) more reliably than dense alone.	Yes
Structured query retrieval is the right fit for filter-and-aggregate workloads against a relational store with schema and indexes.	Yes
Hybrid retrieval is identical to dense-only retrieval and shares the same recall characteristics.	No
Random sampling of a data store is a sound retrieval strategy for production Q&A.	No

Question #16 (Topic: Exam A) *Topic 1*

You are designing a content moderation classifier that processes high volumes of user-generated comments under a tight per-message latency budget using well-defined classification labels.
Which model selection best aligns with the workload?

A. Sonnet with extended thinking enabled, because deeper reasoning should be applied to every moderation request to improve edge-case handling.

B. Sonnet, because larger general-purpose models are preferred even when workload latency requirements are strict.

C. Opus, because every moderation decision requires maximum reasoning depth regardless of classification complexity.

D. Haiku, because its latency and cost profile align with high-volume classification workloads that require limited reasoning depth.

Correct Answer: D

Question #17 (Topic: Exam A) *Topic 1*

HOTSPOT

You are evaluating prompting claims in a peer's design document.

For each claim, select yes if the claim reflects sound practice. Otherwise, select no.

Answer Area

Claim:	Select Yes or No:
Zero-shot is appropriate as a starting point for closed-set classification when categories and descriptions are provided in the prompt.	Yes / No
Adding a few-shot example set with exact field names anchors output formatting on extraction tasks.	Yes / No
Chain-of-thought should be the default on every task regardless of complexity.	Yes / No
Leading-question framing is best mitigated by asking for an even-handed comparison with stated criteria.	Yes / No
Behavioral differences across model versions can be ignored once a prompt has been validated on one version.	Yes / No

Correct Answer:

Claim:	Select Yes or No:
Zero-shot is appropriate as a starting point for closed-set classification when categories and descriptions are provided in the prompt.	Yes
Adding a few-shot example set with exact field names anchors output formatting on extraction tasks.	Yes
Chain-of-thought should be the default on every task regardless of complexity.	No
Leading-question framing is best mitigated by asking for an even-handed comparison with stated criteria.	Yes
Behavioral differences across model versions can be ignored once a prompt has been validated on one version.	No

Question #18 (Topic: Exam A) *Topic 1*

HOTSPOT

You are evaluating model-selection claims used by a peer team.

For each statement, select yes if the statement is generally true. Otherwise, select no.

Answer Area

Statements:	Select Yes or No:
Heavier-reasoning models typically consume more of the rate limit and run more slowly than lighter models on the same input.	Yes / No
A representative-sample evaluation on the target workload is the right basis for confirming a model selection.	Yes / No
The most capable model is always the right choice regardless of the workload profile.	Yes / No
Tiered routing can serve routine traffic with a lighter model while reserving a heavier model for traffic that needs its capability.	Yes / No
Selecting a model based on which version was most recently announced is the right basis for production decisions.	Yes / No

Correct Answer:

Statements:	Select Yes or No:
Heavier-reasoning models typically consume more of the rate limit and run more slowly than lighter models on the same input.	Yes
A representative-sample evaluation on the target workload is the right basis for confirming a model selection.	Yes
The most capable model is always the right choice regardless of the workload profile.	No
Tiered routing can serve routine traffic with a lighter model while reserving a heavier model for traffic that needs its capability.	Yes
Selecting a model based on which version was most recently announced is the right basis for production decisions.	No

Question #19 (Topic: Exam A) *Topic 1*

You are selecting a model for a new production workload and must complete the upstream steps before testing candidate models empirically.
Which two steps must be completed BEFORE running a representative sample on a candidate model? (Choose two.)
Each correct answer presents part of the solution.

A. Sign off the production rollout plan with the platform and security teams.

B. Select the lightest model that consistently meets the quality bar across the sample.

C. Choose a candidate model based on the requirements profile and known capabilities.

D. Retest the model choice when a new model version becomes available.

E. Define the quality bar, latency tolerance, and expected volume for the workload.

Correct Answer: CE

Question #20 (Topic: Exam A) *Topic 1*

You are investigating an MCP server that fails on first launch but succeeds on subsequent runs. The system permission dialogs appeared on first launch.
Which response is most appropriate?

A. Recognize the first-run permission grant as the cause, document the expected behavior in onboarding guidance, and confirm that subsequent runs succeed.

B. Disable operating system permission dialogs entirely, accept the resulting security implications, and proceed without confirming whether the failure recurs.

C. Reinstall the operating system to clear all permission state, and do not first confirm whether the one-time permission grant was the actual cause of failure.

D. Treat the first-run failure as a permanent fault, replace the MCP server with an alternative implementation, and do not verify whether subsequent runs succeed. Most Voted

Correct Answer: A

Community vote currently supports Answer D

Community vote distribution

D 100%

Previous Questions

Next Questions

Browse atleast **50%** to increase passing rate

Viewing page 2 out of 13 pages.

Viewing questions **11-20** out of 125 questions