

Lab Sheet 6: MongoDB with Java

Branch/ Class: B.Tech/M.Tech

Date:

Faculty Name: Prof. S.Gopikrishnan

School: SCOPE

Student name:

Reg. no.:

Important:

1. All table values should be changed. No same value should present in other lab sheet.
2. All package name, class name, method name, variable name, field name in mongo db documents should be maintained as it is.
3. Need screenshot of all codes and outputs. No copy paste of code.
4. All screenshot should have date and time at the task bar.
5. No comment lines should be included in the code. Else it will be considered as AI Code
6. Don use any AI tools to take the code.

Java with MongoDB:

Convert the following RDBMS table into MongoDB collection for Employee details through a Java Program / Project

Employee_Id	Employee_Name	Employee_Addr	Employee_Age
101	Chaitanya	Dayal Bagh, Agra	27
102	Ajeet	Delhi	26
103	Rahul	Gurgaon	24
104	Shubham	Chennai	25

Ensure your java program / project must follow the given system design. Respective methods should call other respective methods.

Must have the following packages, classes & methods

- vit.employee.dao
 - EmployeeDAO
 - public void EmployeeDAO(String dbname) – to call and set database connection
 - public boolean createCollection(String cName)
 - public void listCollection()
 - public boolean connectCollection(String cName)
 - public boolean insertDocument(Document document)

Lab Sheet 6: MongoDB with Java

Branch/ Class: B.Tech/M.Tech

Date:

Faculty Name: Prof. S.Gopikrishnan

School: SCOPE

Student name:

Reg. no.:

-
- public void retrieveDocument()
 - public boolean updateDocumentByld(int eid, Document document)
 - public boolean deleteDocumentByld(int eid)
 - public boolean dropCollection()
 - vit.employee.services
 - MainClass
 - public static void main(String[] args)
 - vit.employee.util
 - DBConnect
 - public static MongoDBDatabase getConnect(String dbname)

Reference Code:

Include the jar file: [mongo-java-driver-3.12.8.jar](#)

DBUtil.java

package com.emp.util;

import org.bson.Document;

import com.mongodb.client.MongoClient;

import com.mongodb.client.MongoClients;

import com.mongodb.client.MongoCollection;

import com.mongodb.client.MongoDatabase;

public class DBUtil {

private static MongoClient *mongoClient* = null;

public static MongoDBDatabase getDBConnection() {

if (*mongoClient* == null) {

mongoClient = MongoClients.create("mongodb://localhost:27017");

 }

return *mongoClient*.getDatabase("demo");

 }

public static `MongoCollection<Document>` getCollection(String name) {

Lab Sheet 6: MongoDB with Java

Branch/ Class: B.Tech/M.Tech

Date:

Faculty Name: Prof. S.Gopikrishnan

School: SCOPE

Student name:

Reg. no.:

```
        return getDBConnection().getCollection(name);
    }
}
```

EmployeeService.java

```
package com.emp.service;

import com.emp.DBUtil;
import com.mongodb.client.MongoCollection;
import org.bson.Document;

public class EmployeeService {

    public static void main(String[] args) {
        DBUtil util=new DBUtil();
        MongoCollection<Document> employees = DBUtil.getCollection("employees");

        // If you want to see documents inside:
        for (Document doc : employees.find()) {
            System.out.println("Employee id: " + doc.getInteger("eid"));
        }
    }
}
```