Query all columns for all American cities in the **CITY** table with populations larger than `100000`. The **CountryCode** for America is USA.

The **CITY** table is described as follows:

CITY

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.


Sample Test case 0

Your Output (stdout)

```
3878 Scottsdale USA Arizona 202705
3965 Corona USA California 124966
3973 Concord USA California 121780
3977 Cedar Rapids USA Iowa 120758
3982 Coral Springs USA Florida 117549
```

Expected Output Download

```
3878 Scottsdale USA Arizona 202705
3965 Corona USA California 124966
```


HackerRank
Prepare
SQL
Basic Select
Revising the Select Query II
Exit Full Screen View
Problem
Submissions
Leaderboard
Query the NAME field for all American cities in the CITY table with populations larger than 120000. The CountryCode for America is USA.
The CITY table is described as follows:
CITY
Field
Type
ID
NUMBER
NAME
VARCHAR2(17)
COUNTRYCODE
VARCHAR2(3)
DISTRICT
VARCHAR2(20)
POPULATION
NUMBER
select Name from CITY where COUNTRYCODE = 'USA' and POPULATION >120000;
Line: 18 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code
Congratulations!
You have passed the sample test cases. Click the submit button to run your code against all the test cases.
Sample Test case 0
Your Output (stdout)
Scottsdale

Query all columns (attributes) for every row in the **CITY** table.

The **CITY** table is described as follows:

CITY

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Your Output (stdout)

```
6 Rotterdam NLD Zuid-Holland 593321
3878 Scottsdale USA Arizona 202705
3965 Corona USA California 124966
3973 Concord USA California 121780
3977 Cedar Rapids USA Iowa 120758
3982 Coral Springs USA Florida 117549
4054 Fairfield USA California 92256
4058 Boulder USA Colorado 91238
4061 Fall River USA Massachusetts
90555
```

Query all columns for a city in **CITY** with the ID `1661`.

The **CITY** table is described as follows:

CITY

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Your Output (stdout)

```
1661 Sayama JPN Saitama 162472
```

Query all attributes of every Japanese city in the **CITY** table. The **COUNTRYCODE** for Japan is `JPN`.

The **CITY** table is described as follows:

CITY

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Your Output (stdout)

```
1 1613 Neyagawa JPN Osaka 257315
2 1630 Ageo JPN Saitama 209442
3 1661 Sayama JPN Saitama 162472
4 1681 Omuta JPN Fukuoka 142889
5 1739 Tokuyama JPN Yamaguchi 107078
```

Problem

Query the names of all the Japanese cities in the **CITY** table. The **COUNTRYCODE** for Japan is `JPN`.

The **CITY** table is described as follows:

CITY

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Submissions

Leaderboard

Line: 1 Col: 49

Upload Code as File | Test against custom input | Run Code | Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Your Output (stdout)

```
1 Neyagawa
2 Ageo
3 Sayama
4 Omuta
5 Tokuyama
```

Query a list of **CITY** and **STATE** from the **STATION** table.

The **STATION** table is described as follows:

STATION

Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER
LONG_W	NUMBER

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

```
4  Tipton IN
5  Arlington CO
6  Turner AR
7  Slidell LA
8  Negreet LA
9  Glencoe KY
10 Chelsea IA
11 Chignik Lagoon AK
12 Pelahatchie MS
13 Hanna City IL
```

Problem

Query a list of **CITY** names from **STATION** for cities that have an even **ID** number. Print the results in any order, but exclude duplicates from the answer.

The **STATION** table is described as follows:

STATION

Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER

Submissions

Leaderboard

```
14
15
16
17  select distinct CITY from STATION where ID %2 = 0 (it is not
    working )
18  select distinct CITY from STATION where MOD(ID,2)=0;
```

Line: 16 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Your Output (stdout)

```
1  Aguanga
```