

| ID         | Type     | Story                                                                 | Points | Sprint   |
|------------|----------|-----------------------------------------------------------------------|--------|----------|
| DB-1       | Database | Design User table (id, email, passwordHash, role, status, timestamps) | 3      | Sprint 1 |
| DB-2       | Database | Add role enum (ATTENDEE, ORGANIZER, ADMIN)                            | 2      | Sprint 1 |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
| ID         | Type     | Story                                                                 | Points | Sprint   |
| API-AUTH-1 | API      | Register user endpoint (POST /auth/register)                          | 5      | Sprint 2 |
| API-AUTH-2 | API      | Login endpoint (JWT/session)                                          | 5      | Sprint 2 |
| API-AUTH-3 | API      | Logout endpoint                                                       | 2      | Sprint 2 |
| API-AUTH-6 | API      | Role upgrade endpoint (admin only)                                    | 3      | Sprint 2 |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
| ID         | Type     | Story                                                                 | Points | Sprint   |
| UI-AUTH-1  | UI       | Registration page                                                     | 5      | Sprint 3 |
| UI-AUTH-2  | UI       | Login page                                                            | 5      | Sprint 3 |
| UI-AUTH-3  | UI       | Logout button + state handling                                        | 2      | Sprint 3 |
| UI-AUTH-4  | UI       | Password reset request page                                           | 3      | Sprint 2 |
| UI-AUTH-5  | UI       | Password reset confirmation page                                      | 3      | Sprint 2 |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
| ID         | Type     | Story                                                                 | Points | Sprint   |
| SEC-1      | Security | Hash passwords with bcrypt                                            | 3      |          |
| SEC-2      | Security | JWT middleware for protected routes                                   | 5      | Sprint 2 |
| SEC-3      | Security | Role-based access control middleware                                  | 5      | Sprint 2 |
| SEC-4      | Security | Global input validation & error format                                | 8      | Sprint 2 |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
|            |          |                                                                       |        |          |
| ID         | Type     | Story                                                                 | Points | Sprint   |
| DB-4       | Database | Create Event table                                                    | 5      | Sprint 1 |

| DB-5        | Database | Add event status enum (DRAFT, PENDING, APPROVED, REJECTED, C | 3      | Sprint 3 |
|-------------|----------|--------------------------------------------------------------|--------|----------|
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
| ID          | Type     | Story                                                        | Points | Sprint   |
| API-EVT-1   | API      | Create event endpoint                                        | 8      | Sprint 2 |
| API-EVT-2   | API      | Update event endpoint                                        | 5      | Sprint 2 |
| API-EVT-3   | API      | Cancel event endpoint                                        | 3      | Sprint 3 |
| API-EVT-4   | API      | List events (paginated)                                      | 5      | Sprint 3 |
| API-EVT-5   | API      | Search & filter endpoint                                     | 8      | Sprint 4 |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
| ID          | Type     | Story                                                        | Points | Sprint   |
| UI-EVT-1    | UI       | Create event form                                            | 8      | Sprint 3 |
| UI-EVT-2    | UI       | Edit event page                                              | 5      | Sprint 3 |
| UI-EVT-3    | UI       | Organizer dashboard (my events list)                         | 5      | Sprint 4 |
| UI-EVT-4    | UI       | Cancel event button                                          | 3      | Sprint 4 |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
| ID          | Type     | Story                                                        | Points | Sprint   |
| API-DISC-1  | API      | Get upcoming events endpoint                                 | 5      | Sprint 4 |
| API-DISC-2  | API      | Category filter endpoint                                     | 5      | Sprint 5 |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
|             |          |                                                              |        |          |
| ID          | Type     | Story                                                        | Points | Sprint   |
| UI-DISC-1   | UI       | Home page event listing                                      | 5      | Sprint 4 |
| UI-DISC-2   | UI       | Search bar component                                         | 3      | Sprint 4 |
| UI-DISC-3   | UI       | Filter panel                                                 | 5      | Sprint 5 |
| UI-DETAIL-1 | UI       | Event details page                                           | 8      | Sprint 4 |

|             |             |                                         |               |               |
|-------------|-------------|-----------------------------------------|---------------|---------------|
| UI-DETAIL-2 | UI          | Display remaining capacity              | 3             | Sprint 5      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |
| DB-6        | Database    | Create RSVP table                       | 5             | Sprint 5      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |
| API-RSVP-1  | API         | Create RSVP endpoint                    | 8             | Sprint 5      |
| API-RSVP-2  | API         | Prevent over-capacity logic             | 5             | Sprint 5      |
| API-RSVP-3  | API         | Get attendee list for organizer         | 5             | Sprint 5      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |
| UI-RSVP-1   | UI          | RSVP/Register button on event page      | 5             | Sprint 5      |
| UI-RSVP-2   | UI          | RSVP/Register confirmation page         | 3             | Sprint 5      |
| UI-RSVP-3   | UI          | Organizer attendee list page            | 5             | Sprint 5      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |
| API-NOTIF-1 | API         | Send RSVP confirmation email            | 5             | Sprint 6      |
| API-NOTIF-2 | API         | Send organizer event approval email     | 3             | Sprint 6      |
| API-NOTIF-3 | API         | Scheduled reminder email (24hrs before) | 8             | Sprint 6      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |
| UI-NOTIF-1  | UI          | Success notification components         | 3             | Sprint 5      |
|             |             |                                         |               |               |
|             |             |                                         |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                            | <b>Points</b> | <b>Sprint</b> |

|             |             |                                                   |               |               |
|-------------|-------------|---------------------------------------------------|---------------|---------------|
| API-CAL-1   | API         | Generate Google Calendar link                     | 3             | Sprint 6      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                                      | <b>Points</b> | <b>Sprint</b> |
| UI-CAL-1    | UI          | Add "Add to Calendar" button                      | 3             | Sprint 6      |
| UI-MAP-1    | UI          | Embed Google Map in event page                    | 5             | Sprint 6      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                                      | <b>Points</b> | <b>Sprint</b> |
| API-ADMIN-1 | API         | List pending events                               | 5             | Sprint 4      |
| API-ADMIN-2 | API         | Approve/reject event endpoint                     | 5             | Sprint 4      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                                      | <b>Points</b> | <b>Sprint</b> |
| UI-ADMIN-1  | UI          | Admin dashboard                                   | 5             | Sprint 4      |
| UI-ADMIN-2  | UI          | Approve/reject buttons                            | 3             | Sprint 4      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                                      | <b>Points</b> | <b>Sprint</b> |
| DEV-1       | DevOps      | Dockerize backend                                 | 5             | Sprint 6      |
| DEV-2       | DevOps      | Deploy DB to AWS                                  | 5             | Sprint 6      |
| DEV-3       | DevOps      | Deploy API behind load balancer                   | 8             | Sprint 6      |
| DEV-4       | DevOps      | Health check endpoint                             | 2             | Sprint 6      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |
| <b>ID</b>   | <b>Type</b> | <b>Story</b>                                      | <b>Points</b> | <b>Sprint</b> |
| UI-RESP-1   | UI          | Mobile responsive layout                          | 8             | Sprint 6      |
| UI-RESP-2   | UI          | Accessibility improvements (labels, keyboard nav) | 5             | Sprint 6      |
|             |             |                                                   |               |               |
|             |             |                                                   |               |               |

| ID    | Type  | Story                             | Points | Sprint       |
|-------|-------|-----------------------------------|--------|--------------|
| DOC-1 | Docs  | UI Wireframes                     | 5      | Sprint 1     |
| DOC-2 | Docs  | UML Component Diagram             | 3      | Sprint 1     |
| DOC-3 | Docs  | UML Deployment Diagram            | 3      | Sprint 6     |
| DOC-4 | Docs  | Maintain README with feature list | 3      | Ongoing      |
| DOC-5 | Docs  | Weekly Scrum Reports              | 2      | Every Sprint |
| DOC-6 | Docs  | Burndown chart tracking           | 2      | Every Sprint |
|       |       |                                   |        |              |
| ID    | Type  | Story                             | Points | Sprint       |
| SPK-1 | Spike | Django User Auth Spike            | 5      | Sprint 1     |
| SPK-2 | Spike | AWS Deployment Spike              | 5      | Sprint 3     |






A line chart titled "Sprint 3 Burndown Chart" showing the progress of work over time. The Y-axis represents the amount of work remaining, ranging from 0 to 50 in increments of 10. The X-axis represents the date, with labels for 9 Mar, 11 Mar, 13 Mar, 15 Mar, 17 Mar, 19 Mar, and 21 Mar. Two lines are plotted: a blue line for "Ideal Remaining" and a red line for "Actual Remaining". The blue line starts at approximately 42 on 9 Mar and decreases linearly to 0 by 22 Mar. The red line starts at approximately 39 on 9 Mar, remains flat until 10 Mar, then drops sharply to approximately 11 on 11 Mar. It remains flat at 11 until 19 Mar, then drops to approximately 5 on 20 Mar, remains flat until 21 Mar, and finally drops to 0 on 22 Mar.


| Date   | Ideal Remaining | Actual Remaining |
|--------|-----------------|------------------|
| 9 Mar  | 42              | 39               |
| 10 Mar | 39              | 39               |
| 11 Mar | 36              | 11               |
| 12 Mar | 33              | 11               |
| 13 Mar | 30              | 11               |
| 14 Mar | 27              | 11               |
| 15 Mar | 24              | 11               |
| 16 Mar | 21              | 11               |
| 17 Mar | 18              | 11               |
| 18 Mar | 15              | 11               |
| 19 Mar | 12              | 11               |
| 20 Mar | 9               | 5                |
| 21 Mar | 6               | 5                |
| 22 Mar | 3               | 0                |



| ID          | Type | Story                                | Points | Sprint   | Assignee      | Completion Date | Start Date | 23 Mar | Date   | Ideal Remaining | Completed To | Actual Remaining |
|-------------|------|--------------------------------------|--------|----------|---------------|-----------------|------------|--------|--------|-----------------|--------------|------------------|
| API-ADMIN-1 | API  | List pending events                  | 5      | Sprint 4 | Rohan Ohlan   | 25 Mar          | End Date   | 5 Apr  | 23 Mar | 55              | 0            | 55               |
| API-ADMIN-2 | API  | Approve/reject event endpoint        | 5      | Sprint 4 | Rohan Ohlan   | 25 Mar          |            |        | 24 Mar | 50.76923077     | 0            | 55               |
| UI-ADMIN-1  | UI   | Admin dashboard                      | 5      | Sprint 4 | Aaron Jiang   | 4 Apr           |            |        | 25 Mar | 46.53846154     | 10           | 45               |
| UI-ADMIN-2  | UI   | Approve/reject buttons               | 3      | Sprint 4 | Aaron Jiang   | 4 Apr           |            |        | 26 Mar | 42.30769231     | 0            | 45               |
| UI-EVT-3    | UI   | Organizer dashboard (my events list) | 5      | Sprint 4 | Michael Kao   | 5 Apr           |            |        | 27 Mar | 38.07692308     | 0            | 45               |
| UI-EVT-4    | UI   | Cancel event button                  | 3      | Sprint 4 | Michael Kao   | 4 Apr           |            |        | 28 Mar | 33.84615385     | 0            | 45               |
| API-EVT-5   | API  | Search & filter endpoint             | 8      | Sprint 4 | Rohan Ohlan   | 4 Apr           |            |        | 29 Mar | 29.61538462     | 0            | 45               |
| API-DISC-1  | API  | Get upcoming events endpoint         | 5      | Sprint 4 | Rohan Ohlan   | 2 Apr           |            |        | 30 Mar | 25.38461538     | 0            | 45               |
| UI-DISC-1   | UI   | Home page event listing              | 5      | Sprint 4 | Aaron Jiang   | 2 Apr           |            |        | 31 Mar | 21.15384615     | 0            | 45               |
| UI-DISC-2   | UI   | Search bar component                 | 3      | Sprint 4 | Bhimsen Thapa | 2 Apr           |            |        | 1 Apr  | 16.92307692     | 0            | 45               |
| UI-DETAIL-1 | UI   | Event details page                   | 8      | Sprint 4 | Aaron Jiang   | 5 Apr           |            |        | 2 Apr  | 12.69230769     | 13           | 32               |
|             |      | Total                                | 55     |          |               |                 |            |        | 3 Apr  | 8.461538462     | 0            | 32               |
|             |      |                                      |        |          |               |                 |            |        | 4 Apr  | 4.230769231     | 19           | 13               |
|             |      |                                      |        |          |               |                 |            |        | 5 Apr  | 0               | 13           | 0                |



| ID          | Type     | Story                           | Points | Sprint   | Assignee      | Completion Date | Start Date | 6 Apr  | Date   | Ideal Remaining | Completed To | Actual Remaining |
|-------------|----------|---------------------------------|--------|----------|---------------|-----------------|------------|--------|--------|-----------------|--------------|------------------|
| DB-6        | Database | Create Registration table       | 5      | Sprint 5 | Michael Kao   | 8 Apr           | End Date   | 19 Apr | 6 Apr  | 52              | 0            | 52               |
| API-RSVP-1  | API      | Create Register endpoint        | 8      | Sprint 5 | Michael Kao   | 8 Apr           |            |        | 7 Apr  | 48              | 0            | 52               |
| API-DISC-2  | API      | Category filter endpoint        | 5      | Sprint 5 | Rohan Ohlan   | April 8         |            |        | 8 Apr  | 44              | 23           | 29               |
| UI-DISC-3   | UI       | Filter panel                    | 5      | Sprint 5 | Aaron Jiang   | April 8         |            |        | 9 Apr  | 40              | 0            | 29               |
| UI-DETAIL-2 | UI       | Display remaining capacity      | 3      | Sprint 5 | Aaron Jiang   | April 15        |            |        | 10 Apr | 36              | 0            | 29               |
| API-RSVP-2  | API      | Prevent over-capacity logic     | 5      | Sprint 5 | Michael Kao   | April 15        |            |        | 11 Apr | 32              | 10           | 19               |
| API-RSVP-3  | API      | Get attendee list for organizer | 5      | Sprint 5 | Rohan Ohlan   | 11 Apr          |            |        | 12 Apr | 28              | 0            | 19               |
| UI-RSVP-1   | UI       | Register button on event page   | 5      | Sprint 5 | Aaron Jiang   | 15 Apr          |            |        | 13 Apr | 24              | 0            | 19               |
| UI-RSVP-2   | UI       | Registration confirmation page  | 3      | Sprint 5 | Rohan Ohlan   | 15 Apr          |            |        | 14 Apr | 20              | 0            | 19               |
| UI-RSVP-3   | UI       | Organizer attendee list page    | 5      | Sprint 5 | Rohan Ohlan   | 11 Apr          |            |        | 15 Apr | 16              | 19           | 0                |
| UI-NOTIF-1  | UI       | Success notification components | 3      | Sprint 5 | Bhimsen Thapa | April 15        |            |        | 16 Apr | 12              | 0            | 0                |
|             |          | Total                           | 52     |          |               |                 |            |        | 17 Apr | 8               | 0            | 0                |
|             |          |                                 |        |          |               |                 |            |        | 18 Apr | 4               | 0            | 0                |
|             |          |                                 |        |          |               |                 |            |        | 19 Apr | 0               | 0            | 0                |



| ID         | Type   | Story                                             | Points | Sprint   | Assignee      | Completion Date | Start Date | 20 Apr | Date   | Ideal Remaining | Completed Today | Actual Remaining |
|------------|--------|---------------------------------------------------|--------|----------|---------------|-----------------|------------|--------|--------|-----------------|-----------------|------------------|
| DEV-2      | DevOps | Deploy DB to AWS                                  | 5      | Sprint 6 | Rohan Ohlan   | 29 April        | End Date   | 7 May  | 20 Apr | 58              | 0               | 58               |
| DEV-3      | DevOps | Deploy API behind load balancer                   | 8      | Sprint 6 | Rohan Ohlan   | 29 April        |            |        | 21 Apr | 54.375          | 0               | 58               |
| DEV-4      | DevOps | Health check endpoint                             | 2      | Sprint 6 | Bhimsen Thapa | April 22        |            |        | 22 Apr | 50.75           | 2               | 56               |
| API-NOTIF- | API    | Send Registration confirmation email              | 5      | Sprint 6 | Michael Kao   | May 4           |            |        | 23 Apr | 47.125          | 0               | 56               |
| API-NOTIF- | API    | Send organizer event approval email               | 3      | Sprint 6 | Michael Kao   | May 6           |            |        | 24 Apr | 43.5            | 0               | 56               |
| API-NOTIF- | API    | Scheduled reminder email (24hrs before)           | 8      | Sprint 6 | Michael Kao   | May 6           |            |        | 25 Apr | 39.875          | 0               | 56               |
| API-CAL-1  | API    | Generate Google Calendar link                     | 3      | Sprint 6 | Aaron Jiang   | May 4           |            |        | 26 Apr | 36.25           | 0               | 56               |
| UI-CAL-1   | UI     | Add "Add to Calendar" button                      | 3      | Sprint 6 | Aaron Jiang   | May 4           |            |        | 27 Apr | 32.625          | 0               | 56               |
| UI-MAP-1   | UI     | Embed Google Map in event page                    | 5      | Sprint 6 | Michael Kao   | May 6           |            |        | 28 Apr | 29              | 0               | 56               |
| UI-RESP-1  | UI     | Web/Mobile responsive layout                      | 8      | Sprint 6 | All Members   | May 6           |            |        | 29 Apr | 25.375          | 13              | 43               |
| UI-RESP-2  | UI     | Accessibility improvements (labels, keyboard nav) | 5      | Sprint 6 | All Members   | May 6           |            |        | 30 Apr | 21.75           | 0               | 43               |
| DOC-3      | Docs   | UML Deployment Diagram                            | 3      | Sprint 6 | Bhimsen Thapa | May 1           |            |        | 1 May  | 18.125          | 3               | 40               |
|            |        | Total                                             | 58     |          |               |                 |            |        | 2 May  | 14.5            | 0               | 40               |
|            |        |                                                   |        |          |               |                 |            |        | 3 May  | 10.875          | 0               | 40               |
|            |        |                                                   |        |          |               |                 |            |        | 4 May  | 7.25            | 11              | 29               |
|            |        |                                                   |        |          |               |                 |            |        | 5 May  | 3.625           | 0               | 29               |
|            |        |                                                   |        |          |               |                 |            |        | 6 May  | 0               | 29              | 0                |

### Sprint 6 Burndown Chart

— Ideal Remaining — Actual Remaining

| Date   | Ideal Remaining | Actual Remaining |
|--------|-----------------|------------------|
| 20 Apr | 58              | 58               |
| 22 Apr | 50.75           | 56               |
| 24 Apr | 43.5            | 56               |
| 26 Apr | 36.25           | 56               |
| 28 Apr | 29              | 56               |
| 30 Apr | 21.75           | 43               |
| 2 May  | 14.5            | 40               |
| 4 May  | 7.25            | 29               |
| 6 May  | 0               | 0                |