

Cucumber Report

Jan 11, 2024, 4:27:51 PM

Start : Jan 11, 4:25:15.010 PM

End : Jan 11, 4:27:50.243 PM

Duration : 2 m 35.233 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 40




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature</u>	2 m 35.233 s	3	0	3	0	40	0	0	40

#	Feature Name	Scenario Name
1	<u>Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature</u>	<u>Controller Creating Examinations in Examcenter</u>
2		<u>Creating Schedule for an Examinations</u>
3		<u>Enroll the Examination and schedule to the Examtaker</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature</u>	3	0	3	0	2 m 35.233 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Examcenter Creation of Examinations Schedules and Examtaker Enrollments *</u>	<u>Controller Creating Examinations in Examcenter</u>	8	0	0	8	2 m 34.087 s
2		<u>Creating Schedule for an Examinations</u>	18	0	0	18	0.503 s
3		<u>Enroll the Examination and schedule to the Examtaker</u>	14	0	0	14	0.578 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature

FAILED	DURATION - 2 m 35.233 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 40 Pass - 0 Fail - 0 Skip - 40	
/ 4:25:15.010 PM // 4:27:50.243 PM /					

Controller Creating Examinations in Examcenter

<div>FAILED</div> <div>DURATION - 2 m 34.087 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 4:25:15.017 PM // 4:27:49.104 PM /				
Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1409) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425) at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1562) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:132) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1430)	FAILED	2 m 34.026 s

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1258) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1177) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425) at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com</p> <pre> at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:801) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1533) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1385) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1306) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.apache.http.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1547)</pre>		
1	Given User launch the application	SKIPPED	0.001 s
2	And User able to see all Fields in login page	SKIPPED	0.001 s
3	When User enters the valid credential from the given excel sheet at 0	SKIPPED	0.001 s
4	Then User able to see the Home page	SKIPPED	0.001 s
5	Then User click on ExamAdministration tab	SKIPPED	0.000 s
6	And User click on AddExam button under Examination tab	SKIPPED	0.000 s
7	Then User enters the Examname and Description from the given excelsheet at 0	SKIPPED	0.001 s
8	Then User click on save button	SKIPPED	0.000 s
	<pre>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:56)</pre>	FAILED	0.005 s
	<pre>AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:48)</pre>	FAILED	0.002 s

Creating Schedule for an Examinations

FAILED DURATION - 0.503 s / 4:27:49.129 PM // 4:27:49.632 PM / Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature		Steps Total - 18 Pass - 0 Fail - 0 Skip - 18	
--	---	--	--

#	Step / Hook Details	Status	Duration
	<pre>BEFORE - AppHooks.ApplicationHooks.launchBrowser() io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net. UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1409) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183)</pre>	FAILED	0.466 s

#	Step / Hook Details	Status	Duration
	<p>at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425)</p> <p>at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43)</p> <p>at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30)</p> <p>Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1562)</p> <p>at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:132)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1430)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1258)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1177)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183)</p> <p>at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425)</p> <p>at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43)</p> <p>at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:78)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:801) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1533) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1385) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1306) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) </pre>		

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1547)		
1	Given User launch the application	SKIPPED	0.000 s
2	And User able to see all Fields in login page	SKIPPED	0.000 s
3	When User enters the valid credential from the given excel sheet at 0	SKIPPED	0.000 s
4	Then User able to see the Home page	SKIPPED	0.000 s
5	Then User click on ExamAdministration tab	SKIPPED	0.001 s
6	And User Search the Examination in Search here field 0	SKIPPED	0.001 s
7	Then User click on Add New schedule button	SKIPPED	0.001 s
8	And Click on Search Test button in Add-Edit schedule popup	SKIPPED	0.001 s
9	Then User Search the Testname 0	SKIPPED	0.000 s
10	Then User click on Go icon and click on Add icon for that searched test	SKIPPED	0.000 s
11	And User enter the Schedule name with 0	SKIPPED	0.000 s
12	Then User select the Testtype dropdown	SKIPPED	0.000 s
13	And User enable the all toggles	SKIPPED	0.001 s
14	Then Click on datepicker icon	SKIPPED	0.001 s
15	And User choose the date month year from excel datepicker 0	SKIPPED	0.001 s
16	Then User enters the text in the Ckeditor fields from excel 0	SKIPPED	0.001 s
17	Then User click on Schedule Save button	SKIPPED	0.000 s
18	Then Enabled the published and Exam live toggles with schedulename 0	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		

#	Step / Hook Details	Status	Duration
	because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:56)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:48)	FAILED	0.001 s

Enroll the Examination and schedule to the Examtaker

FAILED DURATION - 0.578 s / 4:27:49.665 PM // 4:27:50.243 PM / Examcenter Creation of Examinations Schedules and Examtaker Enrollments feature		Steps Total - 14 Pass - 0 Fail - 0 Skip - 14	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1409) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425) at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1562) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:132) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1430) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1258) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1177)	FAILED	0.551 s

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1406) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1399) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1183) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:425) at com.Fp_Examcenter.Utills.Base.init_driver(Base.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:30) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com</p> <pre> at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:801) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1533) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1385) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1306) at org.apache.http.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.http.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.http.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.http.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.http.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.http.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.http.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) </pre>		

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1547)		
1	Given User launch the application	SKIPPED	0.000 s
2	And User able to see all Fields in login page	SKIPPED	0.001 s
3	When User enters the valid credential from the given excel sheet at 0	SKIPPED	0.001 s
4	Then User able to see the Home page	SKIPPED	0.001 s
5	Then User click on Administration tab	SKIPPED	0.000 s
6	Then Click on Provisioning tab	SKIPPED	0.000 s
7	And User Search the Examtaker in Search here field 0	SKIPPED	0.001 s
8	Then User click on the searched Examtaker 0	SKIPPED	0.000 s
9	Then User click on Enroll to an Exam button	SKIPPED	0.001 s
10	And User click on the Examinations dropdown	SKIPPED	0.001 s
11	Then Select one Examinations name from excel 0	SKIPPED	0.000 s
12	And Again click on the Schedule dropdown	SKIPPED	0.000 s
13	Then Choose one Schedule name from an selected Examinations 0	SKIPPED	0.000 s
14	And User click on Enrollment Save button	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:56)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:48)		