

# Cucumber Report

Dec 27, 2023, 12:16:36 PM

Start : Dec 27, 12:16:32.302 PM

End : Dec 27, 12:16:35.616 PM

Duration : 3.314 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	Checking the Examtaker Assessment Submission	1	0	1	0	3.314 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Examtaker Assessment Submission</u>	<u>Checking the Examcenter Examtaker Assessment Submission Functionality</u>	10	1	1	8	3.308 s

**(F)- Checking the Examtaker Assessment Submission**

<b>FAILED</b>	<b>DURATION - 3.314 s</b>	Scenarios		Steps	
/ 12:16:32.302 PM // 12:16:35.616 PM /		Total - 1	1	Total - 10	10
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

**(S)- Checking the Examcenter Examtaker Assessment Submission Functionality**

<div>FAILED</div> <div>DURATION - 3.308 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 12:16:32.308 PM // 12:16:35.616 PM /</div>				
<div>Checking the Examtaker Assessment Submission</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch the URL for Examtaker	PASSED	0.603 s
2	And Login with Examtaker credentials from excel sheet 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at Com.Examcenter.Utils.ExcelReader.readSheet(ExcelReader.java:51) at Com.Examcenter.Utils.ExcelReader.getData(ExcelReader.java:24) at StepDefinitions.AssessmentSubmission.login_with_examtaker_credentials_from_excel_sheet(AssessmentSubmission.java:34) at ?.Login with Examtaker credentials from excel sheet 2(file:///E:/Automation%20EC/Examcenter_AutomationFramework/src/test/resources/Features/ExamtakerSubmission.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.577 s
3	Then Search for particular exam and Click on it 2	SKIPPED	0.001 s
4	And Clicks on Launch button	SKIPPED	0.000 s
5	Then Enter the valid Invigilatory Token 2	SKIPPED	0.001 s
6	And clicks on begin test	SKIPPED	0.000 s
7	Then Select all Answers	SKIPPED	0.000 s
8	And submit the Exam	SKIPPED	0.000 s
9	Then capture the status band	SKIPPED	0.000 s
10	Then Logout from the Application	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - Hooks.AppHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.130) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3a7da0e979af229a9502c4b0b4e3896, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\SAPPHI~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62526}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62526/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3a7da0e979af229a9502c4b0b4e3896</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at Hooks.AppHooks.tearDown(AppHooks.java:55)</p>	FAILED	0.013 s